

Volume 10: DAF22 Administrative Source File Documentation

April 2024

Submitted to:

Social Security Administration
Office of Retirement and Disability Policy
Office of Research, Demonstration, and Employment
Support

Washington, DC 20024-2796

Project Officers: Christopher D. Earles and Tomas Padilla Facsimile: (202) 863-1763

Contract Number: 28321322D00060010

Submitted by:

Mathematica 1100 1st Street, NE 12th Floor

Washington, DC 20002-4221 Telephone: (202) 484-9220 Facsimile: (202) 863-1763

Project Director: Matthew Urato

Reference Number: 51747.BY.T06.160.000

Suggested Citation: U.S. Social Security Administration, Office of Retirement and Disability Policy, Office of Research, Demonstration, and Employment Support. (2022). "Disability Analysis File 2022 (DAF22) Documentation: Data from January 1994 through December 2022." Washington, DC: Mathematica, April 2022. [Volume 10: DAF22 Administrative Source File Documentation]. Retrieved from https://www.ssa.gov/disabilityresearch/daf.html.



Contents

Glossary	iv
Overview of DAF Documentation	vii
SSA Source File Layout Dates	1
APPENDIX A: FILE LAYOUT OF THE MBR EXTRACT LAYOUT	A.1
APPENDIX B: FILE LAYOUTS OF THE SSR: SUPPLEMENTAL SECURITY INCOME LONGITUDINAL FILE AND CUSTOM EXTRACTS	B.1
APPENDIX C: FILE LAYOUT OF THE NUMIDENT	
APPENDIX D: FILE LAYOUT OF THE 831 & 832/833 DISABILITY FILES	D.1
APPENDIX E: FILE LAYOUT OF THE DCF	E.1
APPENDIX F: FILE LAYOUT OF THE MONTHLY CER100%	F.1
APPENDIX G: FILE LAYOUT OF THE MONTHLY DBAD FILES	G.1
APPENDIX H: FILE LAYOUT OF THE PHUS	H.1
APPENDIX I: FILE LAYOUT OF THE EN PAYMENTS FILES	I.1
APPENDIX J: FILE LAYOUT OF THE MEF: MASTER EARNINGS FILE	J.1
APPENDIX K: FILE LAYOUT OF THE VRRMS FILES	K.1
APPENDIX K.1: VRRMS LAYOUT, PRE-MARCH 2017	K.2
APPENDIX K.2: VRRMS LAYOUT, MARCH 2017 ONWARD	K.6
APPENDIX L: FILE LAYOUT OF THE WATERFALL FILE	L.1
APPENDIX M: FILE LAYOUT OF THE DISABILITY RESEARCH FILE, TITLE 2 AND TITLE 16	M.1
APPENDIX N: FILE LAYOUT OF THE RACE AND ETHNICITY CLASSIFICATION SYSTEM	N.1
Tables	
1 DAFOO course file level t detec	4

1.

Mathematica® Inc. iii

Glossary

AB Accelerated Benefits Demonstration

ADM Awardee Data Mart

AIME Average Indexed Monthly Earnings
BEST Benefits Entitlement Services Team

BFW Benefits forgone due to work
BIC Beneficiary Identification Code

BMF Budget Month Factor

BOAN Beneficiary's Own Account Number
BOND Benefit Offset National Demonstration

BOPD Benefit Offset Pilot Demonstration

CAN Claim Account Number

CDR Continuing Disability Review

CER Characteristics Extract Record 100% Field File

COLA Cost-of-Living Adjustment

COSSN Claimants Own Social Security Number

DAC Disabled Adult Child

DAF Disability Analysis File (previously known as TRF)

DBAD Disabled Beneficiary and Dependents Extract

DCF Disability Control File

DDS Disability Determination Services

DER Detailed Earnings Record

DI Disability Insurance, also referred to as SSDI

DMG Demographic component of the DAF

DRF Disability Research File

DWB Disabled Widow Beneficiaries
EDW Enterprise Data Warehouse

EN Employment Network (also called a TTW provider)

EPE Extended Period of Eligibility

EVS Enumeration Verification System

EXR Expedited Reinstatement

FBR Federal Benefit Rate

FCI Federal Countable Income

FIPS Federal Information Processing Standards (in reference to U.S. Census

standardized codes for uniform identification of geographic entities)

FRA Full Retirement Age

HI Hospital Insurance (Medicare Part A)

HOPE Homeless Outreach Projects and Evaluation Demonstration

HUN Housed Under Number

ICD-9 International Classification of Diseases Coding Scheme

IPE Individualized Plan for Employment, developed by State VR Agency

IRS Internal Revenue Service

IRWE Impairment-Related Work Expense

LAF Ledger Account File

LAUS Local Area Unemployment Statistics

MBR Master Beneficiary Record

MEF Master Earnings File

MHTS Mental Health Treatment Study
MIE Medical Improvement Expected

MO Milestone + Outcomes payment system

MPR-EVS Mathematica's EVS

NBS National Beneficiary Survey

NSCF National Survey of SSI Children and Families

NUMIDENT Numerical Identification File

OIM Office of Information Management
OO Outcomes-Only payment system

PAN Person's Account Number

PASS Program to Achieve Self-Support PHUS Payment History Update System

PIA Primary Insurance Amount

PIN Personal Identification Number

POD Promoting Opportunity Demonstration

POMS SSA's Program Operations Manual System

PROMISE Promoting Readiness of Minors in SSI

Provider Service provider under TTW (also called an EN)

PUF Public Use File

RECS Race and Ethnicity Classification System

REMICS Revised Management Information Counts System

RIB Retirement Insurance Benefits

RMA Retrospective Monthly Accounting

Mathematica[®] Inc.

RSA Rehabilitation Services Administration

RSA-911 RSA Case Service Report

SAIPE Small Area Income and Poverty Estimates

SAS Statistical Analysis Software, used to produce the DAF

SCWF Standalone Companion Work File

SED Supported Employment Demonstration

SER Summary Earnings Record SGA Substantial Gainful Activity

SMI Supplemental Medical Insurance (Medicare Part B)

SNAP Supplemental Nutrition Assistance Program

SSN Social Security Number

SSA Social Security Administration

SSDI Social Security Disability Insurance (also referred to as DI)

SSI Supplemental Security Income

SSI-LF SSI - Longitudinal File

SSR Supplemental Security Record

STW Suspension or termination of cash benefits for work

Title II, the SSDI Program
Title XVI, the SSI Program

TANF Temporary Assistance for Needy Families

TCNEI Total countable non-earned income

TKT DAF component containing data related to TTW participation

TRF Ticket Research File, now called the DAF

TTW Ticket to Work
TWP Trial Work Period

VR Federal/State Vocational Rehabilitation program/agency

VRRMS Vocational Rehabilitation Reimbursement Management System; data from this

system is contained in the Payments component

YTD Youth Transition Demonstration

Mathematica[®] Inc.

Overview of DAF Documentation

The documentation for the DAF consists of the eleven volumes described below. Questions about these documents should be directed to ORDES.DAF@ssa.gov. All of these documents are available at https://www.ssa.gov/disabilityresearch/daf.html.

- Volume 1: Getting Started with the DAF22. Provides an overview of the structure and contents of the DAF and related linkable files.
- Volume 2: Working with the DAF22. Contains practical suggestions such as how to extract data and interpret blank or missing variables as well as more detailed information on DAF data marts and linkable files.
- Volume 3: Tips for Conducting Analysis with the DAF22. Contains suggestions for working with common research concepts in the DAF such as program participation, benefits paid versus benefits due, and constructed measures related to beneficiary work activity resulting in the loss of cash benefits.
- Volume 4: Lists of DAF22 Variables. Contains lists of new, changed, and deleted variables, as well as lists of variables by DAF component and analytic category.
- Volume 5: DAF Variable Detail Pages. Contains specifications for each DAF variable, including name, definition, data format, identification of the DAF component to which it belongs, data source, availability, and (where applicable) SAS code used to construct the variable.
- Volume 6: Validating the DAF22 Against Other Sources. Provides an explanation of validation methods and summary of validation results.
- Volume 7: DAF22 Development History and Construction Methods. Describes key changes in DAF construction methodology over time as well as a description of each step in the current year DAF construction process.
- Volume 8: DAF22 Construction Workflow Charts and Task Tables. Provides detailed information in both chart and table format on each step in the current year DAF construction process.
- Volume 9: DAF22 Source File Descriptions. Describes the administrative source files used to construct the DAF.
- Volume 10: DAF22 Administrative Source File Documentation. Contains documentation from SSA or other agencies on the administrative source files described in Volume 9.
- Volume 11: DAF22 Construction Code. Contains all SAS code used to construct the DAF.
- Volume 12: DAF22 RSA Administrative Source File Documentation. Contains a description of the processing of Rehabilitation Services Administration (RSA) data for linkage to the DAF, along with documentation from RSA on the RSA-911 files.

Mathematica® Inc.

The following table provides specific locations for common research-related questions and issues.

In order to	Refer to …
Get started with a research task	Volume 2, "Working with the DAF22," for information about selecting beneficiaries using finder files versus selection criteria
Identify what's changed in the latest version of the DAF	Volume 1, "Getting Started with the DAF22"
View lists of DAF variables	Volume 4, "Lists of DAF22 Variables"
Understand individual variable definitions, specifications, and value ranges	Volume 5, "DAF Variable Detail Pages"
Understand the structure of the DAF data files at a high level	Volume 1, "Getting Started with the DAF22"
Identify variables for a specific research task	Volume 4, "Lists of DAF22 Variables," for a list of variables contained within each DAF file and by analytic category
Understand the beneficiaries for which the DAF does and does not contain data	Volume 1, "Getting Started with the DAF22"
Identify SSA administrative data sources for the DAF	Volume 9, "DAF22 Source File Descriptions"
Understand the linkage of the DAF to RSA-911 data and contents of the RSA files	Volume 12, "DAF22 RSA Administrative Source File Documentation"
Generate ideas for using the DAF more efficiently	Volume 1, "Getting Started with the DAF22" and Volume 2, "Working with the DAF22"
Find suggested ways to identify common research concepts in the DAF, such as calculating age of retirement, or disability title	Volume 3, "Tips for Conducting Analysis with the DAF22"
Understand what variables have changed in the most recent DAF	Volume 4, "Lists of DAF22 Variables"
Read about how information in the DAF is validated against other sources	Volume 6, "Validating the DAF22 Against Other Sources"

Mathematica® Inc.

SSA Source File Layout Dates

Below is a summary of the SSA administrative source file layouts that were used to construct DAF22. Source file layouts may be updated from year to year; for this reason, Table 1 provides the effective date of the layout or date in which the layout was accessed.

Table 1. DAF22 source file layout dates

Monthly snapshot files	Date layout identified as correct	Layout date shown in layout	Last update shown in document properties
DBAD	02/15/2022	12/2018	02/11/2019
CER 100%	02/15/2022		02/18/2021
831 & 832/833	03/22/2022	03/04/2014 (831)	08/26/2020
		09/01/2011 (832&833)	
SSR SSI Longitudinal File	05/02/2022		04/25/2022
SSR Additional Variables	05/11/2023	05/11/2023	04/30/2024
SSR Earnings	04/25/2022		04/12/2022
NUMIDENT	04/20/2022	01/13/1999	01/27/2010
MBR Custom Extract	03/10/2023		03/10/2023
PHUS	03/10/2023		03/10/2023
MEF Earnings (bucket file)	10/28/2011		03/03/2015
DCF -			
CDR Tables	02/20/2024		
Annual Tables	06/26/2023		
DMG Tables	04/28/2023		
Ticket Tables	05/31/2023		
EN Payment	07/12/2023		04/06/2022
VRRMS	10/01/2021	04/08/2016	06/07/2022
RSA-911	02/14/2023	05/15/2018	08/27/2018
Waterfall	03/08/2021		03/08/2021
RECS	06/20/2023		03/04/02024
DRF	03/08/2024	06/2022	02/29/2024

Mathematica[®] Inc.

APPENDIX A: FILE LAYOUT OF THE MBR EXTRACT LAYOUT

DAF CUSTOM RECORD Version 15 MBR

Start	End	Size	Variable Tag	Field Content
Location	Location			A GGOVINITE DATE:
1	9	9	CAN	ACCOUNT DATA Claim Account Number
10	10	1	TAC	Type of Award Code
11	11	1	RP	RACE 1=WHITE, 2=NEGRO, 3=OTHER, 4=UNKNOWN
12	16	5		Lump Sum Payment Amount (\$\$\$cc)
12	10		LSIA	Payment Data
17	18	2	PIC	Payment Identification Code
19	20	2	PNOB	Number of Beneficiaries in Payment
21	25	5	MPA	Monthly Payment Amount (\$\$\$\$c)
26	26	1	PSC-CP	Payment Status Code "CP"
27	27	1	PSC-AF	Payment Status Code "AF"
28	28	1	PSC-FP	Payment Status Code "FP"
29	31	3	DOC	District Office Code
32	36	5	SCC	State & County Code
37	41	5	ZIP	Zip Code
42	42	1	LSSC-DSALLW	Lump Sum Status Code Claimant Dissallowed
43	43	1	LSSC-FUNRHOME	Lump Sum Status Code Funeral Home
44	44	1	LSSC-CLMNTBURL	Lump Sum Status Code Burial Expenses
45	45	1	LSSC-LISH-SPSE	Lump Sum Status Code Living with spouse
46	46	1	LSSC-CLMNTPMNT	Lump Sum Status Code Calimant Authorized payment
47	47	1	LSSC-ENTITLEWIDW	Lump Sum Status Code Entitled Widow
48	48	1	LSSC-ENTITLECHLD	Lump Sum Status Code Entitle Child
	_	1		•
49	54	6	LSFD	Lump Sum Filing Date (MMCCYY)
55	59	5	LSAP	Lump Sum Award Amount (\$\$\$cc)
60	60	1	LSDC	Lump Sum Disallowance Code
(1	(2	2	DIC	Beneficiary Data
61	62	2	BIC	Beneficiary Identification Code
63	64	2	LAF	Ledger Account File
65	72	8		Beneficiary Date of birth (MMDDCCYY)
73 88	87	15 20	BGN	Beneficiary Given Name
108	107 113	6	BLN DOEI	Beneficiary Last Name Date of Earliest Entitlement (MMCCYY)
114	113	6		Date of Current Entitlement (MMCCYY)
120	120	1	CEC	Current Entitlement Code
120	128	8		Debit Processing Date (MMDDCCYY)
121	134	6		Date of Suspension or Termination (MMCCYY)
135	135	1	SEX	Sex of Beneficiary
136	136	1	RELATC	Relationship Code
137	141	5		Monthly Benefit Payment Amount (\$\$\$\$c)
142	142	1	LANG	Written Language
143	144	2		Number of TOC occurrences
145	164	20	TOC	Type of Claim - 20 OCCURENCES
165	170	6		Toc Start Date MMCCYY
171	284	114	- C C STITLE DE	Toc Start Date MMCCYY Occurences 2 thru 20
285	287	3	RDD	Reason for Disallowance or Denial
288	288	1	TOP	Type of Payee
289	289	1	CC	Custody Code
290	290	1	GS	Guardian Status
291	295	5		Residence Zip Code
296	296	1	SIFT	Security Income File Type
297	302	6		SSI Entitlement /Termination Date (MMCCYY)
303	303	1	SLAC	SSI Living Arrangement Code
304	304	1	SISC	SSI Income Status Code
305	313	9		Beneficiary own account Number
314	321	8		Beneficiary Date of Death (MMDDCCYY)
				Beneficiary Claim Data
322	323	2	BCLM-NDOF-CTR	Beneficiary Date of Fling - Num of occurences
324	331	8	BCLM-BDOF(1)	Beneficiary Date of Filing (MMDDCCYY)

DAF CUSTOM RECORD Version 15 MBR

Start	End	Size	Variable Tag	Field Content		
Location	Location		J			
332	523	192		BDOF occurrence 2 thru 25 (MMDDCCYY)		
524	529	6	BCLM-BDOE-START(1)	Beneficiary Date of Entitlement Start (MMCCYY)		
530	673	144		BDOE-START occurrence 2 thru 25 (MMCCYY)		
674	679	6	BCLM-BDOE-TERM(1)	Beneficiary Date of Entitlement Term (MMCCYY)		
680	823	144		BDOE-TERM occurrence 2 thru 25 (MMCCYY)		
824	825	2	BCLM-BIC(1)	Historical - Beneficiary Identification Code		
826	873	48		BIC occurrence 2 thru 25		
874	874	1	BCLM-CEC(1)	Historical - Current Entitlement Code		
875	898	24		CEC occurrence 2 thru 25		
				Hospital Insurance Data		
899	900	2	NHI	Number of HI occurrences		
901	906	6	HI-START (1)	HI Start Date (MMCCYY)		
907	960	54		HI Start Date (MMCCYY) (2-10)		
961	966	6	HI-TERM (1)	HI Termination Date (MMCCYY)		
967	1020	54		HI Termination Date (MMCCYY) (2-10)		
1021	1022	2	NICMI	Supplemental Medical Insurance Data Number of SMI occurrences		
1021 1023	1022 1028	6	NSMI SMI-START (1)	Start Date of SMI Enrollment (MMCCYY)		
1023	1142	114	5MI-51AK1 (1)	Start Date of SMI Enrollment (MMCCYY) (2-20)		
1143	1142	6	SMI-TERM (1)	SMI Termination Date (MMCCYY)		
1149	1262	114	Sivii TERRII (1)	SMI Termination Date (MMCCYY) (2-20)		
11.7	1202			PIA History Data		
1263	1265	3	NPIA	Number of PIA Entries		
1266	1271	6	PIED (1)	Primary Insurance Effective Date (MMCCYY)		
1272	2165	894		PIED occurrence 2 thru 150		
2166	2170	5	PIA (1)	Primary Insurance Amount (\$\$\$\$c)		
2171	2915	745		PIA occurrence 2 thru 150		
2916	2919	4	IME (1)	Indexed Monthly Earnings \$\$\$\$		
2920	3515	596		TIME (occurrences 2 - 150)		
3516	3516	1 40	RFCP (1)	Reason for Change in Primary Insurance Amount		
3517 3666	3665 3670	149 5	EMAV (1)	RFCP (occurrence 2 - 150) Family Maximun \$\$\$\$c		
3671	4415	745	FMAX (1)	FMAX (occurrences 2 - 150)		
4416	4419	4	ELY (1)	Eligibility Year		
4420	5015	596	LLT (I)	ELY (occurrences 2 - 150)		
	0010	270		Disability Data		
5016	5021	6	DLM	Date Last Insured For Disability (MMCCYY)		
5022	5023	2	NODF	Number of Disability Data Occurrences		
5024	5031	8	DDO (1)	Date of Disability Offset (MMDDYYYY)		
5032	5119	88		DDO (Occurrence 2 - 12)		
5120	5120	1	DAC (1)	Disability Award Code		
5121	5131	11	105.40	DAC (Occurrence 2 - 12)		
5132	5132	1	LOD (1)	Level of Denial Code		
5133	5143	11	DOED (1)	LOD (Occurrence 2 - 12)		
5144 5150	5149 5215	66	DOED (1)	Date of Entitlement to DIB (MMCCYY) DOED (Occurrence 2 - 12)		
5216	5213	6	T2-DOED(1)	T2 Date of Entitlement to DIB (MMCCYY)		
5222	5287	66	12-DOED(1)	T2- DOED (Occurrence 2 - 12)		
5288	5293	6	DDBC (1)	Date of Disability Benefit Cessation (MMCCYY)		
5294	5359	66	(*)	DDBC (Occurrence 2 - 12)		
5360	5365	6	DSD (1)	Disability Adjudication Date (MMCCYY)		
5366	5431	66		DSD (Occurrence 2 - 12)		
5432	5437	6	HDD (1)	Hearing Decision Date (MMCCYY)		
5438	5503	66		HDD (Occurrence 2 - 12)		
5504	5509	6	(/	Substantial Gainful Activity Disability Cessation (MMCCYY)		
5510	5575	66		SDS (occurrence 2 - 12)		

DAF CUSTOM RECORD Version 15 MBR

Start Location	End Location	Size	Variable Tag	Field Content
5576	5581	6	ADC (1)	Applicants Disability Cessation (MMCCYY)
5582	5647	66	()	ADC (occurrence 2 - 12)
5648	5653	6	APS (1)	Appeals (MMCCYY)
5654	5719	66	• •	APS (Occurrence 2 - 12)
5720	5725	6	EBD (1)	Extended Period of Disability Begin Date (MMCCYY)
5726	5791	66		APS (Occurrence 2 - 12)
5792	5793	2	BDC (1)	Basis for denial Code
5794	5815	22		BDC (occurrence 2 - 12)
5816	5816	1	CDR (1)	Cessation of Disability Reason
5817	5827	11		CDR (Occurrence 2 - 12)
5828	5828	1	CSA (1)	Current Substantial Gainful Activity
5829	5839	11		SGA (Occurrence 2 - 12)
5840	5840	1	PRY (1)	Pending Appeals Review
5841	5851	11		PRY (Occurrence 2 - 12)
5852	5852	1	DAA (1)	Durg Addiction/Alcholism Code
5853	5863	11		DAA (Occurrence 2 - 12)
5864	5873	10	DIG (1)	Diagnosis Code
5874	5983	110		DIG (Occurrences 2-12)
5984	5993	10	SDIG (1)	Secondary Diagnosis Code
5994	6103	110		SDIG (Occurrence 2-12)
				Payment History Data (01/94 - 12/22)
6104	6108	5	MBA (1)	Monthly Benefit Amount \$\$\$\$c
6109	7843	1735		MBA (Occurrences 2 - 348)
7844	7848	5	MBC (1)	Monthly Benefit Credited \$\$\$\$c
7849	9583	1735		MBC (Occurrences 2 - 348)
9584	9588	5	MBP (1)	Monthly Benefits Paid \$\$\$\$c
9589	11323	1735		MBP (Occurrences 2 - 348)
11324	11327	4	HSA (1)	Historical SMI Amount \$\$\$c
11328	12715	1388	DDD (1)	HSA (Occurrences 2 - 348)
12716	12716	1	BPD (1)	Benefit Payment Designation
12717	13063	347	DED (1)	BPD (Occurrences 2 - 348)
13064	13064	2.47	RFD (1)	Reason For Deduction
13065	13411	347	THIC (1)	RFD (Occurrences 2 - 348)
13412	13412	347	WIC (1)	Work Indication Code
13413	13759	547	LIDECT (1)	WIC (Occurrences 2 - 348)
13760	13765	2082	HRFST (1)	Reason for Suspension or Termination
13766	15847	2082	I AT (1)	HRSFT (Occurrences 2 - 348)
15848	15849	_	LAF (1)	Monthly LAF Status
15850	16543	694		LAF (Occurrences 2 - 348) Domonstration Project Data
16544	16545	2	NHDEMO	Demonstration Project Data Number of Demonstration Project Data Occurrences
16546	16547	2	DPI (1)	Demonstration Project Indicator
16548		18	DF1 (1)	Demonstration Project Indicator Demonstration Project Indicator (2-10)
	16565 16571		DDI CTADT (1)	
16566	16571	6 54	DPI-START (1)	DPI Start Date (MMCCYY) DPI-START (Occurrence 2 - 10)
16572	16625 16631		DDI CTOD (1)	
16626 16632	16685	6 54	DPI-STOP (1)	DPI Stop Date (MMCCYY) DPI-STOP (Occurrence 2 - 10)
10032	10083	34		
16686	16607	2	NINSD	Insured Status Data Number of Insured Status Data Occurrences
	16687			
16688	16689	2	INSD-DIBREQ (1)	DIB quarters of coverage required
16690	16717	28	INCD DIDILAC (1)	INSD-DIBREQ (Occurrence 2 - 15)
16718	16719	28	INSD-DIBHAS (1)	DIB quarters of coverage possessed
16720	16747	28		INSD-DIBHAS (Occurrence 2 - 15)

APPENDIX B: FILE LAYOUTS OF THE SSR: SUPPLEMENTAL SECURITY INCOME LONGITUDINAL FILE AND CUSTOM EXTRACTS

SSI Longitudinal File Record Description

TAB D

Effective unknown

Location	Field Name	Action	Acronym	Size	Format	Туре
1	Housed Under Number		HUN	9		A/N
10	Social Security Number		PAN	9		A/N
19	Transaction Code (Type of Action)		TOA	2		A/N
21	Comp. Status Type of Action (most current)		COMP-STAT-TOA	2		A/N
23	Master File Type Code		MFT	2		A/N
25	Earliest Computation Date		START-RD	6	CCYYMM	N
31	Filler			9		A/N
40	Application Type		AP-TYPE	1		A/N
41	Record Establishment Date		RCD-EST-JD	8	CCYYMMDD	N
49	Date of Birth		BIRTH-JD	8	CCYYMMDD	N
57	Date of Death		DEATH-JD	8	CCYYMMDD	N
65	MBR Ledger Account File Code		LAF	2		A/N
67	Current Payment Status		CURSTAT	3		A/N
70	Sex		SEX	1		A/N
71	Race		RACE	1		A/N
72	Date of Current Eligibility		ELG-RD	6	CCYYMM	N
78	Application Date (current)		APPL-JD	8	CCYYMMDD	N
86	8080 Date		8080-JD	8	CCYYMMDD	N
94	Transmitting District Office Code		X-MITNG-DO	3	00	A/N
97	Title 8 Veteran		T8VET	1		A/N
98	Denial Code		DENCDE	3		A/N
101	Date of Denial		DENIAL-JD	8	CCYYMMDD	N
109	Filler			3	OOTTWINDD	A/N
112	Date Claim Filed		CLM-FIL-JD	8	CCYYMMDD	N
120	Disability Payment Code		DISPAYCDE	1	OOTTWINDD	A/N
121	Date Forward to Dis. Detr. Unit		STAG-FLD-JD	8	CCYYMMDD	N
129	Filler			1	OOTTWINDD	A/N
130	Presumptive DIB Payment Start Date		START-PREDIB-RD	6	CCYYMM	N
136	Primary Disability Diagnostic Code		DIB-DIG	4	OOTTIVIIVI	A/N
140	Secondary Disability Diagnostic Code		DIB-DIG2	4		A/N
144	Medical Diary Reason		DIB-MDR	1		A/N
145	Permanent Disability Ind.		DIB-DPM	1		A/N
146	Residence State/County/DO Code		PDSCC	6	SSCCCD	A/N
152	Payee's Zip Code		PDZIP	5	330000	A/N
157	Payee's Zip Code Suffix		PDZIP6-9	4		A/N
161	District Office Code		DO	3		A/N
164	Rep. Payee Date of Selection / Change		REP-PAY-JD	8	CCYYMMDD	A/N N
172	Type of Payee Code		REPPAYTYP	3	CCTTIVIIVIDD	A/N
175	Custody Code		REPCUS	3		A/N A/N
173	Applicant's Address Zip Code		AAZIP	5		A/N
183				4		A/N A/N
	Applicant's Address Zip Code Suffix		AAZIP6-9	1		
187 188	Stale Record Indicator		STALE-RCD-IND NOP-9			A/N
	Number of Payment Entries Present			3	CCVAMM	N N
191	Date of Selection	*	SEL-DATE	6	CCYYMM	
197	First Payment Date (this record)	^	FIRST-PAY-DTE	8 5	CCYYMMDD	N A/N
205	State & County Conversion Code		STCOCNV		SSCCC	A/N
210	Guardian / Competency Code		REP-GC	1		A/N
211	Filler		 OTOD DD	6	00\0444	A/N
217	Stop Date		STOP-RD	6	CCYYMM	N A (N)
223	Written Language Preference		LANG-PREF-WRITTEN	2	00)000	A/N
225	Date of Reversal of Initial Denial		REV-JD	8	CCYYMMDD	N
233	Number of (comp) Entries		NOE	3		N
236	Filler	S		65		A/N

Last 2 positions of filler must be filler are used in COMBINE programs

5/3/2024

SSI Longitudinal File Record Description

TAB D

Effective unknown

2 of 2

Location Field Name Action Acronym Size Format Type

----- HISTORY DATA -----

Occurs 588 times representing all months from 1974/01 thru 2022/12 sequentially beginning with 1974/01

1974/01 301 to 346 1974/02 347 to 392

2022/12 26,244 to 27,348

301	Month of Computation	С	CMTH-RD	6	(CCYYMM	N	
307	Payment Status Code	С	PSTAT	3		A/N	
310	Living Arrangement Code	С	LIVF	1		A/N	
311	State Concurrent Eligibility Ind.	С	STCONCATM	1		A/N	
312	Ticket to Work Status Ind.	С	TKT-STAT-IND	1		A/N	
313	Chargeable Earned Income Amt.	С	EINCM	4	\$\$\$\$	N	
317	Chargeable Unearned Income Amt.	С	UINCM	4	\$\$\$\$	N	
321	Federal Assistance Amount	CS	FEDAMT	5	\$\$\$\$\$	N	
326	Current Amount of State Supp.	CS	SUPAMT	5	\$\$\$\$\$	N	
331	Medical and Soc. Serv. Income Test	С	MEDTEST	1		A/N	
332	Current Composition Code	С	CUR-COMP	1		N	
333	Federal Money Amount (payment)	С	FEDPMT	6	\$\$\$\$\$\$	N	
339	State Supplementation Amount (payment)	С	STATPMT	6	\$\$\$\$\$\$	N	
345	Statutory Benefit Continuation Payment Ind	*	PAY-STATBC-IND	1		A/N	
346	Budget Month Flag	N	BMF	1		A/N	

old size 26,244

new size 27,348

46 588

347 Remaining 588 Occurrences

to 27 348

(Consider selection month as last valid occurrence of history data although data is propagated 3 months past selection date)

Record length = 27,348 characters

* = Not directly derived from SSR

A = Acronym name change - this record

C = Computation data fields

D = Deleted Field - this record

F = Field name change - this record

M = Modified field - this record

N = New field - this record

S = Size change - this record 321 FEDAMT

326 SUPAMT 236 FILLER

NOTE: 8/2003 - PAY-STATBC-IND activated with DSMA52.

THE CONTENTS PROCEDURE

DATA SET NAME	IN1.ADVR	OBSERVATIONS	882456741
MEMBER TYPE	DATA	VARIABLES	14
ENGINE	BASE	INDEXES	0
CREATED	05/09/2023 11:20:44	OBSERVATION LENGTH	75
LAST MODIFIED	05/09/2023 11:20:44	DELETED OBSERVATIONS	0
PROTECTION		COMPRESSED	CHAR
DATA SET TYPE		REUSE SPACE	NO
LABEL		POINT TO OBSERVATIONS	YES
DATA REPRESENTATION	MVS_32	SORTED	NO
ENCODING	OPEN_ED-1047	WESTERN (OPENEDITION)	

ENGINE/HOST DEPENDENT INFORMATION

DATA SET PAGE SIZE	27648
NUMBER OF DATA SET PAGES	2020823
NUMBER OF DATA SET REPAIRS	0
PHYSICAL NAME	AIS.P1252.ADVRSAS.AVR22.D2304.FILE1A
RELEASE CREATED	9.0401M3
RELEASE LAST MODIFIED	9.0401M3
CREATED BY	#6098ADV
LAST MODIFIED BY	#6098ADV
SUBEXTENTS	1
TOTAL BLOCKS USED	2020823
PERCENT OF LIB ALLOCATION	99.9%

ALPHABETIC LIST OF VARIABLES AND ATTRIBUTES

#	VARIABLE	TYPE	LEN	FORMAT
7	BMF	CHAR	1	
14	CMTH_CCYY	NUM	8	
6	CMTH_CCYYMM	NUM	8	MMDDYY10.
10	DEEMAMT	NUM	8	DOLLAR11.2
11	DEEMCD	CHAR	1	
8	FCI	NUM	8	DOLLAR11.2
1	HUN	CHAR	9	
5	NOE	CHAR	3	
2	PAN	CHAR	9	
9	PROFAC	CHAR	2	
13	RCD_EST_CCYY	NUM	8	
4	RCD_EST_CCYYMMDD	NUM	8	MMDDYY10.
3	RCDNO	CHAR	1	\$HEX2.
12	STUDM	CHAR	1	

```
data PRJNMOUT.EARN (COMPRESS=YES);
INFILE EARN;
input
 @01 HUN $char9.
 @10 PAN $char9.
 @19 MFT $CHAR2.
 @21 TOA $CHAR2.
 @23 RIC $CHAR1.
 @24 RCDNO ibr1.
 @25 RCD_EST_ccyymmdd ?? yymmdd8.
 @33 IESTART ?? $CHAR6.
 @39 IESTOP ?? $CHAR6.
 @45 IETYP $CHAR1.
 @46 IEAMT ?? $370FPD4.3
 @50 IEFRQ
           $CHAR1.
 @51 IEVAR
             $CHAR1.
format
RCD_EST_ccyymmdd mmddyy10.
            DOLLAR11.2
IEAMT
RCDNO $HEX2.
;
```

run;

APPENDIX C: FILE LAYOUT OF THE NUMIDENT

NUMIDENT Record Description

Location No Hdr Hdi		Name		Mnemonic	Size	Format	Туре
		Header Record Data					
	4 Filler 5 282PH Branch C 10 Unit 12 Clerk	Entry Code Code & Section ecurity Number	H H H H H	EXCHSCP ENTCD BRHSEC UNIT CLK SSN JULDTE	2 1 1 5 2 5 9 3	DDD	A/N A/N A/N A/N A/N A/N A/N
		Response Code	H	RESPCD	2	DDD	A/N
		positions after the Header Data will of ollowing 5 types of Entry Data.	contain any				
		SS5 Entry Data					
12 13 22 23 26 27 28 29 37 52 53 68 69 89 1 90 1 94 1 97 1 105 1 106 1 107 1 122 1 123 1 138 1 139 1 159 1 160 1 179 2 180 2 195 2 196 2	83 NH-Nam 98 NH-Nam 99 NH-Nam 19 NH-Nam 20 NH-Nam 24 NH-Nam 27 DOB-MM 35 Sex 36 Race 37 MTH-Na 52 MTH-Na 53 MTH-Na 68 MTH-Na 69 MTH-Na 89 MTH-Na 90 MTH-Na 94 FTH-Na 10 FTH-Nar 25 FTH-Nar 26 FTH-Nar	ce-Num /-Code nip-Code e de de de de de de e-First e-First e-First-OFLO e-Middle e-Middle-OFLO e-Suffix e-Soundex IDDCCYY me-First me-First-OFLO me-Middle me-Middle-OFLO me-Last me-Last-OFLO me-Suffix me-First-OFLO me-Middle me-Middle-OFLO me-Suffix me-First me-First me-First me-First	S5 S5	INTVCDE SSN CITZEN DO FRMCD ENTCD PRTCD CYCDTE NNF NNFO NNM NNMO NNL NNLO NNSUF NNSDX DOB SEX RACE MNF MNFO MNM MNMO MNL MNLO MNSUF FNF FNFO FNM FNMO FNL	11 1 9 1 3 1 1 1 8 1 5 1 1 1 5 1 1 1 5 1 1 1 5 1 1 1 1	YYDDDn CCYYMMDD MMDDCCYY	A/N A/N A A/N A/N
217 2- 221 2- 233 2- 234 2- 236 2-	47 FTH-Nar 51 POB-City 63 POB-OF 64 POB-Sta 66 POB-For 67 OTH-Nar	me-Suffix y-County LO te-Country reign-Ind me-First	S5 S5 S5 S5	FNSUF POBCC POBOFLO POBSC POBFORID	1 12 1 2 1 1		A/N A/N A/N A/N A/N
253 2 268 2 269 2 289 3 290 3 294 3	83 OTH-Nai 98 OTH-Nai 99 OTH-Nai 19 OTH-Nai	me-Last-OFLO me-Suffix	\$5 \$5 \$5 \$5 \$5 \$5 \$5	ONM ONMO ONL ONLO	1 15 1 20 1 4 3		A/N A/N A/N A/N A/N A/N A/N

	342	SIG-Name-First-OFLO	S5 SNFO	1		A/N
313	343	SIG-Name-Middle	S5 SNM	15		A/N
328	358	SIG-Name-Middle-OFLO	S5 SNMO	1		A/N
329	359 379	SIG-Name-Last SIG-Name-Last-OFLO	S5 SNL S5 SNLO	20		A/N A/N
349 350	380	SIG-Name-Suffix	S5 SNSUF	1 4		A/N A/N
354	384	SIG-Name-Code	S5 SNCDE	1		A/N
355	385	Filler	33 SNODE	3		A/N
358	388	Notify	S5 NOTIFY	2		A/N
360	390	Card-Code	S5 CARDCDE			A/N
361	391	Filler		- · 1		A/N
362	392	DOB-Change-Ind	S5 DOBCHG	1		A/N
363	393	Prior-DOB-MMDDCCYY	S5 PRIRDOB	8	MMDDCCYY	A/N
371	401	Correspondence-Ind	S5 CORRIND			A/N
373	403	Birth-Cert-Num	S5 BCERTNO) 11		A/N
384	414	Filler		114		A/N
498	528	Conversion-Record-Ind	S5 CONVIND	1		A/N
499	529	Sub-Code	S5 SUBCDE	1		A/N
500	530	Flag-Delete-Ind	S5 DELIND	1		A/N
		Correspondence Data				
1	31	Filler		12		A/N
13	43	SSN	CR SSN	9		A/N
22	52	Filler		5		A/N
27	57	Entry-Code	CR ENTCD	1		A/N
28	58	Filler		1		A/N
29	59	Cycle-Date	CR CYCDTE	8	CCYYMMDD	A/N
37	67	Filler		32		A/N
69	99	Corres-NH-Name-Last	CR NML	6		A/N
75	105	Filler		22		A/N
97	127	Retention-Ind	CR RETIND	1		A/N
98	128	Destruction-Year	CR DESTRYR		CCYY	A/N
102	132	FICA-Waiver-Ind	CR FICAIND	1		A/N
103	133	Filler		396		A/N
499	529	Filler Flag-Delete-Ind	 CR DELIND	1		A/N A/N
500	530	FIRM-Delete-ind				A/N
		Tiag Bolete ind	CR DELIND	1		,
		Claim Data	CR DELIND	'		, , , ,
1	31		CL REFNUM	11	YYDDDn	A/N
		Claim Data			YYDDDn	
1	31	Claim Data Reference-Num		11	YYDDDn	A/N
1 12	31 42	Claim Data Reference-Num Filler	CL REFNUM 	11 1	YYDDDn	A/N A/N
1 12 13	31 42 43	Claim Data Reference-Num Filler SSN	CL REFNUM CL SSN CL DO	11 1 9	YYDDDn	A/N A/N A/N
1 12 13 22 23 26	31 42 43 52 53 56	Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code	CL REFNUM CL SSN CL DO CL FRMCD	11 1 9 1	YYDDDn	A/N A/N A/N A/N
1 12 13 22 23 26 27	31 42 43 52 53 56 57	Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code	CL REFNUM CL SSN CL DO	11 1 9 1	YYDDDn	A/N A/N A/N A/N A/N A/N
1 12 13 22 23 26 27 28	31 42 43 52 53 56 57	Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD	11 1 9 1 3 1 1		A/N A/N A/N A/N A/N A/N A/N
1 12 13 22 23 26 27 28 29	31 42 43 52 53 56 57 58 59	Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE	11 1 9 1 3 1 1 1 8	YYDDDn CCYYMMDD	A/N A/N A/N A/N A/N A/N A/N A/N
1 12 13 22 23 26 27 28 29 37	31 42 43 52 53 56 57 58 59 67	Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF	11 1 9 1 3 1 1 1 8		A/N A/N A/N A/N A/N A/N A/N A/N A/N
1 12 13 22 23 26 27 28 29 37 52	31 42 43 52 53 56 57 58 59 67 82	Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First-OFLO	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNFO	11 1 9 1 3 1 1 1 8 15		A/N A/N A/N A/N A/N A/N A/N A/N A/N
1 12 13 22 23 26 27 28 29 37 52 53	31 42 43 52 53 56 57 58 59 67 82 83	Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First NH-Name-Middle	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNFO CL NNFO	11 1 9 1 3 1 1 1 8 15 1		A/N A/N A/N A/N A/N A/N A/N A/N A/N A/N
1 12 13 22 23 26 27 28 29 37 52 53 68	31 42 43 52 53 56 57 58 59 67 82 83 98	Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First NH-Name-Middle NH-Name-Middle-OFLO	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNFO CL NNM CL NNMO	11 1 9 1 3 1 1 1 8 15 1 15 1		A/N A/N A/N A/N A/N A/N A/N A/N A/N A/N
1 12 13 22 23 26 27 28 29 37 52 53 68 69	31 42 43 52 53 56 57 58 59 67 82 83 98	Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First NH-Name-Middle NH-Name-Middle-OFLO NH-Name-Last	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNFO CL NNM CL NNMO CL NNL	11 1 9 1 3 1 1 1 8 15 1 15 1 15 1		A/N A/N A/N A/N A/N A/N A/N A/N A/N A/N
1 12 13 22 23 26 27 28 29 37 52 53 68 69 89	31 42 43 52 53 56 57 58 59 67 82 83 98 99	Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First NH-Name-Middle NH-Name-Middle NH-Name-Last NH-Name-Last NH-Name-Last-OFLO	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNF CL NNM CL NNMO CL NNL CL NNL	11 1 9 1 3 1 1 1 8 15 1 15 1 20		A/N A/N A/N A/N A/N A/N A/N A/N A/N A/N
1 12 13 22 23 26 27 28 29 37 52 53 68 69 89 90	31 42 43 52 53 56 57 58 59 67 82 83 98 99 119	Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First NH-Name-Middle NH-Name-Middle NH-Name-Middle-OFLO NH-Name-Last NH-Name-Last NH-Name-Last-OFLO NH-Name-Suffix	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNFO CL NNM CL NNM CL NNMO CL NNLO CL NNSUF	11 1 9 1 3 1 1 1 8 15 1 15 1 20 1 4		A/N
1 12 13 22 23 26 27 28 29 37 52 53 68 69 89 90 94	31 42 43 52 53 56 57 58 59 67 82 83 98 99 119 120 124	Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First NH-Name-Middle NH-Name-Middle NH-Name-Last NH-Name-Last NH-Name-Last NH-Name-Suffix Filler	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNFO CL NNM CL NNMO CL NNMO CL NNLO CL NNSUF	11 1 9 1 3 1 1 1 8 15 1 15 1 20 1 4 3	CCYYMMDD	A/N
1 12 13 22 23 26 27 28 29 37 52 53 68 69 89 90 94 97	31 42 43 52 53 56 57 58 59 67 82 83 98 99 119 120 124 127	Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First NH-Name-Middle NH-Name-Middle NH-Name-Last NH-Name-Last NH-Name-Last NH-Name-Suffix Filler DOB-MMDDCCYY	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNFO CL NNM CL NNM CL NNMO CL NNL CL NNSUF CL DOB	11 1 9 1 3 1 1 1 8 15 1 15 1 20 1 4 3 8		A/N
1 12 13 22 23 26 27 28 29 37 52 53 68 69 89 90 94 97 105	31 42 43 52 53 56 57 58 59 67 82 83 98 99 119 120 124 127 135	Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First NH-Name-Middle NH-Name-Middle NH-Name-Last NH-Name-Last NH-Name-Last NH-Name-Suffix Filler DOB-MMDDCCYY Sex	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNF CL NNM CL NNMO CL NNL CL NNLO CL NNSUF CL DOB CL SEX	11 1 9 1 3 1 1 1 8 15 1 15 1 20 1 4 3 8 1	CCYYMMDD	A/N N A/N A/
1 12 13 22 23 26 27 28 29 37 52 53 68 69 89 90 94 97 105 106	31 42 43 52 53 56 57 58 59 67 82 83 98 99 119 120 124 127 135 136	Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First NH-Name-Middle NH-Name-Middle NH-Name-Middle-OFLO NH-Name-Last NH-Name-Last NH-Name-Suffix Filler DOB-MMDDCCYY Sex Filler	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNF CL NNM CL NNMO CL NNL CL NNLO CL NNSUF CL DOB CL SEX	11 1 9 1 3 1 1 1 8 15 1 15 1 20 1 4 3 8 1	CCYYMMDD	A/N
1 12 13 22 23 26 27 28 29 37 52 53 68 69 89 90 94 97 105 106 107	31 42 43 52 53 56 57 58 59 67 82 83 98 99 119 120 124 127 135 136 137	r Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First NH-Name-Middle NH-Name-Middle NH-Name-Middle-OFLO NH-Name-Last NH-Name-Last NH-Name-Suffix Filler DOB-MMDDCCYY Sex Filler MTH-Name-First	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNFO CL NNM CL NNMO CL NNLO CL NNSUF CL DOB CL SEX CL MNF	11 1 9 1 3 1 1 1 8 15 1 1 20 1 4 3 8 1 1 1 5	CCYYMMDD	X X X X X X X X X X X X X X X X X X X
1 12 13 22 23 26 27 28 29 37 52 53 68 69 89 90 94 97 105 106 107 122	31 42 43 52 53 56 57 58 59 67 82 83 98 99 119 120 124 127 135 136 137 152	Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First NH-Name-Middle NH-Name-Middle NH-Name-Middle-OFLO NH-Name-Last NH-Name-Last NH-Name-Last NH-Name-Suffix Filler DOB-MMDDCCYY Sex Filler MTH-Name-First MTH-Name-First MTH-Name-First	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNFO CL NNM CL NNMO CL NNLO CL NNLO CL NNSUF CL DOB CL SEX CL MNF CL MNFO	11 1 9 1 3 1 1 1 5 1 1 20 1 4 3 8 1 1 1 5 1	CCYYMMDD	X X X X X X X X X X X X X X X X X X X
1 12 13 22 23 26 27 28 29 37 52 53 68 69 89 90 94 97 105 106 107 122 123	31 42 43 52 53 56 57 58 59 67 82 83 98 99 119 120 124 127 135 136 137 152 153	Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First NH-Name-Middle NH-Name-Middle NH-Name-Middle-OFLO NH-Name-Last NH-Name-Last NH-Name-Suffix Filler DOB-MMDDCCYY Sex Filler MTH-Name-First MTH-Name-First MTH-Name-Middle	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNFO CL NNM CL NNMO CL NNMO CL NNLO CL NNSUF CL DOB CL SEX CL MNF CL MNFO CL MNFO CL MNFO CL NNSUF	11 1 9 1 3 1 1 1 5 1 1 20 1 4 3 8 1 1 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CCYYMMDD	X X X X X X X X X X X X X X X X X X X
1 12 13 22 23 26 27 28 29 37 52 53 68 69 89 90 94 97 105 106 107 122	31 42 43 52 53 56 57 58 59 67 82 83 98 99 119 120 124 127 135 136 137 152	Claim Data Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First NH-Name-Middle NH-Name-Middle NH-Name-Middle-OFLO NH-Name-Last NH-Name-Last NH-Name-Last NH-Name-Suffix Filler DOB-MMDDCCYY Sex Filler MTH-Name-First MTH-Name-First MTH-Name-First	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNFO CL NNM CL NNMO CL NNLO CL NNLO CL NNSUF CL DOB CL SEX CL MNF CL MNFO	11 1 9 1 3 1 1 1 15 1 1 15 1 1 15 1 1 15 1 1 1 1	CCYYMMDD	X X X X X X X X X X X X X X X X X X X
1 12 13 22 23 26 27 28 29 37 52 53 68 69 89 90 94 97 105 106 107 122 123 138	31 42 43 52 53 56 57 58 59 67 82 83 98 99 119 120 124 127 135 136 137 152 153 168	Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First NH-Name-Middle NH-Name-Middle-OFLO NH-Name-Last NH-Name-Last NH-Name-Last NH-Name-Suffix Filler DOB-MMDDCCYY Sex Filler MTH-Name-First-OFLO MTH-Name-First-OFLO MTH-Name-Middle MTH-Name-Middle MTH-Name-Middle	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNFO CL NNM CL NNMO CL NNL CL NNLO CL NNSUF CL DOB CL SEX CL MNF CL MNFO CL MNFO CL MNFO CL MNFO CL MNFO CL MNFO CL MNMO CL MNMO	11 1 9 1 3 1 1 1 5 1 1 20 1 4 3 8 1 1 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CCYYMMDD	X X X X X X X X X X X X X X X X X X X
1 12 13 22 23 26 27 28 29 37 52 53 68 69 89 90 94 97 105 106 107 122 123 138 139	31 42 43 52 53 56 57 58 59 67 82 83 98 99 119 120 124 127 135 136 137 152 153 168 169	Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First-OFLO NH-Name-Middle NH-Name-Middle-OFLO NH-Name-Last NH-Name-Last NH-Name-Suffix Filler DOB-MMDDCCYY Sex Filler MTH-Name-First MTH-Name-First MTH-Name-First MTH-Name-Middle MTH-Name-Middle MTH-Name-Middle MTH-Name-Middle MTH-Name-Middle MTH-Name-Middle MTH-Name-Middle MTH-Name-Middle-OFLO MTH-Name-Middle	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNF CL NNM CL NNMO CL NNLO CL NNLO CL NNSUF CL DOB CL SEX CL MNF CL MNFO CL MNFO CL MNFO CL MNFO CL MNMO	11 1 9 1 3 1 1 1 8 15 1 1 20 1 4 3 8 1 1 1 5 1 1 1 5 1 1 1 1 1 1 1 1 1 1 1	CCYYMMDD	A
1 12 13 22 23 26 27 28 29 37 52 53 68 69 89 90 94 97 105 106 107 122 123 138 139 159	31 42 43 52 53 56 57 58 59 67 82 83 98 99 119 120 124 127 135 136 137 152 153 168 169 189	Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First-OFLO NH-Name-Middle NH-Name-Middle-OFLO NH-Name-Last NH-Name-Suffix Filler DOB-MMDDCCYY Sex Filler MTH-Name-First-OFLO MTH-Name-Middle MTH-Name-Middle MTH-Name-Middle MTH-Name-Middle MTH-Name-Middle MTH-Name-Middle MTH-Name-Middle MTH-Name-Last MTH-Name-Last MTH-Name-Last	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNFO CL NNM CL NNMO CL NNLO CL NNSUF CL DOB CL SEX CL MNF CL MNF CL MNFO CL MNM CL MNHO	11 1 9 1 3 1 1 1 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1	CCYYMMDD	X X X X X X X X X X X X X X X X X X X
1 12 13 22 23 26 27 28 29 37 52 53 68 69 89 90 94 97 105 106 107 122 123 138 139 159 160	31 42 43 52 53 56 57 58 59 67 82 83 98 99 119 120 124 127 135 136 137 152 153 168 169 189 190	Reference-Num Filler SSN Filler DO-Code Form-Code Entry-Code Filler Cycle-Date NH-Name-First NH-Name-First-OFLO NH-Name-Middle NH-Name-Middle-OFLO NH-Name-Last NH-Name-Last NH-Name-Suffix Filler DOB-MMDDCCYY Sex Filler MTH-Name-First MTH-Name-First MTH-Name-Middle MTH-Name-Middle MTH-Name-Middle MTH-Name-Middle MTH-Name-Middle MTH-Name-Last MTH-Name-Last MTH-Name-Last MTH-Name-Last MTH-Name-Last MTH-Name-Last MTH-Name-Last MTH-Name-Last MTH-Name-Last-OFLO MTH-Name-Last MTH-Name-Suffix	CL REFNUM CL SSN CL DO CL FRMCD CL ENTCD CL CYCDTE CL NNF CL NNFO CL NNM CL NNMO CL NNLO CL NNSUF CL DOB CL SEX CL MNF CL MNFO CL MNHO CL MNSUF	11 1 9 1 3 1 1 1 1 5 1 1 1 1 5 1 1 1 1 1 1 1 1	CCYYMMDD	X X X X X X X X X X X X X X X X X X X

180 195 196 216 217 221 233 234 236 237 282 290 298 306 498 499 500 501	210 225 226 246 247 251 263 264 266 267 312 320 328 336 528 529 530 531	FTH-Name-Middle FTH-Name-Middle-OFLO FTH-Name-Last FTH-Name-Last-OFLO FTH-Name-Suffix POB-City-County POB-OFLO POB-State-Country POB-Foreign-Ind DO-Address Claim-Date DOO-MMDDCCYY DOD-MMDDCCYY Filler Conversion-Record-Ind Filler Flag-Delete-Ind	CL FNM CL FNMO CL FNL CL FNLO CL FNSUF CL POBCC CL POBOFLO CL POBSC CL POBFORID CL DOADR CL CLMDTE CL DOO CL DOO CL DOD CL CONVIND CL DELIND	15 1 20 1 4 12 1 2 1 45 8 8 8 192 1 1 1	MMDDCCYY MMDDCCYY	A/N A/N A/N A/N A/N A/N A/N A/N A/N A/N
		Death Data				
1 12 13 22 27 28 29	31 42 43 52 57 58 59	Reference-Num Filler SSN Filler Entry-Code Filler Cycle-Date	DD REFNUM DD DD SSN DD DD ENTCD DD DD CYCDTE	11 1 9 5 1 1 8	YYDDDn CCYYMMDD	A/N A/N A/N A/N A/N A/N
		Death History record Table occurs 3 times				
37 52 53 54 68 69 89 90 94 97 105 106 107 116 117 118 119 124 128 133 137 138	67 82 83 84 98 99 119 120 124 127 135 136 137 146 147 148 149 154 158 163 167 168	NH-Name-First NH-Name-First-OFLO NH-Name-Middle Filler NH-Name-Middle-OFLO NH-Name-Last NH-Name-Last-OFLO NH-Name-Last-SUFFIX Filler DOB-MMDDCCYY Sex Filler Individuals Other Number Record ID Code Beneficiary Death Ind Program Involement Ind Zip Res Zip Last 4 Zip LSDP Zip LSDP Last 4 Plus 5 Ind 1 Plus 5 Ind 2	DD NNF DD NNFO DD NNM DD NNMO DD NNL DD NNLO DD NNLSUF DD DD DOB DD SEX DD DD INDOTH DD RECID DD DIND DD PRGINV DD ZIPRES DD ZIPRESL4 DD ZIPLSDP DD ZIPLSDP DD ZIPLSDPL4 DD P5ID1 DD P5ID2	15 1 14 1 20 1 4 3 8 1 1 9 1 1 5 4 5 4 1	MMDDCCYY	A/N
139 140 141 142 144 145 153 179 187 487 488	169 170 171 172 174 175 183 209 217 517 518	Plus 5 Ind 3 Plus 5 Ind 4 Plus 5 Ind 5 Numi Source Death Numi Proof Death DOD MMDDCCYY Death Certificate Num Death Posting Date Remaining 2 Occurrences Death-NOE Filler	DD P5ID2 DD P5ID3 DD P5ID4 DD P5ID5 DD SOURCE DD PROOF DD DOD DD CERTIF DD POST DD NOE	1 1 1 2 1 8 26 8 300	MMDDCCYY	A/N A/N A/N A/N A/N A/N A/N A/N
499 500	529 530	Filler Filler		1 1		A/N A/N

--- Esi (Spin) Data---

1	31	Filler			12		A/N
13	43	SSN	SP	SSN	9		A/N
22	52	Filler			5		A/N
27	57	Entry-Code	SP	ENTCD	1		A/N
28	58	Filler			1		A/N
29	59	Cycle-Date	SP	CYCDTE	8	CCYYMMDD	A/N
37	67	NH-Name-First	SP	NNF	15		A/N
52	82	NH-Name-First-OFLO	SP	NNFO	1		A/N
53	83	NH-Name-Middle	SP	NNM	15		A/N
68	98	NH-Name-Middle-OFLO	SP	NNMO	1		A/N
69	99	NH-Name-Last	SP	NNL	20		A/N
89	119	NH-Name-Last-OFLO	SP	NNLO	1		A/N
90	120	NH-Name-Suffix	SP	NNSUF	4		A/N
94	124	Filler	OI.		3		A/N
97	127	DOB-MMDDCCYY	SP	DOB	8	MMDDCCYY	A/N
105	135	Filler	3F	БОВ	2	WIWIDDCCTT	A/N
	135		SP	NOF			
107		Spin-NOE	5P	NOE	2		A/N
109	139	Filler			1		A/N
440	4.40	Spin-Table (Occurs 15 Times)	0.0	ODINID	4		A/N
110	140	Spin-Indicator	SP	SPIND	1		A/N
111	141	Filler			1		A/N
112	142	Spin-Date	SP	SODATE	8	MMDDCCYY	A/N
120	150	Filler			1		A/N
		Remaining 14 Occurrences			154		A/N
							A/N
275	305	Filler			224		A/N
499	529	Filler			1		A/N
500	530	Filler			1		A/N
		NIF Entry Data					
		(No Header Info.)					
		,					
1		Filler	NIF	REFNUM	12		A/N
13		SSN		SSN	9		A/N
22		Filler	NIF		5		A/N
27		Entry-Code		ENTCD	1		A/N
28		Filler	1411	LITTOD	1		A/N
29			NIIE	CYCDTE	0	CCYYMMDD	A/N
		Cycle-Date	INIT	CICDIE	8	CCTTIVIIVIDD	
37		Filler	NUE	 EVOLIO	120		A/N
157		Exchange Request Scopr		EXCHG	2		A/N
159		Branch		BRH	3		A/N
162		Section		SECT	2		A/N
164		Unit		UNIT	2		A/N
166		Clerk		CLERK	5		A/N
171		Julilian Day One	NIF	JULDTE1	3	DDD	A/N
174		Filler			324		A/N
498		Julilian Day Two	NIF	JULDTE2	3	DDD	A/N

APPENDIX D: FILE LAYOUT OF THE 831 & 832/833 DISABILITY FILES

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
			THIS FILE IS SORTED IN THE FOLLOWING ORDER:
			SSN 1-9 A RID 13 A TOC 22 A AL 12 A BIC 10-11 A DODEC 23-28 A RDT 31 D ND 32 D DDS 33-35 A
SSN	1-9	А9	Social Security Number 999999999 = Unknown SSN
BIC	10-11	A2	Beneficiary ID Code A = Primary Cx = Child D, Dx = Widow/Widower E, Ex = Widow/Widower M, Mx = Uninsured RA = Assistance Requested/Litigation Case T = Uninsured Or Renal Tx = Medicare Qualified Federal Employee's Auxiliary W, Wx = Widow/Widower ZZ = Unknown
			NOTE: x means anything other than blank
AL	12	A1	Adjudicative Level * A = Initial B = Recon C = Recon DHU D = ALJ E = Appeals Council F = District Court * G = Reopening * I = Informal Remand Z = Unknown * Counted As Initial Cases (Per ORS). Otherwise Use A and G Only.

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB	DOCITION	FORMAT	DESCRIPTION
ACRONYM	POSITION	FORMAT	DESCRIPTION
RID	13	A 1	Record Identification 2 = Form SSA-831 (Title II) R = Form SSA-831 (Title XVI) NOTE: Unknowns Will Be Dropped
FLD	14-21	I8CYMD	Filing Date CCYYMMDD CCYYMM15 = Unknown Day CCYY8888 = Unknown Month And Day 99999999 = Invalid Characters or Unknown/Not Available
TOC	22	A1	Type Of Claim Title II 1 = DIB (Disabled Worker) 2 = FZ (Blind Worker) 3 = DWB (Disabled Widow/Widower) 4 = CDBR (Disabled Child Benefits RSI) 5 = CDBD (Disabled Child Benefits DIB) 6 = RDR (End-Stage RenalRetirement) 7 = RDD (End-Stage RenalDisability) 8 = RD (End-Stage RenalOn Own SSN 9 = PR (Child - GrandparentRetirement) P = PD (Child - GrandparentDisability) M = MQFE (Medically Qualified Government [Federal] Employee) Title XVI A = DI (Disabled Worker) B = DS (Disabled Spouse)
DODEC	23-30	I8CYMD	C = DC (Disabled Spouse) C = DC (Disabled Child) D = BI (Blind Individual) E = BS (Blind Spouse) F = BC (Blind Child) G = AI (Alien Individual) H = AS (Alien Spouse) Z = Unknown Blank = Not Available Date Of DDS Or SSA Decision CCYYMMDD

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB ACRONYM	POSITION	FORMAT	DESCRIPTION
RDT	31	A 1	Result Of Determination A = Allowance D = Denial C = Closed Period N = No decision Q = Transfer
ND	32	A1	NDDSS/ADOC Source Code N = NDDSS M = Modified NDDSS Closure Record D = NDDSS DCPS Record E = Modified NDDSS DCPS Closure Record (Note: WBDOC records were removed from this file in January of 2002) C = NDDSS And WBDOC Combined (OD Edit) T = Modified NDDSS Closure Record And WBDOC Combined (OD Edit) Blank = WBDOC
DDS	33-35	A3	State Agency Code Of DDS Jurisdiction Refer to FOCEXEC named UTREGSTA for state definitions. Position 1-2 for DDS state number. Position 3: X for ODO Y for FDDS 88 Z for unknown Use all 3 positions for specific offices that are listed in DI 33520. For values in older files, refer to layout on shared drive in DDPIS\Branch1\Layouts Historical\UNI8319C.
CCF	36	A 1	Concurrent Claim N = Not Concurrent Y = Title II Claim Concurrently Filed With Title XVI Claim (same SSN) S = Special Concurrent (different SSN) V = Very Special (combination of the 'Y' and 'S' Codes)
RB	37-38	A2	Regulation Basis Code A1-X3; Z1-Z2 (Title II) 30-48, 51, 61-67 (Title XVI) CE = Collateral Estoppel (Title II Or Title XVI Allowances) S1 = Res Judicata (Title II denials) ZZ = Unknown Blank = Not Available
DOB	39-46	18CYMD	Date Of Birth

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
			CCYYMMDD CCYYMM15 = Unknown Day Of Birth CCYY8888 = Unknown Month And Day 99999999 = Invalid Characters or Unknown
DOBC	47	A1	Date Of Birth Code A = WBDOC Record, Invalid Month Of Birth Or Year Of Birth Not In The Range For The DODEC Year. (Day Of Birth Set To 15, 88, Or 99.) B = NDDSS Record, Invalid Month Of Birth Or Year Of Birth Not In The Range For The DODEC Year. (Day Of Birth Set To 15, 88, Or 99.) C = Current 831 Record, Invalid Month Of Birth Or Year Of Birth Not In The Range For The DODEC Year. (Day Of Birth Set To 15.) D = WBDOC Record, Valid Month Of Birth And Year Of Birth Is In The Range For The DODEC Year. (Day Of Birth Set To 15.) E = NDDSS Or Current SSA-831 Record, Valid Month Of Birth And Year Of Birth Is In The Range For The DODEC Year. (Day Of Birth Set To 15.) F = Current SSA-831 Record, Only The CCYYMM Of Date Of Birth Has Been Changed By The Numident Information. (Day Of Birth Set To 15.) G = NDDSS Or Current 831 Record Includes Year, Month, and Day, However There Is A Problem With The Range Or Validity. L = Current SSA-831 Record, CCYYMMDD Of Date Of Birth Has Been Changed By The Numident Information. M = Current 831 Record, Only The DD Of Date Of Birth Has Been Changed By The Numident Information. N = NDDSS Or Current 831 Record, Month Of Birth And Day Of Birth Are Valid And Year Of Birth Is In The Range For The DODEC Year.

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
BS	48-49	A2	Body System Codes 01 = Musculoskeletal System 02 = Special Senses And Speech 03 = Respiratory System 04 = Cardiovascular System 05 = Digestive System 06 = Genito-Urinary System 07 = Hemic And Lymphatic System 08 = Skin 09 = Endocrine System 10 = Multiple Body Systems 11 = Neurological 12 = Mental Disorders 13 = Neoplastic Diseases, Malignant 14 = Immune Deficiency 19 = Growth Impairment 20 = Other/Unknown Code 99 = Invalid Code Used Blank = Not Available
PDX	50-53	A 4	Primary Impairment Code 0001-9999 0000 = Not Available/Blank
RPDX	54-57	A 4	Recoded Primary Impairment Code 0110-9480 Used To Convert ICD-9 Codes To Impairment Codes
SDX	58-61	A 4	Secondary Impairment Code (See PDX)
RSDX	62-65	A4	Recoded Secondary Impairment Code (See RPDX)
DD	66-71	I6CYM	<u>Diary Date</u> CCYYMM = Medical Reexam Date CCYY88 = Unknown Month 999999 = Invalid Characters or Unknown/Blank (Denials)

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB	DOCUTION	500111	DECODIDEION
ACRONYM	POSITION	FORMAT	DESCRIPTION
DT	72	A 1	<u>Diary Type</u> 3 = Medical Reexam, Nonpermanent (MIE) And (MIP) 4 = Medical Reexam, Permanent (MINE)
			5 = Medical Reexam (Permanency Of Impairment Not Known) 6 = No Diary Required 9 = Title XVI VR Child Referral Z = Invalid
			Blank = Not Available
DR	73	A 1	<u>Diary Reason</u> A - Z 1, 3, 5, 7, 9 Blank
			DEFINE If DR = '3' then 'MIP' else if DR = '5' or '7' then 'MINE' else if (DR = 'E' or 'F' or 'G' or 'I' or 'J' or 'K' or 'L' or 'M' or 'N' or 'V' or 'W' or 'X' or 'Y' or 'Z') and DPM = 'P' then 'MINE' else if (DR = 'E' or 'F' or 'G' or 'I' or 'J' or 'K' or 'L' or 'M' or 'N' or 'V' or 'W' or 'X' or 'Y' or 'Z') and DPM not = 'P' then 'MIP' else if DR alphabetic and not spaces then 'MIE' else 'MIP'
			(Definitions provided by CDR Team - July 2004)
LNA	74-76	А3	List Number A 001-999, Blank ZZZ = Unknown For a list of codes, see: http://policynet.ba.ssa.gov/poms.nsf/lnx/0433530005 Listing codes are populated in ascending order, beginning with LNA. If a second listing code is received, it will appear in LNB, etc.
LNB	77-79	А3	List Number B (See LNA)
LNC	80-82	А3	List Number C (See LNA)
LND	83-85	А3	List Number D (See LNA)
LNE	86-88	А3	List Number E (See LNA)
LNF	89-91	А3	List Number F (See LNA)

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB ACRONYM	POSITION	FORMAT	DESCRIPTION
SLC	92	A1	Study List Code A = Automatic SSI2 query (This is systems generated for Title XV CDR Cases) B = ARC/HIV related, NY region - use discontinued C = Title XVI special childhood sample selection D = NY Region Only For AIDS Terminally III Cases E = Litigation - Stieberger (formerly Etsitty) F = reserved for future use (formerly Campbell) G = Prototype (formerly Full Process Model (formerly Boyd)) H = Hearing DHU case I = State Of New York J = Special Title II Disability workload (formerly Luna) K = Future (formerly Single Decisionmaker Pilot (formerly Dixon)) L = Future (formerly FPM Control case (formerly Wilkerson)) M = Process Unification Disability Rationale N = Non federal cases O = Unassigned P = Process Unification Initiative #4 (formerly Peck) Q = Zebley R = Federal DDS MIRS/Mental Reapplication for New York S = DAA Redetermination (formerly City Of New York) T = Samuels U = Terminally III Cases (NY Region; Uses "D" For AIDS Terminally III Cases). V = reserved for future use (formerly Diaz) W = Mississippi (formely Wilson) X - OIO Y = City Of New York Z = Robert Smith 0 (zero) = Bailey 1 = Canadian claims for New York & Boston Regions 2 = Listing code 122 case 3 = Marcus 1991 On (formerly Court Ordered Reopenings Other 4 = Hyatt 5 = reserved for future use (formerly McDonald) 6 = Johnson From June 1991 On (formerly Polaski Through May 1991)
			7 = DMA (Document Management Architecture) - AeDib (formerly Schisler) 8 = Redetermination Pursuant to P.L. 104-193 Age 18 or Childhood (formerly Aldrich) 9 = Age 19 became 19 prior to initiation of redetermination - CDR
			conducted (formerly Morrison) All Blanks = Not Available/Not Applicable

This field was updated according to POMS SM 6001.120 on July 2, 2003

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB ACRONYM POSITION FORMAT DESCRIPTION LIT1 93-95 A3 Litigation Code 1 Valid Litigation Code 1 Valid Litigation Code range from 750-798 & 800-899, however the codes listed below include those known at the present time. For codes not listed consult PCMS history or contact the Litigation Starf. Regardless of Incoming position in litigation code area, litigation codes are populated in SSA-831 file in ascending order, beginning with LIT1. If a second listing code is received, it will appear in LIT2, etc. Codes below are current as of 7125/2003 000 Not Coded/Unknown 188 Operation Iraq Freedom claim 500 Albany DDS cases sent to Buffalo for adjud. 501 Jamaica (NY) DDS cases sent to Albany for adjud. 501 Jamaica (NY) DDS cases sent to Albany for adjud. 503 Hiveira 766 Hickman 771 Silveira 772 Curry 775 Zebley Med. Redeterm. 783 Goodnight 789 Kendrick 790 Childhood Med. Redeterm. 791 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 837 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Slieberger 886 Boring 889 Rosetti	DDB RECORD LAYOUT - 1989 AND CONTINUING				
Valid Litigation Codes range from 750-798 & 800-899, however the codes listed below include those known at the present time. For codes not listed consult POMS history or contact the Litigation Staff. Regardless of incoming position in itigation code area, litigation codes are populated in SSA-831 file in ascending order, beginning with LIT1. If a second listing code is received, it will appear in LIT12, etc. Codes below are current as of 7/25/2003 000 Not Coded/Unknown Operation Inrag Freedom claim Albamy DDS cases sent to Buffalo for adjud. Jamaica (NY) DDS cases sent to Albany for adjud. 501 Jamaica (NY) DDS cases sent to Albany for adjud. 403 Hyatt 755 Hyatt 766 Hyatt Reassessment Hickman 771 Silveira 772 Curry 775 Zebley Med. Redeterm. Goodnight 788 Kendrick 799 Childhood Med. Redeterm. 191 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Balley 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 836 Walton 867 Thomas Adamson 868 Bozzi 888 Cuffee 889 Stieberger 889 Stieberger 889 Boring		POSITION	FORMAT	DESCR	RIPTION
below include those known at the present time. For codes not listed consult POMS history or contact the Litigation Staff. Regardless of incoming position in litigation code area, litigation codes are populated in SSA-831 file in ascending order, beginning with LIT1. If a second listing code is received, it will appear in LIT2, etc. Codes below are current as of 7/25/2003 ON Not Coded/Unknown 108 Operation Iraq Freedom claim 500 Albany DDS cases sent to Buffalo for adjud. 501 Jamaica (NY) DDS cases sent to Albany for adjud. 401 Hyatt Reassessment 402 Hyatt Reassessment 403 Hyatt Reassessment 404 Hickman 405 Hickman 407 Zebley Med. Redeterm. 408 Goodnight 409 Childhood Med. Redeterm. 409 Childhood Med. Redeterm. 409 Laird 409 Thayer 409 ALJ Dutle 409 Surrell 401 Balley 408 Bickon 409 Salamalekis 403 Robert Smith 405 State of New York 409 Zebley 408 Walton 409 Stieberger	LIT1	93-95	А3	Litigatio	on Code 1
populated in SSA-831 file in ascending order, beginning with LIT1. If a second isting code is received, it will appear in LIT2, etc. Codes below are current as of 7/25/2003 000 Not Coded/Unknown 108 Operation Iraq Freedom claim 500 Albany DDS cases sent to Buffalo for adjud. 501 Jamaica (NY) DDS cases sent to Albany for adjud. 503 Hyatt 3 505 Hyatt 3 506 Hyatt Reassessment 506 Hickman 507 Curry 507 Zebley Med. Redeterm. 508 Rendrick 509 Childhood Med. Redeterm. 509 Childhood Med. Redeterm. 510 Laird 510 Laird 510 Laird 510 Laird 511 Laird 512 Surrell 513 Grant 514 Salley 515 Rayer 515 ALJ Dutle 517 Surrell 518 Salley 519 Salley 510 Salley 510 Salley 510 Salley 510 Salley 511 Salley 512 Salley 513 Grant 514 Salley 515 State of New York 515 State of New York 516 Salley 517 Matton II 517 Matton 518 Matton 519 Matton 510 Adamson 510 Steberger				below incl	ude those known at the present time. For codes not listed consult
Not Coded/Unknown 108 Operation Iraq Freedom claim 500 Albany DDS cases sent to Buffalo for adjud. 501 Jamaica (NY) DDS cases sent to Albany for adjud. 755 Hyatt 3 757 Small 760 Hyatt Reassessment 761 Hickman 771 Silveira 772 Curry 775 Zebley Med. Redeterm. 783 Goodnight 789 Kendrick 790 Childhood Med. Redeterm. 791 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 886 Boring				populated	in SSA-831 file in ascending order, beginning with LIT1. If a second
Not Coded/Unknown 108 Operation Iraq Freedom claim 500 Albany DDS cases sent to Buffalo for adjud. 501 Jamaica (NY) DDS cases sent to Albany for adjud. 755 Hyatt 3 757 Small 760 Hyatt Reassessment 761 Hickman 771 Silveira 772 Curry 775 Zebley Med. Redeterm. 783 Goodnight 789 Kendrick 790 Childhood Med. Redeterm. 791 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 886 Boring				Codes b	elow are current as of 7/25/2003
Albany DDS cases sent to Buffalo for adjud. Jamaica (NY) DDS cases sent to Albany for adjud. Hyatt 3 755 Hyatt 3 757 Small 760 Hyatt Reassessment Hickman 771 Silveira 772 Curry 775 Zebley Med. Redeterm. Goodnight Rendrick 790 Childhood Med. Redeterm. Jaird 791 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton 866 Bozzi 888 Cuffee 888 Stieberger 896 Boring					
Albany DDS cases sent to Buffalo for adjud.					
501 Jamaíca (NY) DDS cases sent to Albany for adjud. 755 Hyatt 3 757 Small 760 Hyatt Reassessment 761 Hickman 771 Silveira 772 Curry 775 Zebley Med. Redeterm. 783 Goodnight 789 Kendrick 790 Childhood Med. Redeterm. 791 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 837 Walton 837 Adamson 836 Bozzi 838 Cuffee 838 Stieberger 836 Boring					·
755 Hyatt 3 757 Small 760 Hyatt Reassessment 766 Hickman 771 Silveira 772 Curry 775 Zebley Med. Redeterm. 783 Goodnight 789 Kendrick 790 Childhood Med. Redeterm. 791 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					· · · · · · · · · · · · · · · · · · ·
757 Small 760 Hyatt Reassessment 761 Hickman 771 Silveira 772 Curry 775 Zebley Med. Redeterm. 783 Goodnight 789 Kendrick 790 Childhood Med. Redeterm. 791 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					` ,
760 Hyatt Reassessment 766 Hickman 771 Silveira 772 Curry 775 Zebley Med. Redeterm. 783 Goodnight 789 Kendrick 790 Childhood Med. Redeterm. 791 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 802 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 889 Stieberger 896 Boring					
766 Hickman 771 Silveira 772 Curry 775 Zebley Med. Redeterm. 783 Goodnight 789 Kendrick 790 Childhood Med. Redeterm. 791 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					
771 Silveira 772 Curry 775 Zebley Med. Redeterm. 783 Goodnight 789 Kendrick 790 Childhood Med. Redeterm. 791 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					•
772 Curry 775 Zebley Med. Redeterm. 783 Goodnight 789 Kendrick 790 Childhood Med. Redeterm. 791 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					
775 Zebley Med. Redeterm. 783 Goodnight 789 Kendrick 790 Childhood Med. Redeterm. 791 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 8112 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					
783 Goodnight 789 Kendrick 790 Childhood Med. Redeterm. 791 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					•
789 Kendrick 790 Childhood Med. Redeterm. 791 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					
790 Childhood Med. Redeterm. 791 Laird 795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 8112 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					<u> </u>
795 Thayer 796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring				790	Childhood Med. Redeterm.
796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring				791	Laird
796 ALJ Dutle 797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					
797 Surrell 801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring				796	
801 Bailey 808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					
808 Dixon 812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					
812 Hyatt 813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					
813 Grant 819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring				812	Hvatt
819 Salamalekis 823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					
823 Robert Smith 825 State of New York 829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring				819	
829 Zebley 835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					
835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring				825	State of New York
835 Walton 857 Walton II 867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring				829	Zebley
867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring				835	
867 Thomas 870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					
870 Adamson 886 Bozzi 888 Cuffee 889 Stieberger 896 Boring					
888 Cuffee 889 Stieberger 896 Boring					
889 Stieberger 896 Boring				886	Bozzi
896 Boring				888	Cuffee
896 Boring				889	Stieberger
· · · · · · · · · · · · · · · · · · ·				896	-
				899	Rosetti

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB ACRONYM	POSITION	FORMAT	DESCRIPTION
LIT2	96-98	А3	Litigation Code 2 (See LIT1)
LIT3	99-101	А3	Litigation Code 3 (See LIT1)
LIT4	102-104	А3	Litigation Code 4 (See LIT1)
LIT5	105-107	А3	Litigation Code 5 (See LIT1)
LIT6	108-110	А3	Litigation Code 6 (See LIT1)
LIT7	111-113	А3	Litigation Code 7 (See LIT1)
LIT8	114-116	A3	Litigation Code 8 (See LIT1)
LIT9	117-119	А3	Litigation Code 9 (See LIT1)
LIT10	120-122	А3	Litigation Code 10 (See LIT1)
DDPB	123-130	18CYMD	Date Disability Period Began CCYYMMDD CCYYMM15 = Unknown Day CCYY8888 = Unknown Month And Day 99999999 = Invalid Characters or Unknown/Not Available
DO	131-133	А3	District Office Code A00-K99 Or 000-999 ZZZ = Unknown/Invalid Characters Blank = Not Available
OY	134-135	A2	Occupation Years 00-99 ZZ = Unknown Blank = Not Available
occ	136-137	A2	Occupation Code 00-99 ZZ = Unknown Blank = Not Available
IND	138-139	A2	Industry Code 00-99 ZZ = Unknown Blank = Not Available
ED	140-141	A2	Education Years

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB ACRONYM	POSITION	FORMAT	DESCRIPTION
	- COMON		00-26, 99
			ZZ = Unknown
			Blank = Not Available
VRA	142	A1	VR Action Effective 8/15/2004, all cases subject to Ticket To Work and should be converted to value "B"
			A = Referred To VR B = Not Referred To VR C = Previously Referred 1 = Referred To VR And Agency For Children 2 = Child Under 16Referred To Agency Blank = Unavailable Z = Unknown
VRN	143-147	А5	Vocational Rule Number http://policynet.ba.ssa.gov/poms.nsf/lnx/0425025005 201.01-203.31 And 204.00 Blank = Not Available ZZZZZ = Unknown
MLN	148-154	А7	Medical List Number 001 To 014 Part AAdult Listings 100 To 114 Part BChildhood Listings (Title XVI Only) ZZZZZZZ = Unknown Blank = Not Available
SPC	155-156	A2	Physician Specialty Code 01-48 Blank = Not Available 99 = Unknown
DOT	157-162	I6CYM	Date of Termination CCYYMM CCYY88 = Unknown Month 999999 = Invalid Characters or Unknown/Not Available
FS	163	A 1	Federal Sample Indicator N = Not Selected P = Preeffectuation Review Q = Quality Review Z = Unknown

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
ВІ	164	A 1	Case Of Blindness A = Not Disabled For Cash Benefits B = Disabled For Cash Benefits Blank = Not Coded Z = Unknown
PD	165	A 1	Presumptive Disability Decision 1 = DO Decision 2 = DDS Decision Blank = Not Available/Not Applicable Z = Unknown
PDI	166-167	A2	Presumptive Disability Impairment 01-24 (01 & 08 obsolete effective 2/19/2002) 99 = Invalid/Unknown Blank = Not Available Due To Differences In The SM POMS And DI POMS, AIDS/ARC PDI Codes Should Be Cross Checked With RPDX And RSDX.
PDD	168-173	I6CYM	Presumptive Decision Date CCYYMM CCYY88 = Unknown Month 999999 = Invalid Characters or Unknown/Not Available
AER	174	A 1	Adjudicative Decision A = Affirmation R = Reversal Blank = Not Available Z = Unknown
SEX	175	A 1	Sex Code F = Female M = Male U = Not Determined/Unknown Z = Not Available After Numident Match

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB ACRONYM	POSITION	FORMAT	DESCRIPTION
RACE	176	A1	Race Code A = Asian B = Black/Negro H = Hispanic I = North American Indian Or Eskimo O = Other U = Not Determined/Unknown W = White Z = Not Available After Numident Match
			NOTE: Sex And Race Are Added To Our File Periodically During The Current Year. Values Of "U" In Data Fields Commonly Indicate the Record Has Not Been Updated.
LASTN	177-202	A26	<u>Last Name Of Claimant</u> 26 Characters Of Last Name
FIRSTN	203-218	A16	<u>First Name Of Claimant</u> 16 Characters Of First Name
MIDDLEN	219-228	A10	Middle Name Of Claimant 10 Characters Of Middle Name
DPM	229	A1	Permanent Disability Code N = Not Permanent P = Permanent 0 (Zero) = Denial Or Cessation Decision Z = Unknown Blank = Not Coded
SLCQ	230	A1	Study List Code (Zebley) Q = Zebley Cases Provided Through The Reconciliation Process Blank = Not Applicable
CDF	231	A 1	Capability Development Flag C = Capability Development Is Needed Y = Claimant Is Incapable N = Claimant Is Capable U = Capability Issue Is Unresolved Z = Unknown Blank = Not Available

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB ACRONYM	POSITION	FORMAT	DESCRIPTION
DAA	232	A1	Drug Or Alcohol Addiction A = Alcohol Does Contribute To Findings B = Both, DA&A Does Contribute To Findings D = Drugs Do Contribute To Findings N = No, DA&A Does Not Contribute To Findings W = No medical evidence of DAA X = Alcoholism not material to Findings Y = Drug Addiction not material to findings Z = Neither DA or A is material to findings Space = not coded # = Invalid entry NOTE: Codes W, X, Y & Z effective as of March 1996 with DAA Legislation but coding was not input by DDSs until 5/96
RECONDTE	233-240	18CYMD	Reconsideration Date CCYYMMDD CCYYMM15 = Unknown Day CCYY8888 = Unknown Month And Day 99999999 = Unknown/Not Available
EOR	241	A 1	Evidence Of Record Y = Evidence Of Record Was Purchased N = Evidence Of Record Was Not Purchased Blank = WBDOC record
CER	242	A 1	Consultative Examination Request Y = CE Was Requested N = CE Was Not Requested Blank = WBDOC record
ESC	243	A 1	Escalated Claim Y = Claim Was Escalated N = Claim Was Not Escalated Blank = WBDOC record
ONDCODE	244	A 1	Onset Code Type P = Title XVI Presumptive Disability C = Title II Change In Onset Date F = Final Allowance Z = Unknown Blank = Not Available

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
SCF	245	A 1	Special Case Flag
			T = Title II Trial Work Period
			R = Title II 13th Month Reopening
			P = Disability Quality Branch (DBQ) Case
			X = Title II Only CDR Direct Input Cessation
			F = Transitional Fed Medicare
			M = Regular Federal Medicare
			D = Drug Or Alcohol Addiction
			E = Collateral Estoppel
			H = DHU Hearing Held
			C = Other
			Z = Unknown
			Blank = Not Available
BIDATE	246-253	I8CYMD	Adjusted Blind Onset Date
			CCYYMMDD
			CCYYMM15 = Unknown Day
			CCYY8888 = Unknown Month and Day
			9999999 = Unknown/Not Available
STRDATE	254-261	I8CYMD	State Receipt Date
			CCYYMMDD
			CCYYMM15 = Unknown Day
			CCYY8888 = Unknown Month
			9999999 = Unknown/Not Available
XAN	262-270	A9	Cross-reference Account Number
			May be beneficiary's own account number, or the account number
			of a related claim.
MAN	271-279	A9	Modified Account Number
			Old SSN entry, which was corrected to entry which now appears in
			SSN field. SCORSSN (below) shows source of correction.
SCORSSN	280	A 1	Source of Corrected SSN
			Source of change reflected by MAN (above)
			C = SSN update on NDDSS, prior to closure
			Q = Zebley reconciliation activity
			U = SSN update on NDDSS, relationship to closure date unknown-
			W = SSN update on NDDSS, after closurepossible duplicate has
			been resolved
			O = Other manual process caused update of SSN
SSNVER	281-282	A2	SSN Verification
			(Future Use, in reconciliation projectsmay be source and
			verification code)

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
SAORACT	283	A 1	SAOR Action Code A = Received this report week B = Pending at the beginning and closing of this report week C = Received and closed within this report week D = Closed this report week F = Closed and already counted during a prior report week
			(For SAOR/DDB reconciliation projectssee SM 06006.015.)
CDODEC	284	A 1	Changed DODEC C = Record Where DODEC Is Derived From FLD (OD Edit) Q = Changed As A Result Of OPIR Actions Blank = Not Applicable
ZIP	285-293	А9	ZIP Code Of Claimant See National Zip Code Directory If METHOD (position 420) = F this is a consular code and NOT a ZI Can also be zeroes
ST	294-295	A2	State Of Claimants Residence (From the ZIP code, DDS or DO) Alphabetic Codes For States: AL-WY
STNUM	296-297	A2	State Code (Numerical) (From the ZIP code, DDS or DO) Numeric Codes For States: 01-53, 64, 65, 67, 88 and 99
WOF	298-305	I8CYMD	Week Of File CCYYMMDD = The last day of the processing week (which is Saturday through Friday) of the records that are posted to the Master File. (Records are posted on the following Monday.)
OPD	306-313	18CYMD	Original Posting Date CCYYMMDD = The WOF of the first record posted to the Master File. When duplicate records come through the Transaction File, this date will be copied to the current record from the old record, before the old record is overwritten.

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB ACRONYM	POSITION	FORMAT	DESCRIPTION
MDREC	314	A1	Medical Development Record? Y = Yes P = Prior MD information can still be found in the MD file. N = No
SKEL	315	A1	Skeleton Record Created or Full Record Corrected from NOTE: This field is reserved for future use.
SC2	316	A 1	Screening Case - Code 2
SC3	317	A1	Screening Case - Code 3
DDSSV	318-320	A3	DDS Code from TRIDE
OLDSLC1	321	A1	Previous SLC See SLC. A # sign indicates field never used
OLDSLC2	322	A1	Second Previous SLC See SLC. A # sign indicates field never used
OLDSLC3	323	A 1	Third Previous SLC See SLC. A # sign indicates field never used
OLDSLC4	324	A 1	Fourth Previous SLC See SLC. A # sign indicates field never used
OLDSLC5	325	A 1	Fifth Previous SLC See SLC. A # sign indicates field never used
SSIPER	326	A1	SSI PER Indicator Y = Pre-effectuation review Blank
EDIBPI This field is obsorbed NOT USE!	327 olete and not reliable	A1	EDCS Indicator Y= EDCS Blank
EDIBFLDR	328- 336	А9	eDib Folder Number 000000001 - 999999999 = EDCS Spaces or All Zeroes = Non-EDCS

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB ACRONYM	POSITION	FORMAT	DESCRIPTION
	1 00111011		
EDIBCASE	337- 345	A9	eDib Case Number
			000000001 - 99999999 = EDCS
			Spaces or All Zeroes = Non-EDCS
EDIBSEQ	346- 354	A9	eDib Sequence Number
			00000001 - 99999999 = EDCS
			Spaces or All Zeroes = Non-EDCS
PINDC	355	A 1	Current Paper Indicator DSCVCPAP
			0 = Fully Electronic (IDA certified)
			1 = Paper Case (IDA Certified)
			2 = EDCS involvement
			Blank = no EDCS involvement
PINDP	356	A 1	Prior Paper Indicator DSCVPPAP
FINDE	330	Ai	0 = Fully Electronic (IDA certified)
			1 = Paper Case (IDA Certified)
			2 = EDCS involvement
			Blank = no EDCS involvement
			Diank - no EDGS involvement
SSNMCS	357- 365	A9	SSN from MCS - DSCVCLMT
			Claimant's SSN from MCS for EDCS reads
QDDIND	366	A1	QDD indicator - DSCVQDD
			Quick Disability Determination (QDD) indicator
			Y = yes
			N = no
QDRMVDT	367- 374	18CYMD	QDD removal date - DSCVQDRD
QDRMVRSN	375- 376	A2	QDD removal reason - DSCVRRC
QDINIVINOIA	373-370	A2	01 = Necessary medical evidence has not been received.
			02 = CE is necessary.
			03 = Claimant moved to another state.
			04 = Claimant returned to work.
			05 = Claimant died during waiting period.
			06 = Fully favorable determination can not be made.
			07 = Non-medical development needed from FO.
			08 = Disagreement between examiner and medical expert. 09 = MQGE case.
			10 = MQGE case. 10 = Medicare only disabled widow.
			11 = Class action re-adjudications.
			12 = Claimant withdrew application and FO recalled case.
			13 = Recalled by the FO for no other reason.
			14 = Failure to cooperate.
			15 = Corrective action required per OQP review.
			16 = Medical Deferment criteria are met in accordance with DI 22505.010

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
			17 = Work activity development needed by the FO 18 = Reopening of a prior decision needed 19 = DLI in the past 20 = Totalization Claim(s)
QDREINDT	377- 384	18CYMD	QDD reinstatement date - DSCVQRED
QDSCORE	385	A 1	QDD scoring code - DSCVQDSC 1 = Scored, and meets the threshold 2 = Scored, and is below the threshold 3 = Attempted to score, but not result 4 = Scored, but not QDD DDS (statistical scoring) 5 = Tried to score for statistical purposes but failed
DSICLAIM	386	A1	DSI claim - DSCVDSII Disability Services Improvement Claim Y = yes N = no
DEDIARYD	387- 394	I8CYMD	Examiner diary date - DSCVDEDD Disability Examiner's diary date
ORIGDICD	395	A 1	Original DDS Examiner Diary Reason Code See DR (Diary Reason) field at position 73
DIARYFLG	396	A1	Diary Model OD Flag Field A = not run (invalid diary info date) B = not run (invalid date of birth) C = not run (invalid DODEC) D = not run (T16/under 18.2 years old) E = not run (T16/concurrent) F = not run (invalid final table key) G = not run (sampling) H = not run (SSN/BIC for CDR not in BSTAT file) I = run (DODEC <= 19860101 and MLN = 00505A or 00505B), DR = 7 J = run (PDX is 0430, or 0440, or 2790), DR = 7 1 = run (new DR = A, sampling) 3 = run (new DR = 3, sampling) 7 = run (new DR = 7, sampling) Y = run (new DR and diary info date)
FILLER	397- 419	A23	Reserved For Future Use
METHOD	420	A 1	Method used to derive state of residence

SSA-831 DDB RECORD LAYOUT - 1989 AND CONTINUING

DDB ACRONYM	POSITION	FORMAT	DESCRIPTION
			Z = ZIP code D = state of DDS O = state of DO/FO F = Foreign (consular code in ZIP) - = state not found (DASH) SPACE = METHOD not populated

^{*} Date fields will show all 9's when unknown or invalid, except EPE dates which could have "Blank" or all 9's. Contact Sara Kovacs for DSI data explanations.

DDB ACRONYM	POSITION	FORMAT	DESCRIPTION
			THIS FILE IS SORTED IN THE FOLLOWING ORDER: SSN 1-9 A RID 13 A TOC 14 A AL 12 A BIC 10-11 A DODEC 15-20 A RDT 23 D ND 24 D DDS 25-27 A
SSN	1-9	А9	Social Security Number 99999999 = Unknown SSN
BIC	10-11	A2	Beneficiary ID Code A = Primary Cx = Child D, Dx = Widow/Widower E, Ex = Widow/Widower Mx = Uninsured RA = Assistance Requested/Litigation Case T = Uninsured Or Renal Tx = Medicare Qualified Federal Employee's Auxiliary W, Wx = Widow/Widower ZZ = Unknown NOTE: x means anything other than blank
AL	12	A1	Adjudicative Level * A = Initial B = Recon C = Recon DHU D = ALJ E = Appeals Council F = District Court * G = Reopening * I = Informal Remand Z = Unknown * Counted As Initial Cases (Per ORS). Otherwise Use A and G Only.

DDB	DOCUTION	F001117	DECORIDATION
ACRONYM	POSITION	FORMAT	DESCRIPTION
RID	13	A 1	Record Identification 4 = Form SSA-833 (Title II)
			S = Form SSA-832 (Title II)
			3 - 1 01111 33A-032 (Title XVI)
			NOTE: Unknowns Will Be Dropped
TOC	14	A 1	Type Of Claim
			Title II
			1 = DIB (Disabled Worker)
			2 = FZ (Blind Worker)
			3 = DWB (Disabled Widow/Widower)
			4 = CDB (Child Over 18)
			5 = ESRD (End-Stage Renal Disease)
			6 = HIB (Medicare Can Be Used As MQFE)
			M = MQFE (Medically Qualified Government [Federal] Employee)
			Title XVI
			A = DI (Disabled Worker)
			B = DS (Disabled Spouse)
			C = DC (Disabled Child Under 18)
			D = BI (Blind Primary)
			E = BS (Blind Spouse)
			F = BC (Blind Child Under 18)
			G = AI (Alien Individual) H = AS (Alien Spouse)
			Z = Unknown
			Blank = Not Available
DODEC	15-22	I8CYMD	Date Of DDS Or SSA Decision
			CCYYMMDD
RDT	23	A 1	Result Of Determination
			C = Continuance
			S = Cessation
			T = Termination
			N = No Decision
			Q = Transfer
ND	24	A1	NDDSS/ADOC Source Code
			N = NDDSS
			M = Modified NDDSS Closure Record
			C = NDDSS And WBDOC Combined (OD Edit) T = Modified NDDSS Closure Record And WBDOC Combined
			(OD Edit)
			Blank = WBDOC
			Distinct TIDDOO

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
DDS	25-27	A3	State Agency (DDS) Code
			Refer to FOCEXEC named UTREGSTA for state definitions.
			Position 1-2 for DDS state number.
			Position 3:
			X for ODO
			Y for FDDS 88 Z for unknown
			Use all 3 positions for specific offices that are listed in DI 33520.
			For values in older files, refer to layout on shared drive in
			DDPIS\Branch1\Layouts Historical\UNI8319C.
			DDI 10 (Dianoit (Layouto) instanca (Ortico 100).
CCF	28	A 1	Concurrent Claim
			N = Not Concurrent
			Y = Title II Claim Concurrently Filed With Title XVI Claim (same
			SSN)
			S = Special Concurrent (different SSN)
			V = Very Special (combination of the 'Y' and 'S' Codes
RFC	29-30	A2	Reason For Continuance/Cessation Code
•		<i>,</i> _	01-48 = Title II
			50-99 = Title XVI
			00 = Invalid Characters
			Blank = Not Available
BFD	31	A1	Basis For Determination
БГО	31	AI	A = MedicalMedical/Vocational
			B = Work
			C = WorkIRWE Involved
			D = Other
			Z = Unknown
			Blank = Not Available
WRM	32-33	A2	Why Disability Review Was Made
AAIZIAI	JZ-JJ	74	00-31
			34-44 = CDR Mailer
			99 = Not Available/Invalid
DOB	24 44	I8CYMD	Data Of Birth
DOD	34-41	IOC TIVID	Date Of Birth CCYYMMDD
			CCYYMM15 = Unknown Day Of Birth
			CCYY8888 = Unknown Month And Day
			99999999 = Invalid Characters or Unknown
			5555555 - ITTVAIRG CHARACTERS OF CHINTOWER

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
DOBC	42	A 1	Date Of Birth Code A = ADOC Record, Invalid Month Of Birth Or Year Of Birth Not In The Range For The DODEC Year. (Day Of Birth Set To 15, 77, 88, Or 99.)
			B = NDDSS Record, Invalid Month Of Birth Or Year Of Birth Not In The Range For The DODEC Year. (Day Of Birth Set To 15, 88, Or 99.)
			C = Current 831 Record, Invalid Month Of Birth Or Year Of Birth Not In The Range For The DODEC Year. (Day Of Birth Set To 15.)
			D = ADOC Record, Valid Month Of Birth And Year Of Birth Is In The Range For The DODEC Year. (Day Of Birth Set To 15.)
			E = NDDSS Or Current SSA-831 Record, Valid Month Of Birth And Year Of Birth Is In The Range For The DODEC Year. (Day Of Birth Set To 15.)
			F = Current SSA-831 Record, Only The CCYYMM Of Date Of Birth Has Been Changed By The Numident Information. (Day Of Birth Set To 15.)
			G = NDDSS Or Current 831 Record Includes Year, Month, and Day, However there Is a Problem With The Range Or Validity.
			L = Current SSA-831 Record, CCYYMMDD Of Date Of Birth Has Been Changed By The Numident Information.
			M = Current 831 Record, Only The DD Of Date Of Birth Has Been Changed By The Numident Information.
			N = NDDSS Or Current 831 Record, Month Of Birth And Day Of Birth Are Valid And Year Of Birth Is In The Range For The DODEC Year.

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
BS	43-44	A2	Body System Codes
			01 = Musculoskeletal System
			02 = Special Senses And Speech
			03 = Respiratory System
			04 = Cardiovascular System
			05 = Digestive System
			06 = Genito-Urinary System
			07 = Hematological Disorders
			08 = Skin Disorders
			09 = Endocrine System
			10 = Multiple Body Systems
			11 = Neurological
			12 = Mental Disorders
			13 = Malignant Neoplastic Diseases
			14 = Immune System
			19 = Growth Impairment
			20 = Special/Other
			99 = Invalid Code Used
			Blank = Not Available
PDX	45-48	A4	Primary Impairment Code
			0001-9999
			0000 = Not Available/Blank
RPDX	49-52	A 4	Recoded Primary Impairment Code
			0110-9480
			Used To Convert ICD-9 Codes To Impairment Codes
SDX	53-56	A 4	Secondary Impairment Code
			(See PDX)
BEDY	E7 60	Δ4	Panadad Sanandaw Impairment Code
RSDX	57-60	A4	Recoded Secondary Impairment Code (See RPDX)
DD	61-66	I6CYM	Diary Date
			CCYYMM = Medical Reexam Date
			CCYY88 = Unknown Month
			999999 = Invalid Characters or Unknown/Blank (Denials)

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
DT	67	A 1	Diary Type 3 = Medical Reexam, Nonpermanent (MIE) And (MIP) 4 = Medical Reexam, Permanent (MINE) 5 = Medical Reexam (Permanency Of Impairment Not Known) 6 = No Diary Required 9 = Title XVI VR Child Referral Z = Invalid Blank = Not Available
DR	68	A 1	<u>Diary Reason</u> A - Z 1, 3, 5, 7, 9 Blank
			DEFINE If DR = '3' then 'MIP' else if DR = '5' or '7' then 'MINE' else if (DR = 'E' or 'F' or 'G' or 'I' or 'J' or 'K' or 'L' or 'M' or 'N' or 'V' or 'W' or 'X' or 'Y' or 'Z') and DPM = 'P' then 'MINE' else if (DR = 'E' or 'F' or 'G' or 'I' or 'J' or 'K' or 'L' or 'M' or 'N' or 'V' or 'W' or 'X' or 'Y' or 'Z') and DPM not = 'P' then 'MIP' else if DR alphabetic and not spaces then 'MIE' else 'MIP'
			(Definitions provided by CDR Team - July 2004)
LNA	69-71	А3	List Number A 001-999, Blank ZZZ = Unknown For a list of codes, see: http://policynet.ba.ssa.gov/poms.nsf/lnx/0433530005 Listing codes will be populated in ascending order, beginning with LNA. If a second listing code is received, it will appear in LNB, etc.
LNB	72-74	А3	List Number B (See LNA)
LNC	75-77	А3	List Number C (See LNA)
LND	78-80	А3	List Number D (See LNA)
LNE	81-83	А3	List Number E (See LNA)
LNF	84-86	А3	List Number F (See LNA)

DDB				
ACRONYM	POSITION	FORMAT	DESCRIPTION	

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
SLC	87	A 1	Study List Code
			A = Automatic SSI2 query (This is systems generated for Title XVI
			CDR Cases)
			B = ARC/HIV related, NY region - use discontinued
			C = Title XVI special childhood sample selection
			D = NY Region Only For AIDS Terminally III Cases
			E = Litigation - Stieberger (formerly Etsitty)
			F = reserved for future use (formerly Campbell)
			G = Full Process Model (formerly Boyd)
			H = Hearing DHU case
			I = State Of New York
			J = Special Title II Disability workload (formerly Luna)
			K = Single Decisionmaker Pilot (formerly Dixon)
			L = FPM Control case (formerly Wilkerson)
			M = Process Unification Disability Rationale
			N = Non federal cases
			O = Unassigned
			P = Process Unification Initiative #4 (formerly Peck)
			Q = Zebley B = Federal DDS MIRS/Mental Reapplication for New York
			R = Federal DDS MIRS/Mental Reapplication for New York
			S = DAA Redetermination (formerly City Of New York) T = Samuels
			U = Terminally III Cases (NY Region; Uses "D" For AIDS
			Terminally III Cases).
			V = reserved for future use (formerly Diaz)
			W = Mississippi (formely Wilson)
			X - OIO
			Y = City Of New York
			Z = Robert Smith
			0 (zero) = Bailey
			1 = Canadian claims for New York & Boston Regions
			2 = Listing code 122 case
			3 = Marcus 1991 On (formerly Court Ordered Reopenings Other
			4 = Hyatt
			5 = reserved for future use (formerly McDonald)
			6 = Johnson From June 1991 On (formerly Polaski Through May
			1991)
			7 = DMA (Document Management Architecture) - AeDib (formerly Schisler)
			8 = Redetermination Pursuant to P.L. 104-193 Age 18 or
			Childhood (formerly Aldrich)
			9 = Age 19 became 19 prior to initiation of redetermination - CDR
			conducted (formerly Morrison)
			All Blanks = Not Available/Not Applicable
			This field was updated according to POMS SM 6001.120 on July 2, 2003

SSA - 832/3 DDB RECORD LAYOUT

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
LIT1	88-90	А3	Litigation Code 1

Valid Litigation Codes range from 750-798 & 800-899, however the codes listed below include those known at the present time. For codes not listed consult POMS history or contact the Litigation Staff.

Regardless of incoming position in litigation code area, litigation codes will be populated in SSA-831 file in ascending order, beginning with LIT1. If a second listing code is received, it will appear in LIT2, etc.

Codes below are current as of 7/25/2003.

Codes be	low are current as of 7/25/2003.
000	Unknown/not coded
108	Operation Iraq Freedom claim
500	Albany DDS cases sent to Buffalo for adjud.
501	Jamaica (NY) DDS cases sent to Albany for adjud.
755	Hyatt 3
757	Small
760	Hyatt Reassessment
766	Hickman
771	Silveira
772	Curry
775	Zebley Med. Redeterm.
783	Goodnight
789	Kendrick
790	Childhood Med. Redeterm.
791	Laird
795	Thayer
796	ALJ Dutle
797	Surrell
801	Bailey
808	Dixon
812	Hyatt
813	Grant
819	Salamalekis
823	Robert Smith
825	State of New York
829	Zebley
835	
857	Walton II
867	Thomas
870	Adamson
886	Bozzi
888	Cuffee
889	Stieberger
896	Boring
899	Rosetti

LIT2 91-93 A3 <u>Litigation Code 2 (See LIT1)</u>

DDB ACRONYM	POSITION	FORMAT	DESCRIPTION
LIT3	94-96	А3	Litigation Code 3 (See LIT1)
LIT4	97-99	А3	Litigation Code 4 (See LIT1)
LIT5	100-102	А3	Litigation Code 5 (See LIT1)
LIT6	103-105	А3	Litigation Code 6 (See LIT1)
LIT7	106-108	А3	Litigation Code 7 (See LIT1)
LIT8	109-111	А3	Litigation Code 8 (See LIT1)
LIT9	112-114	А3	Litigation Code 9 (See LIT1)
LIT10	115-117	А3	Litigation Code 10 (See LIT1)
DDPB	118-125	18CYMD	Date Disability Period Began CCYYMMDD CCYYMM15 = Unknown Day CCYY8888 = Unknown Month And Day 9999999 = Invalid Characters or Unknown/Not Available * Per Sara Kovacs (email dated 8/30/2011), this field is populated with 9's since 2002.
DO	126-128	А3	District Office Code A00-K99 Or 000-999 ZZZ = Unknown/Invalid Characters Blank = Not Available
OY	129-130	A2	Occupation Years 00-99 ZZ = Unknown Blank = Not Available
occ	131-132	A2	Occupation Code 00-99 ZZ = Unknown Blank = Not Available
IND	133-134	A2	Industry Code 00-99 ZZ = Unknown Blank = Not Available

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
ED	135-136	A2	Education Years
			00-26, 99
			ZZ = Unknown
			Blank = Not Available
VRA	137	A1	VR Action
			A = Referred To VR
			B = Not Referred To VR
			C = Previously Referred
			1 = Referred To VR And Agency For Children
			2 = Child Under 16Referred To Agency
			Blank = Unavailable
			Z = Unknown
VRN	138-142	A5	Vocational Rule Number
			201.01-203.31 And 204.00
			Blank = Not Available
			ZZZZZ = Unknown
MLN	143-149	A 7	<u>Medical List Number</u>
			001 To 014 Part AAdult Listings
			100 To 114 Part BChildhood Listings (Title XVI Only)
			ZZZZZZZ = Unknown
			Blank = Not Available
SPC	150-151	A2	Physician Specialty Code
			01-47
			Blank = Not Available
			99 = Unknown
DOT	152-157	I6CYM	Date of Termination
			CCYYMM
			CCYY88 = Unknown Month
			999999 = Invalid Characters or Unknown/Not Available
FS	158	A1	Federal Sample Indicator
			N = Not Selected
			P = Preeffectuation Review
			Q = Quality Review
			Z = Unknown

SSA - 832/3 DDB RECORD LAYOUT

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
BI	159	A 1	Case Of Blindness
			A = Not Disabled For Cash Benefits
			B = Disabled For Cash Benefits
			Blank = Not Coded
			Z = Unknown
BICASHDT	160-165	I6CYM	Blindness Continues For Cash Benefit Date
			CCYYMM
			CCYY88 = Unknown Month
			999999 = Unknown/Not Available or Nonnumeric Characters
BICEASED	166-171	I6CYM	Blindness Ceased Other Impairment Date
			CCYYMM
			CCYY88 = Unknown Month
			999999 = Unknown/Not Available or Nonnumeric Characters
BINOCASH	172-177	I6CYM	Blindness Continues For Noncash Benefit Date
			CCYYMM
			CCYY88 = Unknown Month
OE	*178	A 1	Other Entitlement
OE	170	AI	832s
			N = No Other Entitlement
			Z = Invalid Characters
			Blank = Not Available/Not Applicable
			833s
			Y = Yes, Other Entitlement
			N = No Other Entitlement
			Z = Invalid Characters
			Blank = Not Available/Not Applicable
DET	*179	A 1	<u>Determination</u>
			1 = Disability
			2 = Impairment Severity
			Blank = Unknown/Not Coded
			Z = Invalid Characters
EPEDATE *	180-185	I6CYM	EPE Begin Date
			CCYYMM
			CCYY88 = Unknown Month
			000000

999999 or Blank = Unknown/Not Available or Invalid Characters

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
EPEDENY *	186	A1	EPE Reinstatement Denied
			Y = EPE Reinstatement Denied
			Blank = Not Available/Unknown
EPEREIN*	187-192	I6CYM	EPE Reinstatement Allowed
			CCYYMM
			CCYY88 = Unknown Month
			999999 or Blank = Unknown/Not Available or Invalid Characters
EPESUSP *	193-198	I6CYM	EPE Suspended After Reinstatement
			CCYYMM
			CCYY88 = Unknown Month
			999999 or Blank = Unknown/Not Available or Invalid Characters
EPETERM *	199-204	I6CYM	EPE Benefit Termination
			CCYYMM
			CCYY88 = Unknown Month
			999999 or Blank = Unknown/Not Available or Invalid Characters
CDODEC	205	A 1	Changed DODEC
			C = Record Where DODEC Is Derived From FLD (OD Edit)
			Q = Changed As A Result Of OPIR Actions
			Blank = Not Applicable
SEX	206	A1	Sex Code
			F = Female
			M = Male
			U = Not Determined/Unknown
			Z = Not Available After Numident Match
RACE	207	A1	Race Code
			A = Asian
			B = Black/Negro
			H = Hispanic
			I = North American Indian Or Eskimo
			O = Other
			U = Not Determined/Unknown
			W = White
			Z = Not Available After Numident Match

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
LASTN	208-233	A26	Last Name Of Claimant
			26 Characters Of Last Name
FIRSTN	234-249	A16	First Name Of Claimant
_			16 Characters Of First Name
MIDDLEN	250-259	A10	Middle Name Of Claimant
		7110	10 Characters Of Middle Name
CDT	260-261	A2	Continuing Disability Review Type
			01 = Medical Improvement Expected (MIE) Diary
			02 = T16 Childhood Disability Redetermination
			03 = Medical Improvement Possible (MIP) Diary
			04 = T16 age 18 Disability Determination
			05 = Expedited Reinstatement
			06 = Named Litigant/Court Case
			07 = Reserved for future use
			08 = Reopened Mental Impairment
			09 = Medical Improvement Not Expected (MINE) Diary
			10 = Automated Direct Release Only MINE Diary
			11 = Reserved for future use
			12 = Extended Period of Eligibility (EPE) Review
			13 = Miscellaneous (Included T16 1619 Cases) 34 = CDR mailer released in FY 1994
			35 = CDR mailer released in FY 1995
			36 = CDR mailer released in FY 1996
			37 = CDR mailer released in FY 1997
			38 = CDR mailer released in FY 1998
			39 = CDR mailer released in FY 1999
			40 = CDR mailer released in FY 2000
			41 = CDR mailer released in FY 2001
			42 = CDR mailer released in FY 2002
			43 = CDR mailer released in FY 2003
			44 = CDR mailer released in FY 2004 or later
			99 = Unknown
			Blank = Not Available
DPM	262	A 1	Permanent Disability Code
			N = Nonpermanent
			P = Permanent
			0 (Zero) = Denial Or Cessation Decision
			Blank = Not Coded
			Z = Unknown

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
SLCQ	263	A 1	Study List Code (Zebley)
			Q = Zebley Case Provided Through The Reconciliation Process
			Blank = Not Applicable
DAA	264	A1	Drug Or Alcohol Addiction
			A = Alcohol Does Contribute To Findings
			B = Both, DA&A Does Contribute To Findings
			D = Drugs Do Contribute To Findings
			N = No, DA&A Does Not Contribute To Findings
			W = No medical evidence of DAA
			X = Alcoholism not material to Findings
			Y = Drug Addiction not material to findings
			Z = Neither DA or A is material to findings
			Blank = Unknown/Invalid Code
			NOTE: Codes W, X, Y & Z effective as of March 1996 with DAA
			Legislation but coding was not input by DDSs until 5/96.
RECONDTE	265-272	I8CYMD	Reconsideration Date
			CCYYMMDD
			CCYY8888 = Unknown Month And Day
			99999999 = Unknown/Not Available or Nonnumeric Characters
EOR	273	A 1	Evidence Of Record
			Y = EOR Purchased
			N = EOR Not Purchased
			Blank = WBDOC record
CER	274	A 1	Consultative Examination Request
			Y = CER Requested
			N = CER Not Requested
			Blank = WBDOC record
ESC	275	A 1	Escalated Claim
			Y = Claim Escalated To The Reconsideration Level
			N = Claim Was Not Escalated
			Blank = WBDOC record
ONDCODE	276	A 1	Onset Code Type
			P = Title XVI Presumptive DIB
			C = Title II Change In Onset Date
			F = Final Allowance
			Blank = Not Coded
			Z = Unknown
SCF	277	A 1	Special Case Flag

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
			F = Transitional Fed Medicare
			M = Regular Fed Medicare
			P = DIB Quality Branch Case
			R = Title II 13th Month
			C = Other
			D = Drug Or Alcohol Addiction
			E = Collateral Estoppel
			H = DHU Hearing Held
			Blank = Not Available/Not Applicable
			Z = Unknown
SUC	278	A 1	Special Use Code
			Used By Special Instruction Codes Not Listed In NDDSS Manual
			Or The SSA-832/3 POMS Values Of A To Z Or Blank
BIDATE	279-286	I8CYMD	Adjusted Blind Onset Date
			CCYYMMDD
			CCYYMM15 = Unknown Day
			CCYY8888 = Unknown Month
			9999999 = Unknown/Not Available
I301	287	A 1	301 Indicator Case
1001	201	Ai	Y = 301 Case
			N = Not A 301 Case
			Blank = Not Available/Invalid Character
STRDATE	288-295	I8CYMD	State Receipt Date
			CCYYMMDD
			9999999 = Unknown/Not Available
			CCYY8888 = Unknown Month
			CCYYMM88 = Unknown Day
XAN	296-304	A9	Cross-reference Account Number
AAN	290-304	AJ	May be beneficiary's own account number, or the account number
			of a related claim
			5. 5. 5.5.54 Gigini
MAN	305-313	A9	Modified Account Number
			Old SSN entry, which was corrected to entry which now appears in
			SSN field. SCORSSN (below) shows correction source.

DDB ACRONYM	POSITION	FORMAT	DESCRIPTION
SCORSSN	314	A1	Source of Corrected SSN
JOOKSON	314	Ai	Source of change reflected by MAN (above)
			C = SSN update on NDDSS, prior to closure
			Q = Zebley reconciliation activity
			U = SSN update on NDDSS, relationship to closure date unknown
			possible duplicate record under MAN, to be resolved.
			W = SSN update on NDDSS, after closurepossible duplicate has
			been resolved
SSNVER	315-316	A2	SSN Verification
			(Future Use, in reconciliation projectsmay be source and
			verification code)
SAORACT	317	A1	SAOR Action Code
			A = Received this report week
			B = Pending at the beginning and closing of this report week
			C = Received and closed within this report week
			D = Closed this report week
			F = Closed and already counted during a prior report week
			(For SAOR/DDB reconciliation projectssee SM 06006.015.)
ZIP	318-326	A9	ZIP Code Of Claimant
			See National Zip Code Directory
ST	327-328	A2	State Of Claimants Residence
			(Decoded From ZIP)
			Alphabetic Codes For States: AL-WY
STNUM	329-330	A2	State Code (Numerical)
			(Decoded From ZIP)
			Numeric Codes For States: 01-53, 64, 65, 67, 88 and 99
WOF	331-338	18CYMD	Week Of File
			CCYYMMDD = The last day of the processing week (which is
			Saturday through Friday) of the records that are posted to the
			Master File. (Records are posted on the following Monday.)
OPD	339-346	18CYMD	Original Posting Date
			CCYYMMDD = The WOF of the first record posted to the Master
			File. When duplicate records come through the Transaction File,
			this date will be copied to the current record from the old record, before the old record is overwritten.
			perore the old record is overwritten.

DDB ACRONYM	POSITION	FORMAT	DESCRIPTION
MDREC	347	A1	Medical Development Record? Y = Yes P = Prior MD information can still be found in the MD file. N = No
SKEL	348	A 1	Skeleton Record Created or Full Record Corrected From NOTE: This field is reserved for future use.
DDSSV	349-351	А3	DDS Code from TRIDE S & V codes from TRIDE - added May 2001
OLDSLC1	352	A 1	Previous SLC See SLC. A # sign indicates field never used
OLDSLC2	353	A1	Second Previous SLC See SLC. A # sign indicates field never used
OLDSLC3	354	A 1	Third Previous SLC See SLC. A # sign indicates field never used
OLDSLC4	355	A1	Fourth Previous SLC See SLC. A # sign indicates field never used
OLDSLC5	356	A1	Fifth Previous SLC See SLC. A # sign indicates field never used
SSIP	357	A1	SSI PER Indicator Y Blank
EDIBPI	358	A1	EDCS Indicator Y= EDCS Blank
EDIBFLDR	359-367	А9	eDib Folder Number 000000001 - 999999999 = EDCS Spaces or All Zeroes = Non-EDCS
EDIBCASE	368-376	А9	<u>eDib Case Number</u> 000000001 - 99999999 = EDCS Spaces or All Zeroes = Non-EDCS

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
EDIBSEQ	377-385	A9	eDib Sequence Number
			00000001 - 99999999 = EDCS
			Spaces or All Zeroes = Non-EDCS
PINDC	386	A1	EDCS Current Paper Indicator
			0 = Fully Electronic (IDA certified)
			1 = Paper Case (IDA Certified)
			2 = EDCS involvement
			Blank = no EDCS involvement
PINDP	387	A1	EDCS Prior Paper Indicator
			0 = Fully Electronic (IDA certified)
			1 = Paper Case (IDA Certified)
			2 = EDCS involvement
			Blank = no EDCS involvement
SSNMCS	388-396	A9	SSN from MCS - DSCVCLMT
		2.00	Claimant's SSN from MCS for EDCS reads
			Glamlante Gert Helli Mee 16. 2200 reads
QDDIND	397	A1	QDD indicator - DSCVQDD
			Quick Disability Determination (QDD) indicator
			Y = yes
			N = no
QDRMVDT	398-405	I8CYMD	QDD removal date - DSCVQDRD
			QDD removal date
QDRMVRSN	406-407	A2	QDD removal reason - DSCVRRC
	100 101	<i>,</i> _	QDD removal reason
			01 = Necessary medical evidence has not been received.
			02 = CE is necessary.
			03 = Claimant moved to another state.
			04 = Claimant returned to work.
			05 = Claimant died during waiting period.
			06 = Fully favorable determination can not be made.
			07 = Non-medical development needed from FO.
			08 = Disagreement between examiner and medical expert.
			09 = MQGE case.
			10 = Medicare only disabled widow.
			11 = Class action re-adjudications.
			12 = Claimant withdrew application and FO recalled case.
			13 = Recalled by the FO for no other reason.
			14 = Failure to cooperate.
			15 = Corrective action required per OQP review.
			16 = Medical Deferment criteria are met in accordance with DI 22505.010
			17 = Work activity development needed by the FO

DDB			
ACRONYM	POSITION	FORMAT	DESCRIPTION
			18 = Reopening of a prior decision needed
			19 = DLI in the past
			20 = Totalization Claim(s)
QDREINDT	408-415	I8CYMD	QDD reinstatement date - DSCVQRED
			QDD reinstatement date
QDSCORE	416	A 1	QDD scoring code - DSCVQDSC
QDOOONL	410	Ai	1 = Scored, and meets the threshold
			2 = Scored, and is below the threshold
			3 = Attempted to score, but not result
			4 = Scored, but not QDD DDS (statistical scoring)
			5 = Tried to score for statistical purposes but failed
DSICLAIM	417	A 1	DSI claim - DSCVDSII
			Disability Services Improvement Claim
			Y = yes
			N = no
DEDIARYD	418-425	I8CYMD	Examiner diary date - DSCVDEDD
			Disability Examiner's diary date
ORIGDIACD	426	A 1	Original DDS Examiner Diary Reason Code
CRICDIACD	420	Ai	See DR field at position 68
DIAFLAG	427	A 1	Diary Model OD Flag Field
CPDFPIND	428	A 1	CPD Folder Paper Indicator
FILLER	429-439	A 11	Reserved For Future Use
METHOD	440	A1	Method used to derive state of residence
			Z = ZIP code
			D = state of DDS
			O = state of DO/FO
			F = Foreign (consular code in ZIP)

APPENDIX E: FILE LAYOUT OF THE DCF

ALLGERNG.xlsx

Name	Business Name	Server	Database	Schema	Table Name	Subject Area	Primary Key
ALLGD_AMT	Alleged Amount	MISF.DBP8	MDCF	MDCF	ALLGERNG	Disability	No
CID	Client Identifier	MISF.DBP8	MDCF	MDCF	ALLGERNG	Disability	Yes
COSSN	Clients Own Social Security Number	MISF.DBP8	MDCF	MDCF	ALLGERNG	Disability	Yes
ERNGS_DT	Earnings Date	MISF.DBP8	MDCF	MDCF	ALLGERNG	Disability	Yes
INSRT_PIN	Insert Personal Identification Number	MISF.DBP8	MDCF	MDCF	ALLGERNG	Disability	No
INSRT_TS	Insert Timestamp	MISF.DBP8	MDCF	MDCF	ALLGERNG	Disability	No
LU_PGM_NM	Last Update Program Name	MISF.DBP8	MDCF	MDCF	ALLGERNG	Disability	No
LU_PIN	Last Update Personal Identification Number	MISF.DBP8	MDCF	MDCF	ALLGERNG	Disability	No
LU_TS	Last Update Timestamp	MISF.DBP8	MDCF	MDCF	ALLGERNG	Disability	No
PRTN_NUM	Partition Number	MISF.DBP8	MDCF	MDCF	ALLGERNG	Disability	Yes

ALLGERNG.xlsx

Name	Data Type	Length	DB Type	Lifecycle
ALLGD_AMT	DECIMAL	7	DB2	Production
CID	CHAR	2	DB2	Production
COSSN	CHAR	9	DB2	Production
ERNGS_DT	DATE	10	DB2	Production
INSRT_PIN	CHAR	6	DB2	Production
INSRT_TS	TIMESTAMP	26	DB2	Production
LU_PGM_NM	CHAR	8	DB2	Production
LU_PIN	CHAR	6	DB2	Production
LU_TS	TIMESTAMP	26	DB2	Production
PRTN_NUM	SMALLINT	5	DB2	Production

CLM.xlsx

Name	Business Name	Server	Database	Schema	Table Name	Subject Area
ADJUD_DT	Adjudicated Date	MISF.DBP8	MDCF	MDCF	CLM	Disability
ADJULVL_CD	Adjudicative Level Code	MISF.DBP8	MDCF	MDCF	CLM	Disability
CID	Client Identifier	MISF.DBP8	MDCF	MDCF	CLM	Disability
CLAS_CD	Class Code	MISF.DBP8	MDCF	MDCF	CLM	Disability
CLMSSN	Claim Social Security Number	MISF.DBP8	MDCF	MDCF	CLM	Disability
CLMSSN_ID	Claim Social Security Number Identifier	MISF.DBP8	MDCF	MDCF	CLM	Disability
COSSN	Clients Own Social Security Number	MISF.DBP8	MDCF	MDCF	CLM	Disability
CRNT_CLMSSN_ID	Current Claim Social Security Number Identifier	MISF.DBP8	MDCF	MDCF	CLM	Disability
CTL_DT	Control Date	MISF.DBP8	MDCF	MDCF	CLM	Disability
DISB_ONST_DT	Disability Onset Date	MISF.DBP8	MDCF	MDCF	CLM	Disability
EFF_FLG_DT	Effective Filing Date	MISF.DBP8	MDCF	MDCF	CLM	Disability
FLDR_OCD	Folder Office Code	MISF.DBP8	MDCF	MDCF	CLM	Disability
FLDR_RCONST_CD	Folder Reconstruction Code	MISF.DBP8	MDCF	MDCF	CLM	Disability
FLDR_TYP	Folder Type	MISF.DBP8	MDCF	MDCF	CLM	Disability
INSRT_PIN	Insert Personal Identification Number	MISF.DBP8	MDCF	MDCF	CLM	Disability
INSRT_TS	Insert Timestamp	MISF.DBP8	MDCF	MDCF	CLM	Disability
IRP_CMPL_MDT	Initial Reinstatement Period Complete Month Date	MISF.DBP8	MDCF	MDCF	CLM	Disability
LU_OCD	Last Update Office Code	MISF.DBP8	MDCF	MDCF	CLM	Disability
LU_PGM_NM	Last Update Program Name	MISF.DBP8	MDCF	MDCF	CLM	Disability
LU_PIN	Last Update Personal Identification Number	MISF.DBP8	MDCF	MDCF	CLM	Disability
LU_TS	Last Update Timestamp	MISF.DBP8	MDCF	MDCF	CLM	Disability
PRTN_NUM	Partition Number	MISF.DBP8	MDCF	MDCF	CLM	Disability
REV_CTLCLM_SW	Review Controlling Claim Switch	MISF.DBP8	MDCF	MDCF	CLM	Disability
SSACT	Social Security Act Title	MISF.DBP8	MDCF	MDCF	CLM	Disability
TKT_CTLCLM_SW	Ticket Controlling Claim Switch	MISF.DBP8	MDCF	MDCF	CLM	Disability
TWP_CMPL_MDT	Trial Work Period Complete Month Date	MISF.DBP8	MDCF	MDCF	CLM	Disability
TWPF_DCN_CD	Trial Work Period Fraud Decision Code	MISF.DBP8	MDCF	MDCF	CLM	Disability
TWPF_DCN_DT	Trial Work Period Fraud Decision Date	MISF.DBP8	MDCF	MDCF	CLM	Disability

Name	Primary Key	Data Type	Length	DB Type	Lifecycle
ADJUD_DT	No	DATE	10	DB2	Production
ADJULVL_CD	No	CHAR	1	DB2	Production
CID	Yes	CHAR	2	DB2	Production
CLAS_CD	No	CHAR	1	DB2	Production
CLMSSN	Yes	CHAR	9	DB2	Production
CLMSSN_ID	Yes	CHAR	3	DB2	Production
COSSN	Yes	CHAR	9	DB2	Production
CRNT_CLMSSN_ID	No	CHAR	3	DB2	Production
CTL_DT	Yes	DATE	10	DB2	Production
DISB_ONST_DT	No	DATE	10	DB2	Production
EFF_FLG_DT	No	DATE	10	DB2	Production
FLDR_OCD	No	CHAR	3	DB2	Production
FLDR_RCONST_CD	No	CHAR	1	DB2	Production
FLDR_TYP	No	CHAR	1	DB2	Production
INSRT_PIN	No	CHAR	6	DB2	Production
INSRT_TS	No	TIMESTAMP	26	DB2	Production
IRP_CMPL_MDT	No	DATE	10	DB2	Production
LU_OCD	No	CHAR	3	DB2	Production
LU_PGM_NM	No	CHAR	8	DB2	Production
LU_PIN	No	CHAR	6	DB2	Production
LU_TS	No	TIMESTAMP	26	DB2	Production
PRTN_NUM	Yes	SMALLINT	5	DB2	Production
REV_CTLCLM_SW	No	CHAR	1	DB2	Production
SSACT	No	CHAR	2	DB2	Production
TKT_CTLCLM_SW	No	CHAR	1	DB2	Production
TWP_CMPL_MDT	No	DATE	10	DB2	Production
TWPF_DCN_CD	No	CHAR	1	DB2	Production
TWPF_DCN_DT	No	DATE	10	DB2	Production

CLNT.xlsx

Name	Business Name	Server	Database	Schema	Table Name
ALT_PHN_CD	Alternate Telephone Code	MISF.DBP8	MDCF	MDCF	CLNT
ALT_PHNNUM15	Alternate Phone Number 15	MISF.DBP8	MDCF	MDCF	CLNT
CID	Client Identifier	MISF.DBP8	MDCF	MDCF	CLNT
COSSN	Clients Own Social Security Number	MISF.DBP8	MDCF	MDCF	CLNT
DMRKT_SLTN_CD	Dynamic Marketing Selection Code	MISF.DBP8	MDCF	MDCF	CLNT
FNM	First Name	MISF.DBP8	MDCF	MDCF	CLNT
IMPRMNT_CD	Impairment Code	MISF.DBP8	MDCF	MDCF	CLNT
INSRT_PIN	Insert Personal Identification Number	MISF.DBP8	MDCF	MDCF	CLNT
INSRT_TS	Insert Timestamp	MISF.DBP8	MDCF	MDCF	CLNT
LNM	Last Name	MISF.DBP8	MDCF	MDCF	CLNT
LU_PGM_NM	Last Update Program Name	MISF.DBP8	MDCF	MDCF	CLNT
LU_PIN	Last Update Personal Identification Number	MISF.DBP8	MDCF	MDCF	CLNT
LU_TS	Last Update Timestamp	MISF.DBP8	MDCF	MDCF	CLNT
MNM	Middle Name	MISF.DBP8	MDCF	MDCF	CLNT
MRKTN_FL_PREF_CD	Marketing File Preference Code	MISF.DBP8	MDCF	MDCF	CLNT
ODO_DIG	Office of Disability Operations Diagnosis Code	MISF.DBP8	MDCF	MDCF	CLNT
ODO_DRY_MDT	Office of Disability Operations Diary Month Date	MISF.DBP8	MDCF	MDCF	CLNT
ODO_DRY_PERM_CD	Office of Disability Operations Diary Permanent Code	MISF.DBP8	MDCF	MDCF	CLNT
ODO_MDR	Office of Disability Operations Medical Diary Reason	MISF.DBP8	MDCF	MDCF	CLNT
ODO_SDIG	Office of Disability Operations Secondary Diagnosis Code	MISF.DBP8	MDCF	MDCF	CLNT
PRTN_NUM	Partition Number	MISF.DBP8	MDCF	MDCF	CLNT
SCC	State and County Code	MISF.DBP8	MDCF	MDCF	CLNT
SFX	Suffix	MISF.DBP8	MDCF	MDCF	CLNT
ST_CD	State Code	MISF.DBP8	MDCF	MDCF	CLNT
T16_DOB	Title XVI Birth Date	MISF.DBP8	MDCF	MDCF	CLNT
T16_DOD	Title XVI Death Date	MISF.DBP8	MDCF	MDCF	CLNT
T2_DOB	Title II Birth Date	MISF.DBP8	MDCF	MDCF	CLNT
T2_DOD	Title II Death Date	MISF.DBP8	MDCF	MDCF	CLNT
TKT_HLDR_VET_SW	Ticket Holder Veteran Switch	MISF.DBP8	MDCF	MDCF	CLNT
ZIP_CD	Zone Improvement Plan Code	MISF.DBP8	MDCF	MDCF	CLNT

Name	Subject Area	Primary Key	Data Type	Length	DB Type	Lifecycle
ALT_PHN_CD	Disability	No	CHAR	1	DB2	Production
ALT_PHNNUM15	Disability	No	CHAR	15	DB2	Production
CID	Disability	Yes	CHAR	2	DB2	Production
COSSN	Disability	Yes	CHAR	9	DB2	Production
DMRKT_SLTN_CD	Disability	No	CHAR	1	DB2	Production
FNM	Disability	No	CHAR	15	DB2	Production
IMPRMNT_CD	Disability	No	CHAR	2	DB2	Production
INSRT_PIN	Disability	No	CHAR	6	DB2	Production
INSRT_TS	Disability	No	TIMESTAMP	26	DB2	Production
LNM	Disability	No	CHAR	20	DB2	Production
LU_PGM_NM	Disability	No	CHAR	8	DB2	Production
LU_PIN	Disability	No	CHAR	6	DB2	Production
LU_TS	Disability	No	TIMESTAMP	26	DB2	Production
MNM	Disability	No	CHAR	15	DB2	Production
MRKTN_FL_PREF_CD	Disability	No	CHAR	1	DB2	Production
ODO_DIG	Disability	No	CHAR	10	DB2	Production
ODO_DRY_MDT	Disability	No	DATE	10	DB2	Production
ODO_DRY_PERM_CD	Disability	No	CHAR	1	DB2	Production
ODO_MDR	Disability	No	CHAR	1	DB2	Production
ODO_SDIG	Disability	No	CHAR	10	DB2	Production
PRTN_NUM	Disability	Yes	SMALLINT	5	DB2	Production
SCC	Disability	No	CHAR	5	DB2	Production
SFX	Disability	No	CHAR	4	DB2	Production
ST_CD	Disability	No	CHAR	2	DB2	Production
T16_DOB	Disability	No	DATE	10	DB2	Production
T16_DOD	Disability	No	DATE	10	DB2	Production
T2_DOB	Disability	No	DATE	10	DB2	Production
T2_DOD	Disability	No	DATE	10	DB2	Production
TKT_HLDR_VET_SW	Disability	No	CHAR	1	DB2	Production
ZIP_CD	Disability	No	CHAR	5	DB2	Production

Name	Business Name	Server	Database	Schema
ALT_PHN_CD	Alternate Telephone Code	MISF.DBP8	MDCF	MDCF
ALT_PHNNUM15	Alternate Phone Number 15	MISF.DBP8	MDCF	MDCF
CID	Client Identifier	MISF.DBP8	MDCF	MDCF
COSSN	Clients Own Social Security Number	MISF.DBP8	MDCF	MDCF
DMRKT_SLTN_CD	Dynamic Marketing Selection Code	MISF.DBP8	MDCF	MDCF
FNM	First Name	MISF.DBP8	MDCF	MDCF
IMPRMNT_CD	Impairment Code	MISF.DBP8	MDCF	MDCF
INSRT_PIN	Insert Personal Identification Number	MISF.DBP8	MDCF	MDCF
INSRT_TS	Insert Timestamp	MISF.DBP8	MDCF	MDCF
LNM	Last Name	MISF.DBP8	MDCF	MDCF
LU_PGM_NM	Last Update Program Name	MISF.DBP8	MDCF	MDCF
LU_PIN	Last Update Personal Identification Number	MISF.DBP8	MDCF	MDCF
LU_TS	Last Update Timestamp	MISF.DBP8	MDCF	MDCF
MNM	Middle Name	MISF.DBP8	MDCF	MDCF
MRKTN_FL_PREF_CD	Marketing File Preference Code	MISF.DBP8	MDCF	MDCF
ODO_DIG	Office of Disability Operations Diagnosis Code	MISF.DBP8	MDCF	MDCF
ODO_DRY_MDT	Office of Disability Operations Diary Month Date	MISF.DBP8	MDCF	MDCF
ODO_DRY_PERM_CD	Office of Disability Operations Diary Permanent Code	MISF.DBP8	MDCF	MDCF
ODO_MDR	Office of Disability Operations Medical Diary Reason	MISF.DBP8	MDCF	MDCF
ODO_SDIG	Office of Disability Operations Secondary Diagnosis Code	MISF.DBP8	MDCF	MDCF
PRTN_NUM	Partition Number	MISF.DBP8	MDCF	MDCF
SCC	State and County Code	MISF.DBP8	MDCF	MDCF
SFX	Suffix	MISF.DBP8	MDCF	MDCF
ST_CD	State Code	MISF.DBP8	MDCF	MDCF
T16_DOB	Title XVI Birth Date	MISF.DBP8	MDCF	MDCF
T16_DOD	Title XVI Death Date	MISF.DBP8	MDCF	MDCF
T2_DOB	Title II Birth Date	MISF.DBP8	MDCF	MDCF
T2_DOD	Title II Death Date	MISF.DBP8	MDCF	MDCF
TKT_HLDR_VET_SW	Ticket Holder Veteran Switch	MISF.DBP8	MDCF	MDCF
ZIP_CD	Zone Improvement Plan Code	MISF.DBP8	MDCF	MDCF

Name	Table Name	Subject Area	Primary Key	Data Type	Length	DB Type	Lifecycle
ALT_PHN_CD	CLNT	Disability	No	CHAR	1	DB2	Production
ALT_PHNNUM15	CLNT	Disability	No	CHAR	15	DB2	Production
CID	CLNT	Disability	Yes	CHAR	2	DB2	Production
COSSN	CLNT	Disability	Yes	CHAR	9	DB2	Production
DMRKT_SLTN_CD	CLNT	Disability	No	CHAR	1	DB2	Production
FNM	CLNT	Disability	No	CHAR	15	DB2	Production
IMPRMNT_CD	CLNT	Disability	No	CHAR	2	DB2	Production
INSRT_PIN	CLNT	Disability	No	CHAR	6	DB2	Production
INSRT_TS	CLNT	Disability	No	TIMESTAMP	26	DB2	Production
LNM	CLNT	Disability	No	CHAR	20	DB2	Production
LU_PGM_NM	CLNT	Disability	No	CHAR	8	B DB2	Production
LU_PIN	CLNT	Disability	No	CHAR	ϵ	DB2	Production
LU_TS	CLNT	Disability	No	TIMESTAMP	26	DB2	Production
MNM	CLNT	Disability	No	CHAR	15	DB2	Production
MRKTN_FL_PREF_CD	CLNT	Disability	No	CHAR	1	DB2	Production
ODO_DIG	CLNT	Disability	No	CHAR	10	DB2	Production
ODO_DRY_MDT	CLNT	Disability	No	DATE	10	DB2	Production
ODO_DRY_PERM_CD	CLNT	Disability	No	CHAR	1	DB2	Production
ODO_MDR	CLNT	Disability	No	CHAR	1	DB2	Production
ODO_SDIG	CLNT	Disability	No	CHAR	10	DB2	Production
PRTN_NUM	CLNT	Disability	Yes	SMALLINT	5	DB2	Production
SCC	CLNT	Disability	No	CHAR	5	DB2	Production
SFX	CLNT	Disability	No	CHAR	4	DB2	Production
ST_CD	CLNT	Disability	No	CHAR	2	DB2	Production
T16_DOB	CLNT	Disability	No	DATE	10	DB2	Production
T16_DOD	CLNT	Disability	No	DATE	10	DB2	Production
T2_DOB	CLNT	Disability	No	DATE	10	DB2	Production
T2_DOD	CLNT	Disability	No	DATE	10	DB2	Production
TKT_HLDR_VET_SW	CLNT	Disability	No	CHAR	1	DB2	Production
ZIP_CD	CLNT	Disability	No	CHAR	5	DB2	Production

EVENT.xlsx

Name	Business Name	Server	Database	Schema	Table Name	Subject Area
CID	Client Identifier	MISF.DBP8	MDCF	MDCF	EVENT	Disability
CLMSSN	Claim Social Security Number	MISF.DBP8	MDCF	MDCF	EVENT	Disability
CLMSSN_ID	Claim Social Security Number Identifier	MISF.DBP8	MDCF	MDCF	EVENT	Disability
COSSN	Clients Own Social Security Number	MISF.DBP8	MDCF	MDCF	EVENT	Disability
CTL_DT	Control Date	MISF.DBP8	MDCF	MDCF	EVENT	Disability
DEST	Destination	MISF.DBP8	MDCF	MDCF	EVENT	Disability
EVNT_CD	Event Code	MISF.DBP8	MDCF	MDCF	EVENT	Disability
EVNT_ENDT	Event End Date	MISF.DBP8	MDCF	MDCF	EVENT	Disability
EVNT_SEQ_NUM	Event Sequence Number	MISF.DBP8	MDCF	MDCF	EVENT	Disability
EVNT_STDT	Event Start Date	MISF.DBP8	MDCF	MDCF	EVENT	Disability
FLDR_RQST_SW	Folder Request Switch	MISF.DBP8	MDCF	MDCF	EVENT	Disability
INSRT_PIN	Insert Personal Identification Number	MISF.DBP8	MDCF	MDCF	EVENT	Disability
INSRT_TS	Insert Timestamp	MISF.DBP8	MDCF	MDCF	EVENT	Disability
LU_OCD	Last Update Office Code	MISF.DBP8	MDCF	MDCF	EVENT	Disability
LU_PGM_NM	Last Update Program Name	MISF.DBP8	MDCF	MDCF	EVENT	Disability
LU_PIN	Last Update Personal Identification Number	MISF.DBP8	MDCF	MDCF	EVENT	Disability
LU_TS	Last Update Timestamp	MISF.DBP8	MDCF	MDCF	EVENT	Disability
PRTN_NUM	Partition Number	MISF.DBP8	MDCF	MDCF	EVENT	Disability
REV_SEQ_NUM	Review Sequence Number	MISF.DBP8	MDCF	MDCF	EVENT	Disability
RSN_CD	Reason Code	MISF.DBP8	MDCF	MDCF	EVENT	Disability
SSACT_PRTCPN_CD	Social Security Act Title Participation Code	MISF.DBP8	MDCF	MDCF	EVENT	Disability
UNIT_FRST3	Unit First 3	MISF.DBP8	MDCF	MDCF	EVENT	Disability
UNIT_LAST3	Unit Last 3	MISF.DBP8	MDCF	MDCF	EVENT	Disability

Name	Primary Key	Data Type	Length	DB Type	Lifecycle
CID	Yes	CHAR	2	DB2	Production
CLMSSN	No	CHAR	9	DB2	Production
CLMSSN_ID	No	CHAR	3	DB2	Production
COSSN	Yes	CHAR	9	DB2	Production
CTL_DT	No	DATE	10	DB2	Production
DEST	No	CHAR	3	DB2	Production
EVNT_CD	No	CHAR	4	DB2	Production
EVNT_ENDT	No	DATE	10	DB2	Production
EVNT_SEQ_NUM	Yes	SMALLINT	5	DB2	Production
EVNT_STDT	No	DATE	10	DB2	Production
FLDR_RQST_SW	No	CHAR	1	DB2	Production
INSRT_PIN	No	CHAR	6	DB2	Production
INSRT_TS	No	TIMESTAMP	26	DB2	Production
LU_OCD	No	CHAR	3	DB2	Production
LU_PGM_NM	No	CHAR	8	DB2	Production
LU_PIN	No	CHAR	6	DB2	Production
LU_TS	No	TIMESTAMP	26	DB2	Production
PRTN_NUM	Yes	SMALLINT	5	DB2	Production
REV_SEQ_NUM	Yes	SMALLINT	5	DB2	Production
RSN_CD	No	CHAR	2	DB2	Production
SSACT_PRTCPN_CD	No	CHAR	1	DB2	Production
UNIT_FRST3	No	CHAR	3	DB2	Production
UNIT_LAST3	No	CHAR	3	DB2	Production

MDCF-schema-detail-report-1646063583093.xlsx

Schema Name	Business Name	Description	DB Type	Server Name	Database Name	Lifecycle	Categories
MDCF	Disability Control File - MI		DB2	MISF.DBP8	MDCF	Production	Programmatic

MEDICAL.xlsx

Name	Business Name	Server	Database	Schema	Table Name	Subject Area
BLND_ONST_DT	Blind Onset Date	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
CID	Client Identifier	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
CLMSSN	Claim Social Security Number	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
CLMSSN_ID	Claim Social Security Number Identifier	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
COSSN	Clients Own Social Security Number	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
CTL_DT	Control Date	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
DETN_SEQ_NUM	Determination Sequence Number	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
DIG	Diagnosis Code	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
DRY_PERM_CD	Diary Permanent Code	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
INSRT_PIN	Insert Personal Identification Number	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
INSRT_TS	Insert Timestamp	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
LISTG_CD	Listing Code	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
LU_OCD	Last Update Office Code	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
LU_PGM_NM	Last Update Program Name	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
LU_PIN	Last Update Personal Identification Number	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
LU_TS	Last Update Timestamp	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
MDR	Medical Diary Reason	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
MED_STDT	Medical Start Date	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
MED_TYP	Medical Type	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
MRE_DRY_MDT	Medical Reexamination Diary Month Date	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
NDDSS_DT	National Disability Determination Services System Date	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
PRTN_NUM	Partition Number	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
RBSS	Regulation Basis Code	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
REV_TYP	Review Type	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
SDIG	Secondary Diagnosis Code	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability
VORULE	Vocational Rule	MISF.DBP8	MDCF	MDCF	MEDICAL	Disability

Name	Primary Key	Data Type	Length	DB Type	Lifecycle
BLND_ONST_DT	No	DATE	10	DB2	Production
CID	Yes	CHAR	2	DB2	Production
CLMSSN	Yes	CHAR	9	DB2	Production
CLMSSN_ID	Yes	CHAR	3	DB2	Production
COSSN	Yes	CHAR	9	DB2	Production
CTL_DT	Yes	DATE	10	DB2	Production
DETN_SEQ_NUM	Yes	SMALLINT	5	DB2	Production
DIG	No	CHAR	10	DB2	Production
DRY_PERM_CD	No	CHAR	1	DB2	Production
INSRT_PIN	No	CHAR	6	DB2	Production
INSRT_TS	No	TIMESTAMP	26	DB2	Production
LISTG_CD	No	CHAR	10	DB2	Production
LU_OCD	No	CHAR	3	DB2	Production
LU_PGM_NM	No	CHAR	8	DB2	Production
LU_PIN	No	CHAR	6	DB2	Production
LU_TS	No	TIMESTAMP	26	DB2	Production
MDR	No	CHAR	1	DB2	Production
MED_STDT	No	DATE	10	DB2	Production
MED_TYP	No	CHAR	1	DB2	Production
MRE_DRY_MDT	No	DATE	10	DB2	Production
NDDSS_DT	No	DATE	10	DB2	Production
PRTN_NUM	Yes	SMALLINT	5	DB2	Production
RBSS	No	CHAR	3	DB2	Production
REV_TYP	No	CHAR	1	DB2	Production
SDIG	No	CHAR	10	DB2	Production
VORULE	No	CHAR	6	DB2	Production

Division of Enterprise Architecture and Data Administration

Enterprise Metadata Repository

Table Detail Report Run Date: 01/23/2019 01:56 PM

REV

Business Name: Review

Type: Table

Database Physical Name : MDCF Schema Physical Name : MDCF

Subject Area: Disability

Table Description: The CDRs for an individual that has been determined to be disabled, Periodic reviews are performed to determine if the individual continues

to be disabled. A continuing disability review (CDR) is conducted at selected intervals.

Number of Columns: 35

Column Physical Name	Column Business Name	Data Type	Length (Scale)	Column Description
PRTN_NUM (PK : 1)	Partition Number	SMALLINT	2	Identifier for the physical partion segment of the DCF housing the master record. Used in conjunction with the Client's Own SSN to uniquely identify each individual. CLIENT ID is necessary in cases where a person cannot be assigned their own SSN
COSSN (PK : 2)	Clients Own Social Security Number	CHAR	9	The value assigned to the client by the Social Security Administration via the enumeration process.
CID (PK : 3)	Client Identifier	CHAR	2	The value assigned to the person whose own Social Security Number (SSN) is unavailable in order to identify them in relation to someone else's SSN.
REV_SEQ_NUM (PK : 4)	Review Sequence Number	SMALLINT	2	An occurrence number added to the natural key used to identify a row. Used to create multiple CDRs (Continue Disability Reviews) per Client's Social Security Number.
REV_TYP	Review Type	CHAR	1	Identifies the type of Continuing Disability review (CDR). Review Types: S - T16MEDICAL E - EXR P - PL-104-193 (Personal Resp and Work Opp) C - Low Birth Weight(LBW)/Child/Age 18 M - T2MEDICAL W - T2WORK Display Values: 1 - T16MEDICAL 2 - EXR 3 - PL-104-193 (Personal Resp and Work Opp) 4 - Low Birth Weight(LBW)/Child/Age 18 5 - T2MEDICAL 6 - T2WORK Decoded: 1=S 2=E 3=P 4=C 5=M 6=W

MNATCL_REV_TYP	Manual Automatic Classification Review Type	CHAR	1	Indicates when the review was on the DCF A - before December 15th of 2012 B - after December 15th 2012 C - long term Electronic CDR test cases
SSACT_PRTCPN_CD	Social Security Act Title Participation Code	CHAR	1	Identifies the legislatively established Title within the Social Security Act. 1- Title 2 2 - Title 2/16 3 - Title 16
CTGY_CD	Category Code	CHAR	1	Identifies a further break down of the Review Type. Some category codes are unique to a specific review type. Example of values: A AGE 18/DDS/ALIEN B SCREEN - SEE EVENT/ALIEN C AGE 18/DDS D SCREEN - SEE EVENT E AGE 18/DDS/ALIEN F DDS/ALIEN G AGE 18/DDS H HIGH I DDS K AGE 18/DDS/ALIEN L LOW M MEDIUM N SCREEN - SEE EVENT/ALIEN O LOW BIRTH WEIGHT P AGE 18/DDS Q SCREEN - SEE EVENT R AGE 18-PERM CDR/ALIEN S AGE 18/DDS/ALIEN T AGE 18 - PERM CDR 2 SGA 3 TWP 4 CDR ENFORCEMENT 5 EXPEDITED REINSTATEMENT
ORIG_CD	Origin Code	CHAR	1	Identifies the origin of the Continuing Disability Review (CDR). $F = field \ office \ P = Program$ Service Center (PSC) $C = Central \ office \ or \ Regional \ Office$
STDT	Start Date	DATE	4	Month, Day and Year the Continuing Disability Review (CDR) started.
ENDT	End Date	DATE	4	Month, Day and Year the Continuing Disability Review (CDR) started.
MAILR_CD	Mailer Code	CHAR	1	Identifies if the Continuing Disability Review (CDR) is a mailer. 'N' = Review Not a Mailer 'Y' = Review is a Mailer 'C' = Review is a Converted Mailer.
DCN_DT	Decision Date	DATE	4	Month, day and year the decision on the CDR (Continuing Disability Review) was made.
DDS_CDR_TYP	Disability Determination Service Continuing Disability Review Type	CHAR	2	Identifies the reason the Continuing Disability Review (CDR) was chosen for review for this beneficiary. Code comes from the DDS Codes are (01, 03, 10)
DIRCT_RLSE_INIT_DT	Direct Release Initial Date	DATE	4	Month, Day and Year the CDR was part of the Direct Release selection. (A file from the Automatic Direct Release Process that has a list of potential candidates for a CDR)
DFRL_NTCDT	Deferral Notice Date	DATE	4	Month, Day and Year the deferral notice was sent to the beneficiary to defer the CDR and a new medical reexamination diary date is set.
PCACS_SOCSEC_XREF	Processing Center Action Control System Social Security Cross-reference	CHAR	5	

MAILR_FRST_DT	Mailer First Date	DATE	4	Month, Day and Year of the first date the mailer was sent.
MAILR_LAST_DT	Mailer Last Date	DATE	4	Month, Day and Year of the last date of the follow-up mailer was sent.
MAILR_CNVN_DT	Mailer Conversion Date	DATE	4	Month, Day and Year the CDR mailer response was converted to do a full Continuing Disability Review (CDR).
MAILR_RPT_MDT	Mailer Report Month Date	DATE	4	Month, Day and Year
MAILR_INTGT_CD	Mailer Integrity Code	CHAR	2	Identifies the decision from OQP on conducting a full CDR on a review that began as a Mailer. Comes in on the OD Decision Files (Titles II and XVI). 01 - OD DEFERRAL/NOT INTEGRITY 05 - OD DEFERRAL/INTEGRITY/CHANGED TO FULL CDR 06 - OD PC REVIEW/NOT INTEGRITY 07 - OD PC REVIEW/INTEGRITY 08 - OD PC REVIEW/INTEGRITY/PC DEFER/CHANGED TO FULL CDR 11 - INTEGRITY REVIEW NOT AN ISSUE
MAILR_INTGT_LU_DT	Mailer Integrity Last Update Date	DATE	4	Month, Day and Year the last update to the integrity code was made. (The decision from OQP on conducting a full CDR on a review that began as a Mailer)
CRNT_UNIT_FRST3	Unit First 3	CHAR	3	Identifies the first 3 positions of the unit that has jurisdiction or ownership of the record.
CRNT_UNIT_LAST3	Unit Last 3	CHAR	3	Identifies the last 3 positions of the unit that has jurisdiction or ownership of the record.
CRNT_DEST	Current Destination	CHAR	3	Identifies the office destination of the Continuing Disability Review (CDR).
JURIS_OCD	Jurisdiction Office Code	CHAR	3	Identifies the office that has jurisdiction of the Continuing Disability Review (CDR).
CDR_FRST_DT	Continuing Disability Review First Date	DATE	4	Month, Day and Year a notice to inform the beneficiary the review has started.
CDR_LAST_DT	Continuing Disability Review Last Date	DATE	4	Month, Day and Year the second notice is sent to inform the beneficiary the review has been started. Sent when the first notice was not delivered. Currently, a place holder and not being used.
INSRT_TS	Insert Timestamp	TIMESTMP	10 (0)	The date and time the row was inserted.
INSRT_PIN	Insert Personal Identification Number	CHAR	6	The PIN of an employee who inserted the row
LU_PGM_NM	Last Update Program Name	CHAR	8	The name of batch program that last updated the row.

LU_TS	Last Update Timestamp		10 (0)	The date and time the row was last updated.
		TIMESTMP		
LU_PIN	Last Update Personal Identification Number	CHAR	6	The PIN of an employee who updated the row
LU_OCD	Last Update Office Code	CHAR	3	Identifies a component with which Social Security Administration has a relationship, that lasted updated the row.

Number of Indexes: 3

Index Name	Index Type	Index Column Physical Name
REVX1	Indexed/Primary Key	PRTN_NUM
REVX1	Indexed/Primary Key	COSSN
REVX1	Indexed/Primary Key	CID
REVX1	Indexed/Primary Key	REV_SEQ_NUM
REVX2	Indexed	PRTN_NUM
REVX2	Indexed	COSSN
REVX2	Indexed	CID
REVX2	Indexed	REV_SEQ_NUM
REVX2	Indexed	REV_TYP
REVX3	Indexed	COSSN
REVX3	Indexed	CID
REVX3	Indexed	REV_SEQ_NUM
REVX3	Indexed	REV_TYP
1	I.	l .

Division of Enterprise Architecture and Data Administration

Enterprise Metadata Repository

Table Detail Report Run Date: 01/23/2019 01:53 PM

EVENT

Business Name: Event

Type : Table

Database Physical Name : MDCF Schema Physical Name : MDCF

Subject Area : Disability Table Description :

Number of Columns: 23

Column Physical Name	Column Business Name	Data Type	Length (Scale)	Column Description
Nume	Name	Type	(Scarc)	
PRTN_NUM (PK : 1)	Partition Number	SMALLINT	2	Identifier for the physical partion segment of the DCF housing the master record. Used in conjunction with the Client's Own SSN to uniquely identify each individual. CLIENT ID is necessary in cases where a person cannot be assigned their own SSN
COSSN (PK : 2)	Clients Own Social Security Number	CHAR	9	The value assigned to the client by the Social Security Administration via the enumeration process.
CID (PK : 3)	Client Identifier	CHAR	2	The value assigned to the person whose own Social Security Number (SSN) is unavailable in order to identify them in relation to someone else's SSN.
REV_SEQ_NUM (PK : 4)	Review Sequence Number	SMALLINT	2	An occurrence number added to the natural key used to identify a row. Used to create multiple CDRs (Continue Disability Reviews) per Client's Social Security Number.
EVNT_SEQ_NUM (PK	Event Sequence Number	SMALLINT	2	
EVNT_STDT	Event Start Date	DATE	4	

EVNT_ENDT	Event End Date	DATE	4	
EVNT_CD	Event Code	CHAR	4	
SSACT_PRTCPN_CD	Social Security Act Title Participation Code	CHAR	1	Identifies the legislatively established Title within the Social Security Act. 1- Title 2 2 - Title 2/16 3 - Title 16
UNIT_FRST3	Unit First 3	CHAR	3	Identifies the first 3 positions of the unit that has jurisdiction or ownership of the record.
UNIT_LAST3	Unit Last 3	CHAR	3	Identifies the last 3 positions of the unit that has jurisdiction or ownership of the record.
DEST	Destination	CHAR	3	
RSN_CD	Reason Code	CHAR	2	
FLDR_RQST_SW	Folder Request Switch	CHAR	1	
CLMSSN	Claim Social Security Number	CHAR	9	The value assigned to the claim as the controlling Social Security Number established during the application process for a Social Security administered program.
CLMSSN_ID	Claim Social Security Number Identifier	CHAR	3	
CTL_DT	Control Date	DATE	4	
INSRT_TS	Insert Timestamp	TIMESTMP	10 (0)	The date and time the row was inserted.
INSRT_PIN	Insert Personal Identification Number	CHAR	6	The Personal Identification Number (PIN) of the person who inserted the row.
LU_PGM_NM	Last Update Program Name	CHAR	8	The name of batch program that last updated the row.
LU_TS	Last Update Timestamp	TIMESTMP	10 (0)	The date and time the row was last updated.
LU_PIN	Last Update Personal Identification Number	CHAR	6	The Personal Identification Number (PIN) of the person who last updated the row.
LU_OCD	Last Update Office Code	CHAR	3	Identifies a component with which Social Security Administration has a relationship, that lasted updated the row.

Number of Indexes: 2

Index Name	Index Type	Index Column Physical Name
EVENTX1	Indexed/Primary Key	PRTN_NUM
EVENTX1	Indexed/Primary Key	COSSN
EVENTX1	Indexed/Primary Key	CID
EVENTX1	Indexed/Primary Key	REV_SEQ_NUM
EVENTX1	Indexed/Primary Key	EVNT_SEQ_NUM
EVENTX2	Indexed	COSSN
EVENTX2	Indexed	CID
EVENTX2	Indexed	REV_SEQ_NUM
EVENTX2	Indexed	EVNT_SEQ_NUM

REV.xlsx

Name	Business Name	Server	Database	
CDR_FRST_DT	Continuing Disability Review First Date	MISF.DBP8	MDCF	MDCF
CDR_LAST_DT	Continuing Disability Review Last Date	MISF.DBP8		MDCF
CID	Client Identifier	MISF.DBP8		MDCF
COSSN	Clients Own Social Security Number	MISF.DBP8	MDCF	MDCF
CRNT_DEST	Current Destination	MISF.DBP8	MDCF	MDCF
CRNT_UNIT_FRST3	Unit First 3	MISF.DBP8	MDCF	MDCF
CRNT_UNIT_LAST3	Unit Last 3	MISF.DBP8	MDCF	MDCF
CTGY_CD	Category Code	MISF.DBP8	MDCF	MDCF
DCN_DT	Decision Date	MISF.DBP8	MDCF	MDCF
DDS_CDR_TYP	Disability Determination Service Continuing Disability Review Type	MISF.DBP8	MDCF	MDCF
DFRL_NTCDT	Deferral Notice Date	MISF.DBP8	MDCF	MDCF
DIRCT_RLSE_INIT_DT	Direct Release Initial Date	MISF.DBP8	MDCF	MDCF
ENDT	End Date	MISF.DBP8	MDCF	MDCF
INSRT_PIN	Insert Personal Identification Number	MISF.DBP8	MDCF	MDCF
INSRT_TS	Insert Timestamp	MISF.DBP8	MDCF	MDCF
JURIS_OCD	Jurisdiction Office Code	MISF.DBP8	MDCF	MDCF
LU_OCD	Last Update Office Code	MISF.DBP8	MDCF	MDCF
LU_PGM_NM	Last Update Program Name	MISF.DBP8	MDCF	MDCF
LU_PIN	Last Update Personal Identification Number	MISF.DBP8	MDCF	MDCF
LU_TS	Last Update Timestamp	MISF.DBP8	MDCF	MDCF
MAILR_CD	Mailer Code	MISF.DBP8	MDCF	MDCF
MAILR_CNVN_DT	Mailer Conversion Date	MISF.DBP8	MDCF	MDCF
MAILR_FRST_DT	Mailer First Date	MISF.DBP8	MDCF	MDCF
MAILR_INTGT_CD	Mailer Integrity Code	MISF.DBP8	MDCF	MDCF
MAILR_INTGT_LU_DT	Mailer Integrity Last Update Date	MISF.DBP8	MDCF	MDCF
MAILR_LAST_DT	Mailer Last Date	MISF.DBP8	MDCF	MDCF
MAILR_RPT_MDT	Mailer Report Month Date	MISF.DBP8	MDCF	MDCF
MNATCL_REV_TYP	Manual Automatic Classification Review Type	MISF.DBP8	MDCF	MDCF
ORIG_CD	Origin Code	MISF.DBP8	MDCF	MDCF
PCACS_SOCSEC_XREF	Processing Center Action Control System Social Security Cross-reference	MISF.DBP8	MDCF	MDCF
PRTN_NUM	Partition Number	MISF.DBP8	MDCF	MDCF
REV_SEQ_NUM	Review Sequence Number	MISF.DBP8	MDCF	MDCF
REV_TYP	Review Type	MISF.DBP8	MDCF	MDCF
SSACT_PRTCPN_CD	Social Security Act Title Participation Code	MISF.DBP8	MDCF	MDCF
STDT	Start Date	MISF.DBP8		MDCF

Name	Table Name	Subject Area	Primary Key	Data Type	Length	DB Type	Lifecycle
CDR_FRST_DT	REV	Disability	No	DATE	10	DB2	Production
CDR_LAST_DT	REV	Disability	No	DATE	10	DB2	Production
CID	REV	Disability	Yes	CHAR	2	DB2	Production
COSSN	REV	Disability	Yes	CHAR	9	DB2	Production
CRNT_DEST	REV	Disability	No	CHAR	3	DB2	Production
CRNT_UNIT_FRST3	REV	Disability	No	CHAR	3	DB2	Production
CRNT_UNIT_LAST3	REV	Disability	No	CHAR	3	DB2	Production
CTGY_CD	REV	Disability	No	CHAR	1	DB2	Production
DCN_DT	REV	Disability	No	DATE	10	DB2	Production
DDS_CDR_TYP	REV	Disability	No	CHAR	2	DB2	Production
DFRL_NTCDT	REV	Disability	No	DATE	10	DB2	Production
DIRCT_RLSE_INIT_DT	REV	Disability	No	DATE	10	DB2	Production
ENDT	REV	Disability	No	DATE	10	DB2	Production
INSRT_PIN	REV	Disability	No	CHAR	6	DB2	Production
INSRT_TS	REV	Disability	No	TIMESTAMP	26	DB2	Production
JURIS_OCD	REV	Disability	No	CHAR	3	DB2	Production
LU_OCD	REV	Disability	No	CHAR	3	DB2	Production
LU_PGM_NM	REV	Disability	No	CHAR	8	DB2	Production
LU_PIN	REV	Disability	No	CHAR	6	DB2	Production
LU_TS	REV	Disability	No	TIMESTAMP	26	DB2	Production
MAILR_CD	REV	Disability	No	CHAR	1	DB2	Production
MAILR_CNVN_DT	REV	Disability	No	DATE	10	DB2	Production
MAILR_FRST_DT	REV	Disability	No	DATE	10	DB2	Production
MAILR_INTGT_CD	REV	Disability	No	CHAR	2	DB2	Production
MAILR_INTGT_LU_DT	REV	Disability	No	DATE	10	DB2	Production
MAILR_LAST_DT	REV	Disability	No	DATE	10	DB2	Production
MAILR_RPT_MDT	REV	Disability	No	DATE	10	DB2	Production
MNATCL_REV_TYP	REV	Disability	No	CHAR	1	DB2	Production
ORIG_CD	REV	Disability	No	CHAR	1	DB2	Production
PCACS_SOCSEC_XREF	REV	Disability	No	CHAR	5	DB2	Production
PRTN_NUM	REV	Disability	Yes	SMALLINT	5	DB2	Production
REV_SEQ_NUM	REV	Disability	Yes	SMALLINT	5	DB2	Production
REV_TYP	REV	Disability	No	CHAR	1	DB2	Production
SSACT_PRTCPN_CD	REV	Disability	No	CHAR	1	DB2	Production
STDT	REV	Disability	No	DATE	10	DB2	Production

T2ERNGS.xlsx

Name	Business Name	Server	Database	Schema	Table Name	Subject Area	Primary Key
CID	Client Identifier	MISF.DBP8	MDCF	MDCF	T2ERNGS	Disability	Yes
COSSN	Clients Own Social Security Number	MISF.DBP8	MDCF	MDCF	T2ERNGS	Disability	Yes
ERNGS_DT	Earnings Date	MISF.DBP8	MDCF	MDCF	T2ERNGS	Disability	Yes
GRS_AMT	Gross Amount	MISF.DBP8	MDCF	MDCF	T2ERNGS	Disability	No
INSRT_PIN	Insert Personal Identification Number	MISF.DBP8	MDCF	MDCF	T2ERNGS	Disability	No
INSRT_TS	Insert Timestamp	MISF.DBP8	MDCF	MDCF	T2ERNGS	Disability	No
LU_PGM_NM	Last Update Program Name	MISF.DBP8	MDCF	MDCF	T2ERNGS	Disability	No
LU_PIN	Last Update Personal Identification Number	MISF.DBP8	MDCF	MDCF	T2ERNGS	Disability	No
LU_TS	Last Update Timestamp	MISF.DBP8	MDCF	MDCF	T2ERNGS	Disability	No
PRTN_NUM	Partition Number	MISF.DBP8	MDCF	MDCF	T2ERNGS	Disability	Yes
SE_HRS	Self Employment Hour Count	MISF.DBP8	MDCF	MDCF	T2ERNGS	Disability	No
SE_NET_AMT	Self Employment Net Amount	MISF.DBP8	MDCF	MDCF	T2ERNGS	Disability	No
SE_VRFD_IND	Self Employment Verified Indicator	MISF.DBP8	MDCF	MDCF	T2ERNGS	Disability	No
VRFD_IND	Verified Indicator	MISF.DBP8	MDCF	MDCF	T2ERNGS	Disability	No

T2ERNGS.xlsx

Name	Data Type	Length	DB Type	Lifecycle
CID	CHAR	2	DB2	Production
COSSN	CHAR	9	DB2	Production
ERNGS_DT	DATE	10	DB2	Production
GRS_AMT	DECIMAL	7	DB2	Production
INSRT_PIN	CHAR	6	DB2	Production
INSRT_TS	TIMESTAMP	26	DB2	Production
LU_PGM_NM	CHAR	8	DB2	Production
LU_PIN	CHAR	6	DB2	Production
LU_TS	TIMESTAMP	26	DB2	Production
PRTN_NUM	SMALLINT	5	DB2	Production
SE_HRS	SMALLINT	5	DB2	Production
SE_NET_AMT	DECIMAL	7	DB2	Production
SE_VRFD_IND	CHAR	1	DB2	Production
VRFD_IND	CHAR	1	DB2	Production

T2WKDETN.xlsx

Name	Business Name	Server	Database	Schema	Table Name
CID	Client Identifier	MISF.DBP8	MDCF	MDCF	T2WKDETN
CLMSSN	Claim Social Security Number	MISF.DBP8	MDCF	MDCF	T2WKDETN
CLMSSN_ID	Claim Social Security Number Identifier	MISF.DBP8	MDCF	MDCF	T2WKDETN
COSSN	Clients Own Social Security Number	MISF.DBP8	MDCF	MDCF	T2WKDETN
CTL_DT	Control Date	MISF.DBP8	MDCF	MDCF	T2WKDETN
ERNGS_DT	Earnings Date	MISF.DBP8	MDCF	MDCF	T2WKDETN
FRAUD_VRFD_SW	Fraud Verified Switch	MISF.DBP8	MDCF	MDCF	T2WKDETN
INSRT_PIN	Insert Personal Identification Number	MISF.DBP8	MDCF	MDCF	T2WKDETN
INSRT_TS	Insert Timestamp	MISF.DBP8	MDCF	MDCF	T2WKDETN
LU_PGM_NM	Last Update Program Name	MISF.DBP8	MDCF	MDCF	T2WKDETN
LU_PIN	Last Update Personal Identification Number	MISF.DBP8	MDCF	MDCF	T2WKDETN
LU_TS	Last Update Timestamp	MISF.DBP8	MDCF	MDCF	T2WKDETN
PRTN_NUM	Partition Number	MISF.DBP8	MDCF	MDCF	T2WKDETN
SBDY_AMT	Subsidy Amount	MISF.DBP8	MDCF	MDCF	T2WKDETN
SE_UNBIZEXP_AMT	Self Employment Unincurred Business Expenses Amount	MISF.DBP8	MDCF	MDCF	T2WKDETN
SPCL_CDNS_AMT	Special Conditions Amount	MISF.DBP8	MDCF	MDCF	T2WKDETN
WRK_DETN_CD	Work Determination Code	MISF.DBP8	MDCF	MDCF	T2WKDETN
WRK_EXP_AMT	Work Expenses Amount	MISF.DBP8	MDCF	MDCF	T2WKDETN

T2WKDETN.xlsx

Name	Subject Area	Primary Key	Data Type	Length	DB Type	Lifecycle
CID	Disability	Yes	CHAR	2	DB2	Production
CLMSSN	Disability	Yes	CHAR	9	DB2	Production
CLMSSN_ID	Disability	Yes	CHAR	3	DB2	Production
COSSN	Disability	Yes	CHAR	9	DB2	Production
CTL_DT	Disability	Yes	DATE	10	DB2	Production
ERNGS_DT	Disability	Yes	DATE	10	DB2	Production
FRAUD_VRFD_SW	Disability	No	CHAR	1	DB2	Production
INSRT_PIN	Disability	No	CHAR	6	DB2	Production
INSRT_TS	Disability	No	TIMESTAMP	26	DB2	Production
LU_PGM_NM	Disability	No	CHAR	8	DB2	Production
LU_PIN	Disability	No	CHAR	6	DB2	Production
LU_TS	Disability	No	TIMESTAMP	26	DB2	Production
PRTN_NUM	Disability	Yes	SMALLINT	5	DB2	Production
SBDY_AMT	Disability	No	DECIMAL	7	DB2	Production
SE_UNBIZEXP_AMT	Disability	No	DECIMAL	7	DB2	Production
SPCL_CDNS_AMT	Disability	No	DECIMAL	7	DB2	Production
WRK_DETN_CD	Disability	No	CHAR	1	DB2	Production
WRK_EXP_AMT	Disability	No	DECIMAL	7	DB2	Production

TKT.xlsx

Name	Business Name	Server	Database	Schema	Table Name	Subject Area
CID	Client Identifier	MISF.DBP8	MDCF	MDCF	TKT	Disability
COSSN	Clients Own Social Security Number	MISF.DBP8	MDCF	MDCF	TKT	Disability
INSRT_TS	Insert Timestamp	MISF.DBP8	MDCF	MDCF	TKT	Disability
LU_PGM_NM	Last Update Program Name	MISF.DBP8	MDCF	MDCF	TKT	Disability
LU_TS	Last Update Timestamp	MISF.DBP8	MDCF	MDCF	TKT	Disability
MAILD_DT	Mailed Date	MISF.DBP8	MDCF	MDCF	TKT	Disability
PGM_MGR_NUM	Program Manager Number	MISF.DBP8	MDCF	MDCF	TKT	Disability
PMT_CNT	Payment Count	MISF.DBP8	MDCF	MDCF	TKT	Disability
PRTN_NUM	Partition Number	MISF.DBP8	MDCF	MDCF	TKT	Disability
SLTD_DT	Selected Date	MISF.DBP8	MDCF	MDCF	TKT	Disability
SSACT_PRTCPN_CD	Social Security Act Title Participation Code	MISF.DBP8	MDCF	MDCF	TKT	Disability
TERMRSN_CD	Termination Reason Code	MISF.DBP8	MDCF	MDCF	TKT	Disability
TKT_NUM	Ticket Number	MISF.DBP8	MDCF	MDCF	TKT	Disability
TKT_STUS_CD	Ticket Status Code	MISF.DBP8	MDCF	MDCF	TKT	Disability
TKT_STUS_DT	Ticket Status Date	MISF.DBP8	MDCF	MDCF	TKT	Disability

TKT.xlsx

Name	Primary Key	Data Type	Length	DB Type	Lifecycle
CID	Yes	CHAR	2	DB2	Production
COSSN	Yes	CHAR	9	DB2	Production
INSRT_TS	No	TIMESTAMP	26	DB2	Production
LU_PGM_NM	No	CHAR	8	DB2	Production
LU_TS	No	TIMESTAMP	26	DB2	Production
MAILD_DT	No	DATE	10	DB2	Production
PGM_MGR_NUM	No	SMALLINT	5	DB2	Production
PMT_CNT	No	SMALLINT	5	DB2	Production
PRTN_NUM	Yes	SMALLINT	5	DB2	Production
SLTD_DT	No	DATE	10	DB2	Production
SSACT_PRTCPN_CD	No	CHAR	1	DB2	Production
TERMRSN_CD	No	CHAR	1	DB2	Production
TKT_NUM	Yes	SMALLINT	5	DB2	Production
TKT_STUS_CD	No	CHAR	1	DB2	Production
TKT_STUS_DT	No	DATE	10	DB2	Production

TKTASGN.xlsx

Name	Business Name	Server	Database	Schema
ASGND_DT	Assigned Date	MISF.DBP8	MDCF	MDCF
ASTG_DUNS	Assisting Data Universal Numbering System Identifier	MISF.DBP8	MDCF	MDCF
CID	Client Identifier	MISF.DBP8	MDCF	MDCF
CNTRT_DT	Contract Date	MISF.DBP8	MDCF	MDCF
COSSN	Clients Own Social Security Number	MISF.DBP8	MDCF	MDCF
DUNS	Data Universal Numbering System Identifier	MISF.DBP8	MDCF	MDCF
INSRT_PIN	Insert Personal Identification Number	MISF.DBP8	MDCF	MDCF
INSRT_TS	Insert Timestamp	MISF.DBP8	MDCF	MDCF
IWPIPE_RCPDT	Individual Work Plan Or Individualized Plan For Employment Receipt Date	MISF.DBP8	MDCF	MDCF
LU_OCD	Last Update Office Code	MISF.DBP8	MDCF	MDCF
LU_PGM_NM	Last Update Program Name	MISF.DBP8	MDCF	MDCF
LU_PIN	Last Update Personal Identification Number	MISF.DBP8	MDCF	MDCF
LU_TS	Last Update Timestamp	MISF.DBP8	MDCF	MDCF
PRTN_NUM	Partition Number	MISF.DBP8	MDCF	MDCF
TKT_NUM	Ticket Number	MISF.DBP8	MDCF	MDCF
TKT_PMT_TYP	Ticket Payment Type	MISF.DBP8	MDCF	MDCF
TKTASM_CD	Ticket Assignment Method Code	MISF.DBP8	MDCF	MDCF
TKTUSM_CD	Ticket Unassignment Method Code	MISF.DBP8	MDCF	MDCF
UASGNT_RQSTR_CD	Unassignment Requestor Code	MISF.DBP8	MDCF	MDCF
UNASGND_DT	Unassigned Date	MISF.DBP8	MDCF	MDCF
UNIQ_ENTY_ID	Unique Entity Identifier	MISF.DBP8	MDCF	MDCF
VR_CASE_CLOSD_XND	Vocational Rehabilitation Case Closed Non Standard Indicator	MISF.DBP8	MDCF	MDCF

TKTASGN.xlsx

Name	Table Name	Subject Area	Primary Key	Data Type	Length	DB Type	Lifecycle
ASGND_DT	TKTASGN	Disability	Yes	DATE	10	DB2	Production
ASTG_DUNS	TKTASGN	Disability	No	CHAR	9	DB2	Production
CID	TKTASGN	Disability	Yes	CHAR	2	DB2	Production
CNTRT_DT	TKTASGN	Disability	No	DATE	10	DB2	Production
COSSN	TKTASGN	Disability	Yes	CHAR	9	DB2	Production
DUNS	TKTASGN	Disability	No	CHAR	9	DB2	Production
INSRT_PIN	TKTASGN	Disability	No	CHAR	6	DB2	Production
INSRT_TS	TKTASGN	Disability	No	TIMESTAMP	26	DB2	Production
IWPIPE_RCPDT	TKTASGN	Disability	No	DATE	10	DB2	Production
LU_OCD	TKTASGN	Disability	No	CHAR	3	DB2	Production
LU_PGM_NM	TKTASGN	Disability	No	CHAR	8	DB2	Production
LU_PIN	TKTASGN	Disability	No	CHAR	6	DB2	Production
LU_TS	TKTASGN	Disability	No	TIMESTAMP	26	DB2	Production
PRTN_NUM	TKTASGN	Disability	Yes	SMALLINT	5	DB2	Production
TKT_NUM	TKTASGN	Disability	Yes	SMALLINT	5	DB2	Production
TKT_PMT_TYP	TKTASGN	Disability	No	CHAR	1	DB2	Production
TKTASM_CD	TKTASGN	Disability	No	CHAR	1	DB2	Production
TKTUSM_CD	TKTASGN	Disability	No	CHAR	1	DB2	Production
UASGNT_RQSTR_CD	TKTASGN	Disability	No	CHAR	1	DB2	Production
UNASGND_DT	TKTASGN	Disability	No	DATE	10	DB2	Production
UNIQ_ENTY_ID	TKTASGN	Disability	No	CHAR	12	DB2	Production
VR_CASE_CLOSD_XND	TKTASGN	Disability	No	CHAR	1	DB2	Production

TKTMNTH.xlsx

Name	Business Name	Server	Database	Schema	Table Name	Subject Area
CID	Client Identifier	MISF.DBP8	MDCF	MDCF	TKTMNTH	Disability
COSSN	Clients Own Social Security Number	MISF.DBP8	MDCF	MDCF	TKTMNTH	Disability
INSRT_TS	Insert Timestamp	MISF.DBP8	MDCF	MDCF	TKTMNTH	Disability
LU_PGM_NM	Last Update Program Name	MISF.DBP8	MDCF	MDCF	TKTMNTH	Disability
LU_TS	Last Update Timestamp	MISF.DBP8	MDCF	MDCF	TKTMNTH	Disability
MULT_T2_SW	Multiple Title II Switch	MISF.DBP8	MDCF	MDCF	TKTMNTH	Disability
PRTN_NUM	Partition Number	MISF.DBP8	MDCF	MDCF	TKTMNTH	Disability
PTNTL_INCOR_PMT_SW	Potential Incorrect Payment Switch	MISF.DBP8	MDCF	MDCF	TKTMNTH	Disability
SSACT_PRTCPN_CD	Social Security Act Title Participation Code	MISF.DBP8	MDCF	MDCF	TKTMNTH	Disability
TKT_CLOCK_STOP_SW	Ticket Clock Stop Switch	MISF.DBP8	MDCF	MDCF	TKTMNTH	Disability
TKT_ENMDT	Ticket End Month Date	MISF.DBP8	MDCF	MDCF	TKTMNTH	Disability
TKT_INUSE_SW	Ticket Inuse Switch	MISF.DBP8	MDCF	MDCF	TKTMNTH	Disability
TKT_NUM	Ticket Number	MISF.DBP8	MDCF	MDCF	TKTMNTH	Disability
TKT_PAID_SW	Ticket Paid Switch	MISF.DBP8	MDCF	MDCF	TKTMNTH	Disability
TKT_STMDT	Ticket Start Month Date	MISF.DBP8	MDCF	MDCF	TKTMNTH	Disability

TKTMNTH.xlsx

Name	Primary Key	Data Type	Length	DB Type	Lifecycle
CID	Yes	CHAR	2	DB2	Production
COSSN	Yes	CHAR	9	DB2	Production
INSRT_TS	No	TIMESTAMP	26	DB2	Production
LU_PGM_NM	No	CHAR	8	DB2	Production
LU_TS	No	TIMESTAMP	26	DB2	Production
MULT_T2_SW	No	CHAR	1	DB2	Production
PRTN_NUM	Yes	SMALLINT	5	DB2	Production
PTNTL_INCOR_PMT_SW	No	CHAR	1	DB2	Production
SSACT_PRTCPN_CD	No	CHAR	1	DB2	Production
TKT_CLOCK_STOP_SW	No	CHAR	1	DB2	Production
TKT_ENMDT	No	DATE	10	DB2	Production
TKT_INUSE_SW	No	CHAR	1	DB2	Production
TKT_NUM	Yes	SMALLINT	5	DB2	Production
TKT_PAID_SW	No	CHAR	1	DB2	Production
TKT_STMDT	Yes	DATE	10	DB2	Production

TKTSENT.xlsx

Name	Business Name	Server	Database	Schema	Table Name	Subject Area
CID	Client Identifier	MISF.DBP8	MDCF	MDCF	TKTSENT	Disability
COSSN	Clients Own Social Security Number	MISF.DBP8	MDCF	MDCF	TKTSENT	Disability
INSRT_PIN	Insert Personal Identification Number	MISF.DBP8	MDCF	MDCF	TKTSENT	Disability
INSRT_TS	Insert Timestamp	MISF.DBP8	MDCF	MDCF	TKTSENT	Disability
LU_PGM_NM	Last Update Program Name	MISF.DBP8	MDCF	MDCF	TKTSENT	Disability
LU_PIN	Last Update Personal Identification Number	MISF.DBP8	MDCF	MDCF	TKTSENT	Disability
LU_TS	Last Update Timestamp	MISF.DBP8	MDCF	MDCF	TKTSENT	Disability
NTC_VER_NUM	Notice Version Number	MISF.DBP8	MDCF	MDCF	TKTSENT	Disability
NTCDT	Notice Date	MISF.DBP8	MDCF	MDCF	TKTSENT	Disability
PRTN_NUM	Partition Number	MISF.DBP8	MDCF	MDCF	TKTSENT	Disability
TKT_NUM	Ticket Number	MISF.DBP8	MDCF	MDCF	TKTSENT	Disability

TKTSENT.xlsx

Name	Primary Key	Data Type	Length	DB Type	Lifecycle
CID	Yes	CHAR	2	DB2	Production
COSSN	Yes	CHAR	9	DB2	Production
INSRT_PIN	No	CHAR	6	DB2	Production
INSRT_TS	No	TIMESTAMP	26	DB2	Production
LU_PGM_NM	No	CHAR	8	DB2	Production
LU_PIN	No	CHAR	6	DB2	Production
LU_TS	No	TIMESTAMP	26	DB2	Production
NTC_VER_NUM	No	SMALLINT	5	DB2	Production
NTCDT	Yes	DATE	10	DB2	Production
PRTN_NUM	Yes	SMALLINT	5	DB2	Production
TKT NUM	Yes	SMALLINT	5	DB2	Production

TKTTITLE.xlsx

Name	Business Name	Server	Database	Schema	Table Name	Subject Area	Primary Key
CID	Client Identifier	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	Yes
CLM_STDT	Claim Start Date	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	No
CLMSSN	Claim Social Security Number	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	No
CLMSSN_ID	Claim Social Security Number Identifier	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	No
COSSN	Clients Own Social Security Number	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	Yes
CTL_DT	Control Date	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	No
INSRT_TS	Insert Timestamp	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	No
JURIS_OCD	Jurisdiction Office Code	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	No
LU_PGM_NM	Last Update Program Name	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	No
LU_TS	Last Update Timestamp	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	No
PCOCD	Processing Center Office Code	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	No
PRTN_NUM	Partition Number	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	Yes
SLTD_DT	Selected Date	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	No
SSACT	Social Security Act Title	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	Yes
TERMD_DT	Terminated Date	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	No
TERMRSN_CD	Termination Reason Code	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	No
TKT_NUM	Ticket Number	MISF.DBP8	MDCF	MDCF	TKTTITLE	Disability	Yes

TKTTITLE.xlsx

Name	Data Type	Length	DB Type	Lifecycle
CID	CHAR	2	DB2	Production
CLM_STDT	DATE	10	DB2	Production
CLMSSN	CHAR	9	DB2	Production
CLMSSN_ID	CHAR	3	DB2	Production
COSSN	CHAR	9	DB2	Production
CTL_DT	DATE	10	DB2	Production
INSRT_TS	TIMESTAMP	26	DB2	Production
JURIS_OCD	CHAR	3	DB2	Production
LU_PGM_NM	CHAR	8	DB2	Production
LU_TS	TIMESTAMP	26	DB2	Production
PCOCD	CHAR	3	DB2	Production
PRTN_NUM	SMALLINT	5	DB2	Production
SLTD_DT	DATE	10	DB2	Production
SSACT	CHAR	2	DB2	Production
TERMD_DT	DATE	10	DB2	Production
TERMRSN_CD	CHAR	1	DB2	Production
TKT NUM	SMALLINT	5	DB2	Production

APPENDIX F: FILE LAYOUT OF THE MONTHLY CER100%

11 Record Identification Code RIC 1 A/N CER 2 Transaction Code (Type Of Action) TOA 2 A/N CER 4 Master File Type Code MFT 2 A/N CER 6 Housed Under Number HUN 9 N CER 15 Social Security Number PAN 9 N CER 24 Payment Indicator PMTIND 1 A/N CER 25 MIL (min. income level) Indicator MILI 1 A/N CER 26 Essential Persons Indicator ESPER 1 A/N CER 27 Stale Record Indicator START-RD 1 A/N CER 28 Earliest Computation Date START-RD 6 N CER 28 Earliest Computation Date START-RD 6 N CER 29 Termination date TERM-STAT 3 A/N CER 44 Application Type <td< th=""><th>Location</th><th>Title</th><th>Acronym</th><th>Size</th><th>A/N</th><th>Extract</th><th>Format</th></td<>	Location	Title	Acronym	Size	A/N	Extract	Format
44 Master File Type Code MFT 2 A/N CER 6 Housed Under Number HUN 9 N CER 15 Social Security Number PAN 9 N CER 24 Payment Indicator PMTIND 1 N CER 25 MIL (min. income level) Indicator MILI 1 A/N CER 26 Essential Persons Indicator ESPER 1 A/N CER 27 Stale Record Indicator STALE-RO-IND 1 A/N CER 28 Earliest Computation Date START-RD 6 N CER CCYYMM 34 Termination Pay Status TERM-STAT 3 A/N CER CCYYMM 34 Termination date TERM-STAT 3 A/N CER CCYYMM 43 Windfall Flag WIN-INTRCE 1 A/N CER CCYYMM 44 Application Type AP-TYPE 1 A/N CER	1	Record Identification Code	RIC	1	A/N	CER	
66 Housed Under Number HUN 9 N CER 15 Social Security Number PAN 9 N CER 24 Payment Indicator PMTIND 1 N CER 25 MIL (min. income level) Indicator MILI 1 A/N CER 26 Essential Persons Indicator STALE-RCD-IND 1 A/N CER 27 Stale Record Indicator STALE-RCD-IND 1 A/N CER 28 Earliest Computation Date START-RD 6 N CER 34 Termination date TERM-STAT 3 A/N CER 37 Termination date TERM-RD 6 N CER CCYYMM 43 Windfall Flag WIN-INTRFCE 1 A/N CER CCYYMM 44 Application Type AP-TYPE 1 A/N CER CYYMM 45 No. Of Redetermination Entries RED-NOE 2 N CER <	2	Transaction Code (Type Of Action)	TOA	2	A/N	CER	
15 Social Seurity Number PAN 9 N CER 24 Payment Indicator PMTIND 1 N CER 25 MILL (min. income level) Indicator MILL 1 A/N CER 26 Essential Persons Indicator ESPER 1 A/N CER 27 Stale Record Indicator STALE-RCD-IND 1 A/N CER 28 Earliest Computation Date START-RD 6 N CER CCYYMM 34 Termination date TERM-RD 6 N CER CCYYMM 33 Vinidfall Flag WIN-INTRFCE 1 A/N CER CCYYMM 43 Windfall Flag WIN-INTRFCE 1 A/N CER CCYYMM 43 Windfall Flag WIN-INTRFCE 1 A/N CER CCYYMM 44 Application Type AP-TYPE 1 A/N CER 45 No. Of Redetermination Entries RED-NOE 2 <t< td=""><td>4</td><td>Master File Type Code</td><td>MFT</td><td>2</td><td>A/N</td><td>CER</td><td></td></t<>	4	Master File Type Code	MFT	2	A/N	CER	
24 Payment Indicator PMTIND 1 N CER 25 MILL (min. income level) Indicator MILU 1 A/N CER 26 Essential Persons Indicator ESPER 1 A/N CER 27 Stale Record Indicator STALE-RCD-IND 1 A/N CER 28 Earliest Computation Date START-RD 6 N CER CCYYMM 34 Termination date TERM-STAT 3 A/N CER CCYYMM 37 Termination date TERM-RD 6 N CER CCYYMM 43 Windfall Flag WIN-INTRFCE 1 A/N CER CCYYMM 44 Application Type AP-TYPE 1 A/N CER CCYYMM 45 No. Of Redetermination Entries RED-NOE 2 N CER 47 Comp. Status Type Of Action (most current) COMP-STAT-TOA 2 A/N CER 49 Redetermination Low Probability RED-LOWPROB 1 A/N CER 51 "Type	6	Housed Under Number	HUN	9	N	CER	
25 MIL (min. income level) Indicator MILI 1 A/N CER 26 Essential Persons Indicator ESPER 1 A/N CER 27 Stale Record Indicator STALE-RCD-IND 1 A/N CER 28 Earliest Computation Date START-RD 6 N CER CCYYMM 34 Termination Pay Status TERM-STAT 3 A/N CER CCYYMM 37 Termination date TERM-RD 6 N CER CCYYMM 43 Windfall Flag WIN-INTRFCE 1 A/N CER CCYYMM 43 Windfall Flag WIN-INTRFCE 1 A/N CER CCYYMM 44 Application Type AP-TYPE 1 A/N CER CER 44 Application Type RED-NOE 2 N CER CER 47 Comp. Status Type Of Action (most current) COMP-STAT-TOA 2 A/N CER 49 Redetermination Low Probability RED-LOWPROB 1 A/N CER 51	15	Social Security Number	PAN	9	N	CER	
26 Essential Persons Indicator ESPER 1 A/N CER 27 Stale Record Indicator STALE-RCD-IND 1 A/N CER 28 Earliest Computation Date START-RD 6 N CER CCYYMM 34 Termination Pay Status TERM-STAT 3 A/N CER CCYYMM 37 Termination date TERM-RD 6 N CER CCYYMM 43 Windfall Flag WIN-INTRFCE 1 A/N CER CCYYMM 44 Application Type AP-TYPE 1 A/N CER CER 45 No. Of Redetermination Entries RED-NOE 2 N CER CER 45 No. Of Redetermination Low Probability RED-LOWPROB 1 A/N CER CER 47 Comp. Status Type Of Action (most current) COMP-STAT-TOA 2 A/N CER 49 Redetermination Low Probability RED-LOWPROB 1 A/N CER 50 "Profile PROFILE 1 A/N CER <tr< td=""><td>24</td><td>Payment Indicator</td><td>PMTIND</td><td>1</td><td>N</td><td>CER</td><td></td></tr<>	24	Payment Indicator	PMTIND	1	N	CER	
27 Stale Record Indicator STALE-RCD-IND 1 A/N CER 28 Earliest Computation Date START-RD 6 N CER CCYYMM 34 Termination Pay Status TERM-STAT 3 A/N CER CCYYMM 37 Termination date TERM-RD 6 N CER CCYYMM 43 Windfall Flag WIN-INTRFCE 1 A/N CER 44 Application Type AP-TYPE 1 A/N CER 45 No. Of Redetermination Entries RED-NOE 2 N CER 47 Comp. Status Type Of Action (most current) COMP-STAT-TOA 2 A/N CER 49 Redetermination Low Probability RED-NOE 1 A/N CER 49 Redetermination Low Probability RED-TOMPROB 1 A/N CER 50 "Profile PROFILE 1 A/N CER 51 "Profile RED-TOMPLAD 6 N CER CCYYMM 52 "Initiation Date RED-TOMPLAD	25	MIL (min. income level) Indicator	MILI	1	A/N	CER	
28 Earliest Computation Date START-RD 6 N CER CCYYMM 34 Termination Pay Status TERM-STAT 3 A/N CER 37 Termination date TERM-RD 6 N CER CCYYMM 43 Windfall Flag WIN-INTRFCE 1 A/N CER CYYMM 44 Application Type AP-TYPE 1 A/N CER CYYMM 45 No. Of Redetermination Entries RED-NOE 2 N CER CER 47 Comp. Status Type Of Action (most current) COMP-STAT-TOA 2 A/N CER CER 49 Redetermination Low Probability RED-LOWPROB 1 A/N CER CER 50 "Profile PROFILE 1 A/N CER CYYMM 50 "Initiation Date RED-HOWPROB 1 A/N CER CCYYMM 58 "Completion Date RED-HOWPROB 1 A/N CER CCYYMM	26	Essential Persons Indicator	ESPER	1	A/N	CER	
34 Termination Pay Status TERM-STAT 3 A/N CER 37 Termination date TERM-RD 6 N CER CCYYMM 43 Windfall Flag WIN-INTRFCE 1 A/N CER 44 Application Type AP-TYPE 1 A/N CER 45 No. Of Redetermination Entries RED-NOE 2 N CER 47 Comp. Status Type Of Action (most current) COMP-STAT-TOA 2 A/N CER 49 Redetermination Low Probability RED-LOWPROB 1 A/N CER 49 Redetermination Low Probability RED-LOWPROB 1 A/N CER 50 " Profile PROFILE 1 A/N CER 51 " Type RED-TYPE 1 A/N CER 52 " Initiation Date RED-HIT-RD 6 N CER CCYYMM 58 " Completion Date RED-GOMPI-RD 6 N CER CCYYMM	27	Stale Record Indicator	STALE-RCD-IND	1	A/N	CER	
37 Termination date TERM-RD 6 N CER CCYYMM 43 Windfall Flag WIN-INTRFCE 1 A/N CER 44 Application Type AP-TYPE 1 A/N CER 45 No. Of Redetermination Entries RED-NOE 2 N CER 47 Comp. Status Type Of Action (most current) COMP-STAT-TOA 2 A/N CER 49 Redetermination Low Probability RED-LOWPROB 1 A/N CER 50 " Profile PROFILE 1 A/N CER 51 " Type RED-TYPE 1 A/N CER 52 " Initiation Date RED-INIT-RD 6 N CER CCYYMM 58 " Completion Date RED-COMPL-RD 6 N CER CCYYMM 64 " Profile Source Code RED-REGION 1 A/N CER 66 " Region Code RED-REGION 1 A/N CER	28	Earliest Computation Date	START-RD	6	N	CER	CCYYMM
43 Windfall Flag WIN-INTRFCE 1 A/N CER 44 Application Type AP-TYPE 1 A/N CER 45 No. Of Redetermination Entries RED-NOE 2 N CER 47 Comp. Status Type Of Action (most current) COMP-STAT-TOA 2 A/N CER 49 Redetermination Low Probability RED-LOWPROB 1 A/N CER 50 " Profile PROFILE 1 A/N CER 51 " Type REDTYPE 1 A/N CER 52 " Initiation Date RED-INIT-RD 6 N CER CCYYMM 58 " Completion Date RED-COMPL-RD 6 N CER CCYYMM 58 " Completion Date RED-REGION 1 A/N CER CCYYMM 64 " Profile Source Code RED-AREA 1 A/N CER 67 " Area Office Code RED-AREA 1 A/N CER 72 Remaining 9 occurrences RCO-EST-JD 8 N	34	Termination Pay Status	TERM-STAT	3	A/N	CER	
444 Application Type AP-TYPE 1 A/N CER 45 No. Of Redetermination Entries RED-NOE 2 N CER 47 Comp. Status Type Of Action (most current) COMP-STAT-TOA 2 A/N CER 49 Redetermination Low Probability RED-LOWPROB 1 A/N CER 50 "Profile PROFILE 1 A/N CER 51 "Type REDTYPE 1 A/N CER 52 "Initiation Date RED-INIT-RD 6 N CER CCYYMM 58 "Completion Date RED-COMPL-RD 6 N CER CCYYMM 64 "Profile Source Code RED-REGION 1 A/N CER 66 "Region Code RED-AREA 1 A/N CER 67 "Area Office Code RED-AREA 1 A/N CER 68 Case Characteristics (Occurs 10 times) CCHAR 4 A/N CER 72 Remaining 9 occurrences BROHES BRITH-JD 8 N CER	37	Termination date	TERM-RD	6	N	CER	CCYYMM
45 No. Of Redetermination Entries RED-NOE 2 N CER 47 Comp. Status Type Of Action (most current) COMP-STAT-TOA 2 A/N CER 49 Redetermination Low Probability RED-LOWPROB 1 A/N CER 50 " Profile PROFILE 1 A/N CER 51 " Type REDTYPE 1 A/N CER 52 " Initiation Date RED-INIT-RD 6 N CER CCYYMM 58 " Completion Date RED-COMPL-RD 6 N CER CCYYMM 64 " Profile Source Code PROF-SRCE 2 A/N CER 66 " Region Code RED-REGION 1 A/N CER 67 " Area Office Code RED-AREA 1 A/N CER 68 Case Characteristics (Occurs 10 times) CCHAR 4 A/N CER 68 Case Characteristics (Occurs 10 times) RCD-EST-JD 8 N CER CCYYMMDD 116 Date Of Birth BIRTH-JD 8 N CER CCYYMMDD 124 Date Of Death DEATH-JD 8 N CER CCYYMMDD 132 MBR - Ledger Account File Code LAF 2 A/N CER 134 Sex SEX 1 A/N CER 135 Race RACE 1 A/N CER	43	Windfall Flag	WIN-INTRFCE	1	A/N	CER	
47 Comp. Status Type Of Action (most current) 48 Redetermination Low Probability 49 Redetermination Low Probability 49 Redetermination Low Probability 40 RED-LOWPROB 41 A/N CER 42 A/N CER 43 A/N CER 44 Profile 45 A/N CER 45 Profile 46 Profile 47 A/N CER 48 Completion Date 48 RED-INIT-RD 49 RED-INIT-RD 40 N CER CCYYMM 40 N CER CCYYMM 40 N CER 40 Profile Source Code 40 PROF-SRCE 41 A/N CER 42 A/N CER 43 A/N CER 44 A/N CER 45 A/N CER 46 A/N CER 47 Area Office Code 48 RED-AREA 49 A/N CER 49 A/N CER 40 A/N CER 40 A/N CER 41 A/N CER 42 A/N CER 43 A/N CER 44 A/N CER 45 A/N CER 46 A/N CER 46 A/N CER 47 AREA COMPLETION 48 A/N CER 49 A/N CER 49 A/N CER 49 A/N CER 40 A/N CER 40 A/N CER 41 A/N CER 41 A/N CER 42 A/N CER 43 A/N CER 44 A/N CER 45 A/N CER 46 A/N CER 47 AREA COMPMEND 48 A/N CER 49 A/N CER 49 A/N CER 49 A/N CER 49 A/N CER 40 A/N CER 40 A/N CER 40 A/N CER 41 A/N CER 41 A/N CER 42 A/N CER 43 A/N CER 44 A/N CER 45 A/N CER 46 A/N CER 47 A/N CER 48 A/N CER 49 A/N CER 49 A/N CER 40 A/N CER 41 A/N CER 41 A/N CER 41 A/N CER 41 A/N CER 42 A/N CER 43 A/N CER 44 A/N CER 45 A/N CER 46 A/N CER 47 A/N CER 48 A/N CER 48 A/N CER 49 A/N CER 40 A/N CER 4	44	Application Type	AP-TYPE	1	A/N	CER	
49 Redetermination Low Probability RED-LOWPROB 1 A/N CER 50 " Profile PROFILE 1 A/N CER 51 " Type REDTYPE 1 A/N CER 52 " Initiation Date RED-INIT-RD 6 N CER CCYYMM 58 " Completion Date RED-COMPL-RD 6 N CER CCYYMM 64 " Profile Source Code PROF-SRCE 2 A/N CER 66 " Region Code RED-REGION 1 A/N CER 67 " Area Office Code RED-AREA 1 A/N CER 68 Case Characteristics (Occurs 10 times) CCHAR 4 A/N CER 72 Remaining 9 occurrences 36 A/N CER 108 Record Establishment Date RCD-EST-JD 8 N CER CCYYMMDD 116 Date Of Birth BIRTH-JD 8 N CER CCYYMMDD 132 MBR - Ledger Account File Code LAF 2 A/N CER <td>45</td> <td>No. Of Redetermination Entries</td> <td>RED-NOE</td> <td>2</td> <td>N</td> <td>CER</td> <td></td>	45	No. Of Redetermination Entries	RED-NOE	2	N	CER	
50 " Profile PROFILE 1 A/N CER 51 " Type REDTYPE 1 A/N CER 52 " Initiation Date RED-INIT-RD 6 N CER CCYYMM 58 " Completion Date RED-COMPL-RD 6 N CER CCYYMM 64 " Profile Source Code PROF-SRCE 2 A/N CER 66 " Region Code RED-REGION 1 A/N CER 67 " Area Office Code RED-AREA 1 A/N CER 68 Case Characteristics (Occurs 10 times) CCHAR 4 A/N CER 72 Remaining 9 occurrences 36 A/N CER 108 Record Establishment Date RCD-EST-JD 8 N CER CCYYMMDD 116 Date Of Birth BIRTH-JD 8 N CER CCYYMMDD 124 Date Of Death DEATH-JD 8 N CER CCYYMMDD 132 MBR - Ledger Account File Code LAF 2 A/N CER 134 Sex SEX 1 A/N CER 135 Race RACE 1 A/N CER	47	Comp. Status Type Of Action (most current)	COMP-STAT-TOA	2	A/N	CER	
Frome REDTYPE 1 A/N CER Type REDTYPE 1 A/N CER Initiation Date RED-INIT-RD 6 N CER CCYYMM RED-COMPL-RD 6 N CER CCYYMM RED-COMPL-RD 6 N CER CCYYMM Profile Source Code PROF-SRCE 2 A/N CER REGORD CODE RED-REGION 1 A/N CER RED-AREA 1 A/N CER RED-REGION 1 A/N CER REGORD 1 A/N CER RED-REGION 1 A/N CER RED-REGI	49	Redetermination Low Probability	RED-LOWPROB	1	A/N	CER	
FED TYPE 1 A/N CER 1 NITITATION OF NOTE OF THE NEW TYPE 1 NAME OF SER OCT OF THE NEW TYPE 1 NAME OF SER OCT	50	" Profile	PROFILE	1	A/N	CER	
SED-INITIAL OF DATE RED-INITIAL OF SET	51	" Type	REDTYPE	1	A/N	CER	
FRED-COMPL-RD 6 N CER CCYYMMO 64 " Profile Source Code PROF-SRCE 2 A/N CER 66 " Region Code RED-REGION 1 A/N CER 67 " Area Office Code RED-AREA 1 A/N CER 68 Case Characteristics (Occurs 10 times) CCHAR 4 A/N CER 72 Remaining 9 occurrences 36 A/N CER 108 Record Establishment Date RCD-EST-JD 8 N CER CCYYMMDD 116 Date Of Birth BIRTH-JD 8 N CER CCYYMMDD 124 Date Of Death DEATH-JD 8 N CER CCYYMMDD 132 MBR - Ledger Account File Code LAF 2 A/N CER 134 Sex SEX 1 A/N CER 135 Race RACE 1 A/N CER	52	" Initiation Date	RED-INIT-RD	6	N	CER	CCYYMM
66 "Region Code RED-REGION 1 A/N CER 67 "Area Office Code RED-AREA 1 A/N CER 68 Case Characteristics (Occurs 10 times) CCHAR 4 A/N CER 72 Remaining 9 occurrences 36 A/N CER 108 Record Establishment Date RCD-EST-JD 8 N CER CCYYMMDD 116 Date Of Birth BIRTH-JD 8 N CER CCYYMMDD 124 Date Of Death DEATH-JD 8 N CER CCYYMMDD 132 MBR - Ledger Account File Code LAF 2 A/N CER 134 Sex SEX 1 A/N CER 135 Race RACE 1 A/N CER	58	" Completion Date	RED-COMPL-RD	6	N	CER	CCYYMM
RED-REGION 1 A/N CER Area Office Code RED-AREA 1 A/N CER Case Characteristics (Occurs 10 times) CCHAR 4 A/N CER Remaining 9 occurrences 36 A/N CER Record Establishment Date RCD-EST-JD 8 N CER CCYYMMDD Date Of Birth BIRTH-JD 8 N CER CCYYMMDD Date Of Death DEATH-JD 8 N CER CCYYMMDD MBR - Ledger Account File Code LAF 2 A/N CER MBR - Sex SEX 1 A/N CER RACE 1 A/N CER	64	" Profile Source Code	PROF-SRCE	2	A/N	CER	
CCHAR 4 A/N CER Remaining 9 occurrences 36 A/N CER Record Establishment Date RCD-EST-JD 8 N CER CCYYMMDD Date Of Birth BIRTH-JD 8 N CER CCYYMMDD Date Of Death DEATH-JD 8 N CER CCYYMMDD MBR - Ledger Account File Code LAF 2 A/N CER MBR - Sex SEX 1 A/N CER RACE 1 A/N CER	66	" Region Code	RED-REGION	1	A/N	CER	
Remaining 9 occurrences RCD-EST-JD RCD RCCYYMMDD RCCCYYMMDD RCCCYYMD RCCCYYMMDD RCCCYYMMDD RCCCCYYMD RCCCYYMMD RCCCYYMMD RCCCCYCCC RCCCCY RCCCCCC RC	67	" Area Office Code	RED-AREA	1	A/N	CER	
108 Record Establishment Date RCD-EST-JD 8 N CER CCYYMMDD 116 Date Of Birth BIRTH-JD 8 N CER CCYYMMDD 124 Date Of Death DEATH-JD 8 N CER CCYYMMDD 132 MBR - Ledger Account File Code LAF 2 A/N CER 134 Sex SEX 1 A/N CER 135 Race RACE 1 A/N CER	68	Case Characteristics (Occurs 10 times)	CCHAR	4	A/N	CER	
116Date Of BirthBIRTH-JD8NCERCCYYMMDD124Date Of DeathDEATH-JD8NCERCCYYMMDD132MBR - Ledger Account File CodeLAF2A/NCER134SexSEX1A/NCER135RaceRACE1A/NCER	72	Remaining 9 occurrences		36	A/N	CER	
124Date Of DeathDEATH-JD8NCERCCYYMMDD132MBR - Ledger Account File CodeLAF2A/NCER134SexSEX1A/NCER135RaceRACE1A/NCER	108	Record Establishment Date	RCD-EST-JD	8	N	CER	CCYYMMDD
132 MBR - Ledger Account File Code LAF 2 A/N CER 134 Sex SEX 1 A/N CER 135 Race RACE 1 A/N CER	116	Date Of Birth	BIRTH-JD	8	N	CER	CCYYMMDD
134 Sex SEX 1 A/N CER 135 Race RACE 1 A/N CER	124	Date Of Death	DEATH-JD	8	N	CER	CCYYMMDD
135 Race RACE 1 A/N CER	132	MBR - Ledger Account File Code	LAF	2	A/N	CER	
·	134	Sex	SEX	1	A/N	CER	
136 Claimant's First Name CLMT-1ST-NAM 15 A/N CER	135	Race	RACE	1	A/N	CER	
	136	Claimant's First Name	CLMT-1ST-NAM	15	A/N	CER	

Location	Title	Acronym	Size	A/N	Extract	Format
151	Claimant's Last Name (first 15 positions)	CLMT-LST-NAM	15	A/N	CER	
166	Interface Income Recovery	IIR	1	A/N	CER	
167	Veterans Adm. Inc. Recovery Indicator	IIRVA	1	A/N	CER	
168	Civil Service Inc. Recovery Indicator	IIRCS	1	A/N	CER	
169	Date Of Current Eligibility	ELG-RD	6	N	CER	CCYYMM
175	Application Date (current)	APPL-JD	8	N	CER	CCYYMMDD
183	8080 Date	8080-JD	8	N	CER	CCYYMMDD
191	Transmitting District Office Code	X-MITTING-DO	3	A/N	CER	
194	Filler		2	A/N	CER	
196	Date of Reversal of Initial Denial	REV-JD	8	N	CER	CCYYMMDD
204	Denial Code	DENCDE	3	A/N	CER	
207	Date Of Denial	DENIAL-JD	8	N	CER	CCYYMMDD
215	Food Stamps Interview Date	FS-INTERVIEW-RD	6	N	CER	CCYYMM
221	Food Stamps Recipient	FS-RECIPIENT	1	A/N	CER	
222	Food Stamps Request	FS-REQUEST	1	A/N	CER	
223	Economic Recovery Payment Indicator	ERP-IND	1	A/N	CER	
224	Date Claim Filed	CLM-FIL-JD	8	N	CER	CCYYMMDD
232	Grant Reimbursement Code	RACODE	1	A/N	CER	
233	State & County Code of Reimbursement	STOREIM	5	A/N	CER	SSCCC
238	Proration Factor (next month)	PROFAC	2	N	CER	
240	CDI Medical Issue	CDI-MED	1	A/N	CER	
241	CDI Medical Issue Date	CDI-MED-RD	6	N	CER	CCYYMM
247	Disability Payment Code	DISPAYCDE	1	A/N	CER	
248	Date Of Onset of Disability or Blindness	DIS-ONST-JD	8	N	CER	CCYYMMDD
256	Record Sequence No.	RCDNO	1	A/N	CER	
257	Trial Work Period Months (occurs 9 times)	TWP-WRK-RD	6	N	CER	CCYYMM
263	Remaining 8 occurrences		48	N	CER	
311	Trial Work Period Code	TWP-CDE	1	A/N	CER	
312	Vocational Rehabilitation Code	VR-CODE	1	A/N	CER	
313	Ending Date Of Extended Trial Work Period	EXTWPEND-RD	6	N	CER	CCYYMM
319	Eligibility Status Effective Date	MEDSERV-RD	6	N	CER	CCYYMM
325	Medical And Social Services Eligibility	MEDSERV-CDE	1	A/N	CER	
326	Primary Disability Diagnostic Code	DIB-DIG	4	A/N	CER	

Location	Title	Acronym	Size	A/N	Extract	Format
330	Secondary Disability Diagnostic Code	DIB-DIG2	4	A/N	CER	
334	Medical Diary Reason	DIB-MDR	1	A/N	CER	
335	Permanent Disability Indicator	DIB-DPM	1	A/N	CER	
336	Zebley Indicator	ZEBIND	1	A/N	CER	
337	State & County Code at Conversion	STCOCNV	5	A/N	CER	SSCCC
342	Direct Deposit Payment Code	DDDPC	1	A/N	CER	
343	Residence State & County & Servicing DO Code	PDSCC	6	A/N	CER	SSCCCD
349	Payee's Zip Code	PDZIP	5	A/N	CER	
354	Payee's Zip Code Suffix	PDZIP6-9	4	A/N	CER	
358	District Office Code	DO	3	A/N	CER	
361	Earned Income Type Code - S	IETYP	1	A/N	CER	
362	Earned Income Start Date - S	IESTART-RD	6	N	CER	CCYYMM
368	Earned Income Amount - S	IEAMT	6	N	CER	\$\$\$\$cc
374	Earned Income Frequency - S	IEFRQ	1	A/N	CER	
375	Remaining 5 occurrences		70		CER	
445	Unearned Income Type Code	IUETYP	2	A/N	CER	
447	Unearned Income Start Date	IUESTART-RD	6	N	CER	CCYYMM
453	Unearned Income Amount	IUEAMT	6	N	CER	\$\$\$\$cc
459	Unearned Income Frequency	IUEFRQ	1	A/N	CER	
460	Claim or ID Number for Unearned Income	IUEIDNO	12	A/N	CER	
472	Remaining 5 occurrences		0		CER	
607	Diary Code (Last 7 occurs)	DIACDE	2	A/N	CER	
609	Remaining 6 occurrences		12	A/N	CER	
621	Diary Date (Last 7occurs)	DIARY-JD	8	N	CER	CCYYMMDD
629	Remaining 6 occurrences		48		CER	
677	Diary Follow-up Indicator (Last 7 occurs)	FOLUP	1	N	CER	
678	Remaining 6 occurrences		6		CER	
684	Type Of Payee Code	REPPAYTYP	3	A/N	CER	
687	Guardian/Competency Code	REPGC	1	A/N	CER	
688	Custody Code	REPCUS	3	A/N	CER	
691	Applicant's Address Zip Code	AAZIP	5	A/N	CER	
696	Applicant's Address Zip Code Suffix	AAZIP6-9	4	A/N	CER	
700	Title II Authorized Representative Fee	ATHREP-T2-FEE	4	N	CER	\$\$\$\$

Location	Title	Acronym	Size	A/N	Extract	Format
704	Title XVI Maximum Authorized Representative Fee	ATHREP-T16-FEE	4	N	CER	\$\$\$\$
708	No. of Payment Entries Present	NOP-9	3	N	CER	
711	Amount of Unresolved Overpayment	UNRESOLVED	6	N	CER	\$\$\$\$\$\$
717	Overpayment Balance (current)	OUTSTAND	6	N	CER	\$\$\$\$\$\$
723	Overpayment Rate of Recovery	RATEREC	6	N	CER	\$\$\$\$\$\$
729	Amount of Overpayment Collected	OP-COLL	6	N	CER	\$\$\$\$\$\$
735	Ten Percent Rate of Recovery Indicator	TENPER	1	A/N	CER	
736	Windfall Start Date	WSTRT-RD	6	N	CER	CCYYMM
742	Windfall End Date	WEND-RD	6	N	CER	CCYYMM
748	Windfall Indicator	WIN	1	A/N	CER	
749	Windfall Non-Countable Income	WNCI	6	N	CER	\$\$\$\$\$\$
755	Federal Money Amount (payment)	FEDPMT	6	N	CER	\$\$\$\$\$\$
761	State Supplementation Amount (payment)	STATPMT	6	N	CER	\$\$\$\$\$\$
767	Payment State Code	PAYSC	2	N	CER	
769	Unnegotiated Check Indicator	UCI	1	A/N	CER	
770	Statutory Benefit Continuation Payment Ind	PAY-STATBC-IND	1	A/N	CER	
771	State Agency Code	STAGCDE	3	A/N	CER	
774	Chargeable Earned Inc Amt - (current month)	EINCM-CUR	4	N	CER	\$\$\$\$
778	Chargeable Unearned Inc Amt - (current month)	UINCM-CUR	4	N	CER	\$\$\$\$
782	Fed Countable Inc for Pay Comp - (current month)	FCI-CUR	5	N	CER	\$\$\$\$\$
787	Current Composition Code - (next month)	CUR-COMP	1	A/N	CER	
788	Welfare Ind (next month)	WELF	1	A/N	CER	
789	Medical & Social Service Inc Test - (current month)	MEDTEST-CUR	1	A/N	CER	
790	Multiple Eligible Child - (next month)	MULT-ELIG-CHLD	2	N	CER	
792	Ticket to Work Status Ind (current month)	TKT-STAT-IND-CUR	1	A/N	CER	
793	Budget Month Flag	BMF	1	A/N	CER	
794	Payment Status Code - (current month)	PSTAT-CUR	3	A/N	CER	
797	Payment Status Code	PSTAT	3	A/N	CER	
800	Living Arrangements Code - (next month)	LIVF	1	A/N	CER	
801	Living Arrangements Code - (current month)	LIVF-1	1	A/N	CER	
802	Living Arrangements Code - (prior month)	LIVF-2	1	A/N	CER	
803	Optional State Supplementation Code	OSCD	1	A/N	CER	
804	State & County Code for Supplementation	STSUPGP	5	N	CER	

Location	Title	Acronym	Size	A/N	Extract	Format
809	State Concurrent Eligibility Indicator	STCONCATM	1	A/N	CER	
810	State Optional Payment Code	STOPACM	1	A/N	CER	
811	Medicaid Eligibility Code	MEDIC	1	A/N	CER	
812	Student Indicator	STUDM	1	A/N	CER	
813	Drug Addict or Alcoholic Identification	DRUGM	1	A/N	CER	
814	Chargeable Earned Income Amount	EINCM	4	N	CER	\$\$\$\$
818	Chargeable Unearned Income Amount	UINCM	4	N	CER	\$\$\$\$
822	Filler		12	N	CER	\$\$\$
834	Conditional Payment Indicator	CONDPAY	1	A/N	CER	
835	Medical and Social Services Income Test	MEDTEST	1	A/N	CER	
836	Total Amount of Overpayment Detected	OPDET	5	N	CER	\$\$\$\$\$
841	Deemed Income Amount for the Quarter	DEEMAMT	5	N	CER	\$\$\$\$\$
846	Deeming Indicator	DEEMCD	1	A/N	CER	
847	Filler		6	N	CER	\$\$\$
853	Date Of File Selection (cutoff date)	SEL-DATE	8	N	CER	CCYYMMDD
861	Special Indicator Field	SPEC-ID	3	A/N	CER	
864	Unearned Type "A"/Frequency "R" Ind	RFRQ	1	A/N	CER	R / space
865	New Award Indicator	NEWARD	1	A/N	CER	Y / space
866	First Payment Date (this record)	FIRST-PAY-DATE	8	N	CER	CCYYMMDD
874	PSTAT After Last C01 / M01 / M02	PSTAT-LST	3	A/N	CER	
877	PSTAT After Last C01 / M01 / M02 Date	PSTAT-LST-DATE	6	N	CER	CCYYMM
883	Payment Status Month 1	PSTAT1	3	A/N	CER	
886	Payment Status Month 2	PSTAT2	3	A/N	CER	
889	Payment Status Month 3	PSTAT3	3	A/N	CER	
892	Payment Status Month 4	PSTAT4	3	A/N	CER	
895	Payment Status Month 5	PSTAT5	3	A/N	CER	
898	Payment Status Month 6	PSTAT6	3	A/N	CER	
901	Payment Status Month 7	PSTAT7	3	A/N	CER	
904	Payment Status Month 8	PSTAT8	3	A/N	CER	
907	Payment Status Month 9	PSTAT9	3	A/N	CER	
910	Payment Status Month 10	PSTAT10	3	A/N	CER	
913	Payment Status Month 11	PSTAT11	3	A/N	CER	
916	Payment Status Month 12	PSTAT12	3	A/N	CER	

Location	Title	Acronym	Size	A/N	Extract	Format
919	Filler		2	A/N	CER	
921	Appeal Type	PL-TYP	1	A/N	CER	
922	Appeal Reason	PL-RSN	2	A/N	CER	
924	Appeal Filing Date	PL-FILE-JD	8	N	CER	CCYYMMDD
932	Appeals Decision Code	PL-DCSN-CDE	2	A/N	CER	
934	Appeals Date of Final Decision	PL-DCSN-JD	8	N	CER	CCYYMMDD
942	Appeals Decision Type	PL-DECISION-TYP	1	A/N	CER	
943	Appeals Remaining 2nd and 3rd occurrences		44		CER	
987	12-Month Check for Payment	CHK-PMT	1	A/N	CER	
988	Spoken Language Code	LANG-PREF-SPOKEN	2	A/N	CER	
990	Written Language Preference	LANG-PREF-WRITTEN	2	A/N	CER	
992	Direct Deposit Payment Indicator	PAY-DIRDEP-IND	1	A/N	CER	
993	Rep Payee Spoken Language Preference	REP-LANG-PREF-SPOKEN	2	A/N	CER	
995	Rep Payee Written Language Preference	REP-LANG-PREF-WRITTEN	2	A/N	CER	
997	Alien Relative Date	ALIEN-RD	6	N	CER	CCYYMM
1003	Alien Data Citizenship/Alien Code	ALIEN	1	A/N	CER	
1004	Alien Country	ALIEN-CNTRY	2	A/N	CER	
1006	Alien Sponsor	ALIEN-SPON	1	A/N	CER	
1007	Alien Status Attained Date	ALIEN-STAT-RD	6	N	CER	CCYYMM
1013	Alien Eligibility Reason	ALIEN-EXC	1	A/N	CER	
1014	Alien Eligibility Start Date	ALIEN-EXC-START-RD	6	N	CER	CCYYMM
1020	Alien Remaining 2nd occurrence		23		CER	
1043	Earned Income Type Code - B	IETYP	1	A/N	CER	
1044	Earned Income Start Date - B	IESTART-RD	6	N	CER	CCYYMM
1050	Earned Income Amount - B	IEAMT	6	N	CER	\$\$\$\$cc
1056	Earned Income Frequency - B	IEFRQ	1	A/N	CER	
1057	Filler		6	A/N	CER	
1063	Title 8 Veteran	T8VET	1	A/N	CER	
1064	Stop Date	STOP-RD	6	N	CER	CCYYMM
1070	Rep Payee's Zip Code	REP-ZIP	5	A/N	CER	
1075	Rep Payee's Zip Code Suffix	REP-ZIP6-9	4	A/N	CER	
1079	Direct Express Debit Card Indicator	DIREXPDC-IND	1	A/N	CER	
1080	Federal Assistance Amount - (current month)	FEDAMT-CUR	5	N	CER	\$\$\$\$\$

Location	Title	Acronym	Size	A/N	Extract	Format
1085	Current Amount Of State Supp (current month)	SUPAMT-CUR	5	N	CER	\$\$\$\$\$
1090	Federal Assistance Amount	FEDAMT	5	N	CER	\$\$\$\$\$
1095	Current Amount Of State Supp.	SUPAMT	5	N	CER	\$\$\$\$\$
1100	Windfall Offset Federal Amount	WIN-FED	5	N	CER	\$\$\$\$\$
1105	Windfall Offset State Amount	WIN-STAT	5	N	CER	\$\$\$\$\$
1110	Federal Money Amount (payed 1st of month)	FEDPMT-01	6	N	CER	\$\$\$\$\$
1116	Payment Indicator Generated in Modernization	Filler	1	A/N	CER	
1117	State Supplementation Amount (payed 1st of month)	STATPMT-01	6	N	CER	\$\$\$\$\$
1123	Filler		78	A/N	CER	

		B. (1
Location	Item Type	Path
1	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
2	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
4	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
6	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
15	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
24	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
25	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
26	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
27	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
28	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
34	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
37	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
43	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
44	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
45	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
47	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
49	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
50	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
51	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
52	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
58	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
64	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
66	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
67	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
68	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
72	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
108	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
116	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
124	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
132	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
134	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
135	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
136	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder

Location	Item Type	Path
151	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
166	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
167		
	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
168	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
169	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
175	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
183	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
191	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
194	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
196	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
204	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
207	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
215	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
221	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
222	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
223	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
224	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
232	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
233	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
238	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
240	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
241	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
247	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
248	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
256	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
257	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
263	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
311	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
312	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
313	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
319	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
325	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
325		• 1
326	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder

Location	Item Type	Path
330	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
334	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
335	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
336	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
337	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
342	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
343	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
349	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
354	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
358	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
361	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
362	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
368	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
374	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
375	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
445	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
447	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
453	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
459	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
460	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
472	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
607	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
609	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
621	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
629	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
677	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
678	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
684	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
687	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
688	ltem	dcrdp/ORES/ODD/Lists/Extract Variable Finder
691	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
696	ltem	dcrdp/ORES/ODD/Lists/Extract Variable Finder
700	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder

Location	Item Type	Path
704	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
708	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
711	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
717	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
723	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
729	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
735	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
736	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
742	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
748	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
749	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
755	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
761	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
767	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
769	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
770	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
771	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
774	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
778	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
782	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
787	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
788	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
789	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
790	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
792	ltem	dcrdp/ORES/ODD/Lists/Extract Variable Finder
793	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
794	ltem	dcrdp/ORES/ODD/Lists/Extract Variable Finder
797	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
800	ltem	dcrdp/ORES/ODD/Lists/Extract Variable Finder
801	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
802	ltem	dcrdp/ORES/ODD/Lists/Extract Variable Finder
803	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
804	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder

Location	Item Type	Path
809	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
810	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
811	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
812	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
813	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
814	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
818	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
822	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
834	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
835	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
836	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
841	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
846	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
847	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
853	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
861	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
864	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
865	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
866	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
874	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
877	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
883	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
886	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
889	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
892	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
895	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
898	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
901	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
904	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
907	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
910	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
913	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
916	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder

Item dcrdp/ORES/ODD/Lists/Extract Variable Finder	Location	Item Type	Path
Item dcrdp/ORES/ODD/Lists/Extract Variable Finder			
1tem dcrdp/ORES/ODD/Lists/Extract Variable Finder			•
ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder dcrdp/ORES/ODD/Lists/Extract Variable Finder dcrdp/ORES/ODD/Lists/Extract Variable Finder ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder dcrdp/ORES/ODD/Lists/Extract Variable Finder ltem dcrdp/			· · · · · · · · · · · · · · · · · · ·
ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder dcrdp/ORES/ODD/Lists/Extract Variable Finder ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder dcrdp/ORES/ODD/Lists/Extract Variable Finder ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder dcrdp/ORES/ODD/Lists/Extract Variable Finder ltem dcrdp/ORES/ODD/Lists/Extract Variable Fin			• • • • • • • • • • • • • • • • • • • •
ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder dcrdp/ORES/ODD/Lists/Extract Variable Finder ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder l			• • • • • • • • • • • • • • • • • • • •
1tem dcrdp/ORES/ODD/Lists/Extract Variable Finder 943 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 987 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 988 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 990 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 991 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 992 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 993 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 995 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 997 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1003 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1004 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1006 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1007 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1013 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1014 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1020 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1041 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1042 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1056 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1057 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1063 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1064 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1076 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1076 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1077 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1078 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1079 Item dcrdp/ORES/ODD/Lists/Extract V			• • • • • • • • • • • • • • • • • • • •
1tem dcrdp/ORES/ODD/Lists/Extract Variable Finder 987 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 988 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 990 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 991 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 992 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 993 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 995 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 997 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1003 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1004 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1006 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1007 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1013 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1014 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1020 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1043 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1050 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1051 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1052 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1053 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1064 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1065 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1066 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1067 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1068 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1069 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1060 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1061 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1062 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1076 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1077 Item dcrdp/ORES/ODD/Lists/Extract			
1tem dcrdp/ORES/ODD/Lists/Extract Variable Finder			• • • • • • • • • • • • • • • • • • • •
188			· · · · · · · · · · · · · · · · · · ·
990 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 992 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 993 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 995 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 997 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1003 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1004 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1006 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1007 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1013 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1014 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1020 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1043 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1044 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1050 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1050 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1051 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1051 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1052 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1053 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1054 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1055 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1056 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1057 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1058 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1059 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1060 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1070 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1070 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder			• • • • • • • • • • • • • • • • • • • •
1tem dcrdp/ORES/ODD/Lists/Extract Variable Finder 993 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 995 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 997 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1003 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1004 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1006 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1007 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1013 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1014 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1020 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1043 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1044 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1050 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1056 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1057 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1063 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1064 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1070 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1071 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1076 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1077 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1079 Item dcrdp/ORES/ODD/Lists/Ext			
993Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder995Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder997Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1003Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1004Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1006Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1007Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1013Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1014Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1020Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1043Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1044Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1050Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1056Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1057Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1063Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1064Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1070Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1075Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1079Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder			• • • • • • • • • • • • • • • • • • • •
995Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder997Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1003Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1004Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1006Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1007Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1013Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1014Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1020Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1043Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1044Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1050Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1056Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1057Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1063Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1064Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1070Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1075Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1079Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder			
997 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1003 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1004 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1006 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1007 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1013 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1014 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1020 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1043 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1044 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1050 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1056 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1057 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1063 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1064 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1070 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1070 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder			· · · · · · · · · · · · · · · · · · ·
ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder dcrdp/ORES/ODD/Lists/Extract Variable Finder loo6 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo7 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo8 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo7 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo13 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo20 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo3 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo44 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo56 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo56 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo57 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo58 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo59 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo50 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo50 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo51 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo51 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo52 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo53 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo55 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo75 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder loo56 ltem dcrdp/ORES/ODD/Lists/Extract Variable Finder			• • • • • • • • • • • • • • • • • • • •
1004 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1006 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1007 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1013 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1014 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1020 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1043 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1044 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1050 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1056 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1057 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1063 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1064 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1070 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder			· · · · · · · · · · · · · · · · · · ·
1006 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1007 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1013 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1014 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1020 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1043 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1044 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1050 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1056 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1057 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1063 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1064 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1070 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder			
1007 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1013 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1014 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1020 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1043 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1044 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1050 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1056 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1057 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1063 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1064 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1070 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1079 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder			· · · · · · · · · · · · · · · · · · ·
1013 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1014 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1020 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1043 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1044 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1050 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1056 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1057 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1063 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1064 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1070 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1079 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder		Item	• • • • • • • • • • • • • • • • • • • •
1014 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1020 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1043 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1044 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1050 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1056 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1057 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1063 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1064 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1070 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1079 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder			• • • • • • • • • • • • • • • • • • • •
1020 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1043 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1044 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1050 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1056 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1057 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1063 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1064 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1070 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1079 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder	1013	Item	• • • • • • • • • • • • • • • • • • • •
1043Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1044Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1050Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1056Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1057Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1063Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1064Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1070Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1075Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1079Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder	1014	Item	• • • • • • • • • • • • • • • • • • • •
1044 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1050 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1056 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1057 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1063 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1064 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1070 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1079 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder	1020	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1050 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1056 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1057 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1063 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1064 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1070 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1079 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder	1043	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1056 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1057 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1063 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1064 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1070 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1079 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder	1044	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1057Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1063Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1064Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1070Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1075Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1079Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder	1050	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1063Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1064Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1070Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1075Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1079Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder	1056	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1064Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1070Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1075Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1079Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder	1057	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1070Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1075Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder1079Itemdcrdp/ORES/ODD/Lists/Extract Variable Finder	1063	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1075 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder 1079 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder	1064	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1079 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder	1070	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1079 Item dcrdp/ORES/ODD/Lists/Extract Variable Finder	1075	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
• * * * * * * * * * * * * * * * * * * *	1079	Item	• • • • • • • • • • • • • • • • • • • •
	1080		• • • • • • • • • • • • • • • • • • • •

Location	Item Type	Path
1085	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1090	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1095	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1100	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1105	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1110	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1116	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1117	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder
1123	Item	dcrdp/ORES/ODD/Lists/Extract Variable Finder

APPENDIX G: FILE LAYOUT OF THE MONTHLY DBAD FILES

						Ellectiv	e Date 12/2010
Location	Field Name	A	Action	Acronym	Size	Туре	Format
1	Date of File Selection		*	SEL-DATE	8	N	CCYYMMDD
	001 RECORD CONTROL DATA						
9	Office CodePayment Service Center		Ν	OC	1	A/N	
10	Claim Account Number (SSN)			CAN	9	A/N	
	002 FIXED ACCOUNT DATA						
19	Payment Cycle Current Operating Month			PCCOM	6	N A /A I	CCYYMM
25	Payment Cycle Change Reason		*	PCCR	1	A/N	0000000
	First Payment Cycle Current Operating Month		*	FPCCOM FPCCR	6	N A/N	CCYYMM
32 33	First Payment Cycle Change Reason Recomputation Code			RCC	1	A/N A/N	
34	Race of Primary			RACEP	1	A/N	
	Lump Sum Entitlement Code Switch			LSEC-SW	1	A/N	
	Military			MIL	1	A/N	
37	Railroad Code			RRC	1	A/N	
38	FILLER				6		
	022 PRIMARY INSURANCE HISTORY						
	Occurs 8 times of 150						
44	Number of Primary Insurance Fields			NPIH	3	N	
47	PIA Effective Date			PIED	6	N	CCYYMM
53	Primary Insurance Factor Code (Governing PIA)		*	PIFC	1	A/N	
54	Primary Insurance Amount (Governing PIA)		*	PIA	5	N	\$\$\$\$c
59	Family Maximum		S	FMAX	6	N	\$\$\$\$\$c
	Type of Maximum			TOM	1	A/N	0000
	Indexed Monthly Earnings			IME	4	N	\$\$\$\$
70 74	Eligibility Year Primary Insurance Factor Code Two			ELY PIFC2	4	N A/N	CCYY
74 75	Primary Insurance Factor Code Two Primary Insur. History occurs 2 through 8			PIFGZ	196	A/IN	
75	033 INSURED STATUS MET DATA (Account Data)				190		
	Occurs 2 times of 30 (For Governing PIA)						
271	Number of Insured Status Met Data fields			NINSD	2	N	
273	Insured Status Claim Type			INSD-CLMTYP	1	A/N	
274	Insured Status Date Claim Filed	DOF		INSD-DCF	8	N	CCYYMMDD
282	Insured Status Last Month	DLM		INSD-LAST-MTH	6	N	CCYYMM
288	Insured Status Waiting Period Start Month			INSD-WPSD-MTH	6	N	CCYYMM
294	Insured Status 20/40 Exclusion Test Met			INSD-2040-XMT	1	Α	
295	Insured Status 20/40 Non-exclusion Test Met			INSD-2040-NXMT	1	Α	
296	Insured Status Age 31 Exclusion Test Met			INSD-A31-XMT	1	Α	
297	Insured Status Age 31 Non-Exclusion Test Met			INSD-A31-NXMT	1	A	
	Insured Status Age24 Exclusion Test Met			INSD-A24-XMT	1	A	
	Insured Status Age24 Non-Exclusion Test Met			INSD-A24-NXMT	1	A	
	Insured Status DIB Test Quarters of Coverage Required Count			INSD-DIB-REQ	2	N	
302 304	Insured Status DIB Test HAS Quarters of Coverage Count Insured Status Fully Insured Exclusion Test Met			INSD-DIB-HAS INSD-FIS-XMT	2	N A	
	Insured Status Fully Insured Non-Exclusion Test Met			INSD-FIS-NXMT	1	A	
306	Insured Status Fully Insured Test Quarters of Coverage Required Count			INSD-FIS-REQ	2	N	
308	Insured Status Fully Insured HAS Quarters of Coverage Count			INSD-FIS-HAS	2	N	
310	Statutory Blindness Established			INSD-STBL-IND	1	Α	
311	Insured Status History occurs 2				38		
	038 FIXED PAYMENT DATA						
349	Monthly Payment Amount			MPA	5	N	\$\$\$\$c
354	District Office Code			DOC	3	A/N	
357	Advance Filling Switch		Ν	ADV-FILING-SW	1	A/N	
358	FILLER				18	A/N	
376	062 FIXED BENEFICIARY DATA Repeticiary Identification Code			RIC	2	Λ/ΝΙ	
376 378	Beneficiary Identification Code Ledger Account File			BIC LAF	2	A/N A/N	
378 380	Date of Birth			DOB	8	A/N N	CCYYMMDD
388	Initial Date of Entitlement			DOEI	6	N	CCYYMM
394	Current Date of Entitlement			DOEC	6	N	CCYYMM
400	Dual Entitlement Type	BPC-DUAL		DE-TYPE	1	A	
401	Beneficiary Reduced for Age	BPC-AGE-RED		RED-FOR-AGE	1	Α	
402	RIBLIM-Applies	-		RIBLIM-APPLIES	1	A/N	
403	Debit Processing Date			DRD	8	N	CCYYMMDD
411	Date of Suspension / Termination			DOST	6	N	CCYYMM
417	Date of Credit Action			DOCA	6	N	CCYYMM
423	Beneficiary Sex Code			SEXB	1	A/N	
424	Monthly Benefit Payment			MBP	5	N	\$\$\$\$c

						Effectiv	e Date 12/2018
Location	Field Name		Action	Acronym	Size	Туре	Format
429	Language			LANG	1	A/N	
430	Railroad Involvement Code			RRIC	1	A/N	
431	FILLER			TUTO	1	A/N	
432	Adjusted Blind Onset Date			ABOD	8	N	CCYYMMDD
702	123 BENEFICIARY CLAIM DATA			ADOD	O	14	OOTTWINDD
	Occurs 10 times of 30						
440	Number of Beneficiary Claim Data fields			NBCLM	2	N	
442	Historical Date of Entitlement Start			BCLM-DOE-START	6	N	CCYYMM
448	Date of Filing Application	DOF		BCLM-DOF	8	N	CCYYMMDD
456	Application Receipt Date	DOI		BCLM-APPRECPT	8	N	CCYYMMDD
464	Historical Beneficiary Identification Code	BIC		BCLM-BIC	2	A	OOTTWINDD
466	Historical Current Entitlement Code	CEC		BCLM-CEC	1	A	
467	Outside the MAX Indicator	OLO		BCLM-OTSID-MAX	1	A	
468	Historical Date of Entitlement Termination			BCLM-DOETERM	6	N	CCYYMM
474	BCLM Data occurs 2 through 10			DOLIVI-DOL I LINIVI	288	14	CCTTWW
4/4	153 BENEFICIARY DENIAL/DISALLOWANCE DATA				200		
	Occurs 6 times of 30						
700				NIDENIV	0	N.	
762	Number of Beneficiary Denial/Disallowance Data fields	B0E		NDENY	2	N	00)0/4/4/00
764	Date of Filing Application	DOF		DENY-DOF	8	N	CCYYMMDD
772	Application Receipt Date	DIO		DENY-APPRECPT	8	N	CCYYMMDD
780	Historical Beneficiary Identification Code	BIC		DENY-BIC	2	A	
782	Historical Current Entitlement Code	CEC		DENY-CEC	1	A	00)000000
783	Date of Disability Onset			DENY-DDO	8	N	CCYYMMDD
791	Historical Reason for Disallowance or Denial	RDD		DENY-RDD	3	A	
794	Level of Denial associated with RDD on Disability Claim			DENY-RDD-LOD	1	A/N	
795	Deny Data occurs 2 through 6				155		
	147 DEVELOP DIB DATA						
0.50	Occurs 5 times of 5			NDDID			
950	Number of DDIB data fields			NDDIB	1	N	
951	Develop DIB Suspension Effective Date			DDIB-SUSPEFF	6	N	CCYYMM
957	Develop DIB Resumption Request Input Date			DDIB-RESUMREQ	6	N	CCYYMM
963	Develop DIB occurs 2 through 5				48		
1011	FILLER				66	A/N	
	065 BENEFICIARY OVER/UNDERPAYMENT DATA						
1077	Due Process Overpayment			DPO	8	N	\$\$\$\$\$\$cc
1085	Due Process Recovery Date			DPRD	6	N	CCYYMM
1091	Due Process Overpayment Type			DPOT	2	A/N	
1093	Due Process Withholding Amount			DWA	4	N	\$\$\$\$
1097	Protest Indicator			PROTEST	1	A/N	
	066 REPRESENTATIVE PAYEE DATA						
1098	Date of Selection			DOS	6	N	CCYYMM
1104	Type of Payee			TOP	1	A/N	
1105	Custody Code			CC	1	A/N	
1106	Guardian Status			GS	1	A/N	
1107	Year Initial Payee Selected			YIPS	4	N	CCYY
	072 SECURITY INCOME DATA						
1111	Security Income File Type			SIFT	1	A/N	
1112	Security Income Status Code			SISC	1	A/N	
	075 BENEFICIARY REFERENCE DATA						
1113	Beneficiary's Own Account No. (CAN if BIC = A)		*	BOAN	9	N	
	076 DATE OF DEATH DATA						
1122	Beneficiary Date of Death		*	BDOD	8	N	CCYYMMDD
	081 DEMONSTRATION PROJECT DATA						
1130	Demonstration Project Indicator			DPI	2	A/N	
1132	Demonstration Project Start Date			DST	6	N	CCYYMM
1138	Demonstration Project Stop Date			DSP	6	N	CCYYMM
	088 DISABILITY DATA						
	Occurs 6 times of 12						
1144	Number of Disability Data Fields			NDIB	2	N	
1146	FILLER				14	A/N	
1160	Date of Disab. Benefit Cessation			DDBC	6	N	CCYYMM
1166	Disability Adjudication Date			DSD	6	N	CCYYMM
1172	Hearing Decision Date			HDD	6	N	CCYYMM
1172	SGA Disability Suspension			SDS	6	N	CCYYMM
1184	Applicant's Disability Cessation			ADC	6	N	CCYYMM
1190	Appeals Decision Date			APS	6	N	CCYYMM
1130	Appeals Bedieloff Bate			, 5	J		JOT 17VIIVI

						Effectiv	e Date 12/2018
Locatio	Field Name		Action	Acronym	Size	Туре	Format
1196	Date of Disability Onset			DDO	8	N	CCYYMMDD
1204	Disability Award Code			DAC	1	A/N	CCTTWWDD
1204	Level of Denial Code			LOD	1	A/N	
1206	Basis for Denial Code			BDC	2	A/N	
1208	Cessation of Disability Reason			CDR	1	A/N	
1209	Pending Appeals Review			PRY	1	A/N	
1210	EPE Begin Date			EBD	6	N	CCYYMM
1216	EPE Medicare Begin Date			EMD	6	N	CCYYMM
1222	Drug Addiction / Alcoholism Code of Disability			DAA	1	A/N	
1223	Disability Data occurs 2 through 6				385		
	091 CROSS-REFERENCE DATA						
	Occurs 3 times of 9						
1608	No. of Cross-Reference Fields			NXRD	1	N	
1609	Cross-reference Type Code			XRTC	1	A/N	
1610	Cross-reference Account Number			XRAN	9	A/N	
1619	Cross-reference Beneficiary Identifiction Number (BIC)			XBIC	2	A/N	
1621	Cross-ref. Occurs 2 through 3				24		
	093 DUAL ENTITLEMENT DATA						
	Occurs 2 times of 2						
1645	No. of Dual Entitlement Fields			NDED	1	N	
1646	Type of Dual Entitlement			TOD	1	A/N	
1647	Other Account Number			OTAN	9	A/N	
1656	Other Beneficiary Identification Code			OTBIC	2	A/N	
1658	Other Date of Entitlement			OTDOE	6	N	CCYYMM
1664	Other Primary Insurance Amount			OTPIA	5	N	\$\$\$\$c
1669	Larger Full Monthly Benefit Amount			LFMBA	5	N	\$\$\$\$c
1674	Larger Excess Monthly Benefit Amount			LEMBA	5	N	\$\$\$\$c
1679	Smaller Full Monthly Benefit Amount			SFMBA	5	N	\$\$\$\$c
1684	Smaller Actuarially Reduced Monthly Benefit Amount			SAMBA	5	N	\$\$\$\$c
1689	Dual Entitlement Status Code			DESC	1	A/N	
1690	Dual Entitlement Data occurs 2				44		
	095 ENFORCEMENT DATA						
	Occurs 5 times of 5						
1734	No. of Enforcement Fields			NENFD	1	N	
1735	Year of Enforcement			YOE	4	N	CCYY
1739	Year of Enforcement Selection.			YOES	4	N	CCYY
1743	Total Enforceable Earnings			TEE	7	N	\$\$\$\$\$\$\$
1750	Enforcement Category Code			ECC	2	A/N	
1752	Enforcement Selection Operation Code			ESOC	1	A/N	
1753	Earnings Posted Type			EPT	1	A/N	
1754	Enforcement Data occurs 2 through 5				76		
	096 HISTORY DATA						
	Occurs 35 times of 150						
1830	Number of History Fields			NHIST	2	N	
1832	Effective Date			EFD	6	N	CCYYMM
1838	Monthly Benefit Amount			MBA	5	N	\$\$\$\$c
1843	Reason for Deduction			RFD	1	A/N	
1844	Work Indication Code			WIC	1	A/N	
1845	Benefit Paid Designation Indicator			BPD	1	A/N	ውውው -
1846	Monthly Benefit Credited	DECT		MBC HRFST	5 6	N A/N	\$\$\$\$c
1851 1857	Historical Reason for Suspension or Termination History Data occurs 2 through 35	RFST		пкгот	850	A/N	
1007	098 DISABILITY TEST PROCESS DATA				630		
	Occurs 5 times of 5						
2707				NDTDD	1	N.I	
2707 2708	Number of Disability Test Process Data Fields			NDTPD	1	N A/N	
2708	Test Process Indicator Date Claim Filed			TPI DCF	1		CCYYMM
2709				DCF	6 28	N	CCTTIVIIVI
2110	Disability Test Data occurs 2 through 5 105 HOSPITAL INSURANCE DATA				20		
	Occurs 5 times of 10						
2742	Number of Health Insurance Fields			NHI	^	N!	
2743 2745	HI Enrollment Month			HI-START	2 6	N N	CCYYMM
2745 2751	HI Termination Month			HI-TERM	6	N N	CCYYMM
2101	The Committee of Month			ILINVI	0	. 4	OC: HVIIVI

2759	Field Name HI Basis Type HI Non Coverage Reason Type		Action	Acronym HI-BASIS	Size 1	Type	Format
2758 2759	· · · · · · · · · · · · · · · · · · ·			HI-BASIS	1	A /A I	
2758 2759	· · · · · · · · · · · · · · · · · · ·					A/N	
2759	Thi Non Coverage Reason Type			HI-NONCOVRSN	1	A/N	
	Hospital Insurance occurs 2 through 5			TH NOIVE VINCIN	56	7 414	
2015	109 SUPPLEMENTAL MEDICAL INSURANCE	CE			30		
201E	Occurs 5 times of 20						
2815	Number of Supplementary Medical insurance Fields			NSMI	2	N	
2817	SMI Enrollment Effective Month			SMI-START	6	N	CCYYMM
2823	SMI Termination Month			SMI-TERM	6	N	CCYYMM
2829	SMI Basis Type			SMI-BASIS	1	A/N	
2830	SMI NON Coverage Reason Type			SMI-NONCOVRSN	1	A/N	
2831	Supplemental Med. Insurance occurs 2 through 5 025 DRAMS PRIOR PERIOD OF DISABILIT	Υ			56		
	Occurs 4 times of 4						
2887	Number of DRAM Data Fields			NDRAM	1	N	
2888	Prior DIB Start Date			PDST-REL	6	N	CCYYMM
2894	Prior DIB End Date			PDED-REL	6	N	CCYYMM
2900	Prior DIB Source			PDSOURCE	1	A/N	
2901	DRAMS occurs 2 through 4				39		
	121 CITIZENSHIP DATA Most Recent Occurrence of 3						
2940	Number of Citizenship Fields			NCTZN	1	N	
2941	Citizenship Start Date			CTZN-START	8	N	CCYYMMDD
	Citizenship Stop Date			CTZN-STOP	8	N	CCYYMMDD
	Citizenship Country Name			CTZN-COUNTRY	2	A/N	
2959	Citizenship Proof Indicator	CTZN-PROOF		CTZN-USPROOF	1	A/N	
2000	122 LAWFUL PRESENCE DATA	0.2		0.2 0000.	•	, , , ,	
	Most Recent Occurrence of 10						
2960	Number of Lawful Presence Data Fields			NLWPR	2	N	
	Lawful Presence Effective Date			LWPR-START	8	N	CCYYMMDD
	Lawful Presence Stop Date			LWPR-STOP	8	N	CCYYMMDD
	Lawful Presence Proof Indicator			LWPR-PROOF	1	A/N	
2979	LWPR Status	LWPR-PERM-TYPE		LWPR-STATUS	1	A/N	
2010	168 TRIAL WORK PERIOD FRAUD DATA	2001001200011112		2111110111100	•	, , , ,	
2980	No. of Trial Work Period Fraud Data Groups 032 WC/PDB OFFSET DATA			NTWPF	1	N	
	Most Recent Occurrence of 120						
2001	Number of WCPD Data Group Occurrences Fields			NWCPD	2	A/N	
	•				3	A/N	
2984 2986	Type of Offsetable Public Disability Benefits Type of Offsetable Workers! Companyation Reposits			WCPD-PDB-TYPE WCPD-WC-TYPE	2	A/N A/N	
2900	Type of Offsetable Workers' Compensation Benefits 051 ATTORNEY PAYMENT DATA			WCPD-WC-TTPE	2	AVIN	
	Most Recent Occurrence of 10						
2988	NAREP			NAREP	2	N	
2990	Appointed Representation Total Past Due Benefits (UNPACKED)	,		AREP-DUE-BENE	9	N	\$\$\$\$\$\$\$CC
2999	Appointed Representation Fee Agreement Amount (UNPACKED))		AREP-AGMT-AMT	7	N	\$\$\$\$\$CC
3006	Appointed Fee Agreement Type			AREP-FEE-TYPE	1	A/N	
	148 CONTINUING DIB INVESTIGATION DAT Occurs 5 times of 5	ГА					
3007	Number of CDIB Data fields			NCDIB	1	N	
3008	CDR Suspension Effective Date			CDIB-SUSPEFF	6	N	CCYYMM
	CDR Suspension Stop Date (UNPACKED)			CDIB-SUSPSTOP	6	N	CCYYMM
	CDR Suspension Reason			CDIB-SUSPRSN	1	A/N	30
	CDR Resumption Request Input Date			CDIB-RESUMREQ	6	N	CCYYMM
3027	CDR Data occurs 2 through 5			JOID ! LEGOINII LEG	76	. •	SS. HVIIVI
0027	088 DISABILITY DATA				70		
	Occurs 6 times of 12						
3103	Diagnosis Code			DIG	10	A/N	
	Secondary Diagnosis Code			SDIG	10	A/N	
3123	Date of Entitlement to DIB for Medicare			DOED	6	N	CCYYMM
3129	True Date of Entitlement to DIB (UNPACKED)			T2-DOED	6	N	CCYYMM
3135	Disability Data occurs 2 through 6				160	14	JO I I WIIVI
5100	FIXED BENEFIT DATA				100		
0005	Occurs 2 times of 20			NUTCO	_		
	Number of Historic Type of Claim			NHTOC	2	N	
3297	Type of Claim			TOC	1	A/N	00\0.00
	Type of Claim Start Date (UNPACKED)			TOC-START	6	N	CCYYMM
3298 3304	Historic TOC occurs 2				7		

Effective Date 12/2018

Locatio	n Field Name	Action Acronym	Size	Туре	Format
	PAYMENT MAILING ADDRESS DATA				
3311	Address State and County Code	ADDR-SCC	5	A/N	
3316	Address Foreign Geographic Code	ADDR-FGN-GEO-COI	DE 5	A/N	
3321	Address ZIP Code	ADDR-ZIP	9	A/N	
3330	Address Consular Office Code	ADDR-CON-CODE	3	N	
	BENEFICIARY MAILING ADDRESS DATA				
3333	Beneficiary Mailing State and County Code	BADR-SCC	5	A/N	
3338	Beneficiary Mailing Address Foreign Geographic Code	BADR-FGN-GEO-COL)E 5	A/N	
3343	Beneficiary Mailing Address Zip Code	BADR-ZIP	9	A/N	
3352	Beneficiary Mailing Address Country Consular Office Code	BADR-CON-CODE	3	N	
3355	Number of Historic SSDI Fields	SSDI-NHIST	3	N	
3358	Attainment_Date		8	N	CCYYMMDD
3366	FILLER		135		
3500	RECORD LENGTH				

^{*} Record Length = 3500 charcters

Sequence = CAN / DOB / SEX / BIC / LAF

Multi occurrence fields are in most current to oldest sequence.

Date of File Selection	SEL-DATE	Date of data on file
Primary Insurance Amount (MBC's PIA)	PIA	Governing PIA amount
Beneficiary's Own Account No.	BOAN	If BIC = A, fill with CAN
Beneficiary Date of Death	BDOD	If BDOD = blank and BIC = A,
		fill with DODP
First Payment Cycle Current Operating Month	FPCCOM	Earliest date in either PCCOM
		or HPCCOM
First Payment Cycle Change Reason	FPCCR	Reason code in either PCCR or
		HPCCR associated with the
		earliest PCCOM or HPCCOM
ZIPcode	* ZIP	If ZIP blank, use RZIP if present
		FMAX = FMAX + \$10,000 if
Family Maximum	* FMAX	TOM = X, Y or Z

^{* =} Not directly derived from MBR

F = Field name change - this record

M = Modified field - this record

N = New field - this record

S = Size change - this record

BLUE = New or Modified field - this record

APPENDIX H: FILE LAYOUT OF THE PHUS

TY2022 PHUS TOTALS RECORD

Start Position	End Position	Field <u>Size</u>	Program Mnemonic	Field <u>Description</u>
1 10 12 21 30	9 11 20 29 30	9 2 9 9	CAN BIC SSN-LINK LNK_BOAN FILLER	Claim Account Number Beneficiary ID Code n/a SSN LINK_BOAN (Only for CWHS/OEP/CBO) FILLER
31 33 39 3315	32 38 3314 5654	2 6 3276 2340	YEAR EXTRACT-DATE DIRECT-PAY MEDICARE	Panel Year Date Record extracted from master files (MMCCYY) MONTHLY BENEFITS PAID (01/84 – 12/22) (EACH ENTRY 7 POSITIONS - \$\$\$\$\$C, there are 468 entries.) (Signed Pos or Neg.) MONTHLY HI-SMI CHARGES (01/84 – 12/22) (EACH ENTRY 5 POSITIONS - \$\$\$C, there are 468 entries.) (Signed Pos or Neg.)

DIRECT PAY***

<u>ADD</u> – Duplicate Checks (010), Recurring Payment(014), pos. Death Adjustments (024), CSP SAC X TO (029), Check not held (030), PMA Check (042), PCMA Check (043), RCMA Check (044), SAC X FROM (052), DO Payment (057), RRB Ret Check Reissue (084), RRB Payment (087), CO DUP CHK (253, 254, 255).

<u>SUBTRACT</u>—Wrong Check Held (031), PCMA Hold (047), RCMA Hold (048), CPS Non Receipt (170), PMA Benefit Payment Offset (BPO) (142), CMA BPO (143), Recurring PMT BPO (144).

MEDICARE -

<u>ADD – Premium Deductions/Refunds (020)</u>, Negative Premium Refund Actions (039), HI SMI Amount (HSA) in (014, 043, 044), Part C Medicare Premium (120), Part-D Medicare Drug Premium (220), Part-D IRMAA (221), Part B Equitable Relief Arrearage (231), and IRMAA D Equitable Relief Arrearage (233)

<u>SUBTRACT</u> – HSA in (047) and (048), Part C Medicare Premium refund (139), Part B Equitable Relief Reversal (232), IRMAA D Equitable Relief Arrearage Reversal (234), Medicare Premium Refund (239), and Part D IRMAA Refund (240)

^{***}Recurring Payment event 014 is built using the MBP. Direct Pay does not include Medicare amounts.

APPENDIX I: FILE LAYOUT OF THE EN PAYMENTS FILES

Field Name	Description	Data Type	Format
ENET_NM	Name of the Provider	Character	
DUNS	Data Universal Number	Character	
TKT_PMT_TYP	Payment option selected by the provider.	Character	
BeneficiaryName	First and Last Name of the Beneficiary	Character	
COSSN	Beneficiary's Social Security Number	Character	
CTL_DT	Date of the event that triggered the payment to the Provider	SAS Date	CCVV/NA//DD
			CCYY/ MM/ DD
TKT_PAID_AMT	Amount of the payment made to the Provider	Numeric	888.00
TKT_PAID_DT	Date of the payment made to the Provider		CCYY/ MM/ DD
MLSTON_NUM	Milestone Number used to identify Payment Type = "M"	Numeric	0
ACTL_PMT_NUM	Actual Payment Number used to identify Payment	Numeric	5
LU_PIN	Type = "O" PIN, not used	Character	T35

APPENDIX J: FILE LAYOUT OF THE MEF: MASTER EARNINGS FILE

Start	End	Size	Name	Description
Pos	Pos			
1	1		TYPE	Type 2 = State and Local Wages Type 3 = Self Employment Type 4 = Tips Type 1 = none of the above
2	10		SSN	Social Security Number
11	14	4	YEAR	Tax Year (CCYY)
15	23	9	EIN	Employer Identification Number
24	35	12	WAGE_TIPS_IRS	Wages, tips and other compensation W2-Box #1 (Total Compensation) \$\$\$.cc
36	47		WAGE_TIPS_RR	Railroad wages W2-Box #1 \$\$\$.cc
48	59	12	WAGE_TIPS_NF	Wages, other than railroad, non-covered for Soc Sec or Medicare W2-Box #1 \$\$\$.cc
60	71	12	WAGE_TIPS_SS	Total of WAGE_SS and TIPS_SS W2-Box #3 and Box #7 \$\$\$.cc
72	83	12	WAGE_SS	Social Security taxable wages W2-Box #3 \$\$\$.cc
84	95	12	TIPS_SS	Social Security taxable tips W2-Box #7 \$\$\$.cc
96	107	12	WAGE_TIPS_MED	Medicare taxable wages and tips W2-Box #5 \$\$\$.cc
108	119	12	TIPS_MED	Medicare taxable tips \$\$\$.cc
120	131	12	SEI_SS	Social Security taxable self-employment income, as posted (SSSEIP) \$\$\$.cc
132	143		SEI_MED	Medicare taxable self-employment income, as posted (MTSEIP) \$\$\$.cc
144	155	12	PENSION	Pensions (IRS Form W-2P) \$\$\$.cc
156	167	12	PAYMENT_457	Plan 457 and Non Plan 457 distributions \$\$\$.cc
168	179	12	SWP_457	Non Plan 457 Special Wage Payments \$\$\$.cc
180	191	12	DEF_DSTB	Deferred Compensation Distributions W2-Box #11 \$\$\$.cc
192			DEF_CNTR	Deferred Compensation contributions W2-Box #12 Prior to 2004 all elective deferrals were summarized into this grouping. In 2004 new employment types were created for the different plans (401, 403, 408, 457, 501). \$\$\$.cc
204	215	12	PLAN_401	W2 non FICA & Def Comp contributions to 401 (k) \$\$\$.cc
216	227	12	PLAN_403	W2 non FICA & Def Comp contributions to 403 (b) \$\$\$.cc
228	239		PLAN_408	W2 non FICA & Def Comp contributions to 408 (k) \$\$\$.cc
240			PLAN_457	W2 non FICA & Def Comp contributions to 457 (b) \$\$\$.cc
252	263	12	PLAN_501	W2 non FICA & Def Comp contributions to 501(c) (18) (d) \$\$\$.cc
264	275	12	HSA_CNTR	Health Savings Account (HSA) W2-Box #12 \$\$\$.cc

APPENDIX K: FILE LAYOUT OF THE VRRMS FILES

Note: The VRRMS source file layout changed in March 2017, as described in Volume 2. Both of the layouts are presented in what follows.

APPENDIX K.1: VRRMS LAYOUT, PRE-MARCH 2017

Table	Column	Description	
CLAIM COSTS	C SSN	SSN	
<u> </u>		Number of VR Period (an indicator that claims for reimbursement for	
	C_CNTL_CNTR	multiple VR periods have occurred)	
	=======================================	Number of times a claim for the same SSN and VR Period has been	
	C_DETL_CNTR	made and entered into system	
	CC TYPE	Type of cost claimed	
	CC_CLAIMED	Amount claimed by VRA	
	OO_OLANVIED	Amount daimed by VIVA	
		Costs accepted to be reimbursable prior to determining if trust fund	
	CC_ACCEPT	costs were exceeded and if prior payments needed to be considered	
	CC_ACCEPT	Costs determined due to VRA for a claim after determining if trust	
		fund costs were exceeded and if prior payments need to be	
	CC ALLOWED	considered	
	CC_ALLOWED	considered	
CLAIM_DETAIL	C_SSN	SSN	
		Number of VR Period (an indicator that claims for reimbursement for	
	C_CNTL_CNTR	multiple VR periods have occurred)	
		Number of times a claim for the same SSN and VR Period has been	
	C_DETL_CNTR	made and entered into system	
	V_ALT_CODE	VRA code	
	C_PCODE	Payment Code for Allowed, Denied, of Technically Revised Claims	
	C_CLM_ENTERED	Date claim entered into system	
	C_1ST_NAME	First Name	
	C MID INIT	Middle Initial	
	C LAST NAME	Last Name	
	C SEX	Gender	
	C_BIRTHDAY	Date of Birth	
	C_VR_REMARK	Indicator that the VRA has made additional comments on the claim	
	C_VRA_ENTER	Date the claimant entered VR	
	C_RPB_RECVD	Date claim received by SSA/OESP	
	C_DISP_DTE	Date claim dispatched	
	C_XREF_SSN	The cross reference SSN of the beneficiary	
		Indicator that identifies whether the VR services contributed to the	
		continuous period of SGA in cases when the end of the continuous	
	C_CONTRIB_F	period of SGA is more than a year after the VR Closure Date	
		Indicates whether the VRA claims to have provided medical services	
	C_MED_SVC_F	to the client	
	C_PRG_CLMD	The Program that is reimbursing the VRA (DI, SSI, CON)	
		Indicator that identifies whether the VRA solely provided services	
	C_EXT_EVL_F	during an extended evaluation	
		Indicator that SSA considers whether the Title II disability of a claim	
	C_BL_DIB_DEC_F	is due to blindness	
		Indicator that identifies whether or not the client was blind (may not	
	C_VR_BLIND_F	be the reason for their disability, however)	
	C SSI FLA	SSI Federal Living Arrangement	
	C_MED_RECOV_CESS	The reason SSA monthly benefits have ceased	
	C MDIBP F	Indicator that identifies multiple disability periods	

		Indicates whether a medical recovery was expected in the case of a
	C_MR_EXP_F	medical cessation
	C BIC	The beneficiary identification code
	C_FO_CODE	The client's Field Office Code
	0_: 0_0022	Amount of worker's compensation offset that is used in the Savings
	C_WC_DEDUCT	to the Trust Fund formula
	0_110_525001	Gross Pay Period Begin Date, which is the beginning pay period or
	C_GROSS_PPD_B	10/1/1981, whichever is later
	<u>e_cneec_i i b_b</u>	10/1/1001, Willonever lo later
		Gross Pay Period End Date, which is the End of Entitlement Date if
		the claim is a Refusal or 301 claim, otherwise it is the End of
	C_GROSS_PPD_E	Entitlement Date or the last month of SGA, whichever is earlier
	0_61(636_11 B_E	Net Pay Period Begin Date, which is the Gross Pay Period Begin
	C_NET_PPD_B	Date or the VR Entered Date, whichever is later
	C_NET_FFD_B	Net Pay Period End Date, which is the Gross Pay Period End Date
	C NET DDD E	or the VR Closure Date, whichever is earlier
	C_NET_PPD_E	First day of month following net pay period end date
	C_TRK_PPD_B	<u> </u>
	C_TRK_PPD_E	Equal to gross pay period end date
	C_TRK_MNTHS	Number of months that work activity was tracked by the VRA
	C MDD DIA	The Primary Insurance Amount for a Title II individual derived from
	C_MBR_PIA	the Master Beneficiary Record
	C_EMP_BEGAN	Date Employment Began
	C_VR_CLOSED	Date of final VR Closure
	0 75 00070	Computed trust fund costs if beneficiary were not rehabilitated and,
	C_TF_COSTS	therefore, continued to receive monthly payments
	C_TF_SAVINGS	Calculated savings to the trust fund
		The Title II onset date (first of month following onset date if onset
		date not the first of the month) or Title XVI date of eligibility,
	C_BEGIN_PPD	whichever is earlier
	C_ENTIT_END	The date entitlement to disability to monthly payments ends
	C_SGA_START	The first day of the first month of client's continuous period of SGA
	C_SGA_END	The last day of the last month of client's continuous period of SGA
		A code that indicates that SGA was successfully completed for a
	C_SGA_DEC_CDE	claim
	C_SGA_BASIS_CDE	Basis for SGA Decision Code
	C_EXCLUD_MOS	The non-pay months
	C_INELIG_TRK	Number of ineligible months during the tracking pay period
	C_INELIG_INCLD	Indicates whether there were non-pay months
	C_TOC	Type of Claim
	C_INELIG_NET	Number of ineligible months during the net pay period
	C_POST_EMP_BEGIN_DATE	Date VRA began postemployment services
	C_POST_EMP_END_DATE	Date postemployment services ended
	C_POST_EMP_NO_OF_MONTH	
		Prior payments made for claims from the same SSN but different
	C_PRIOR_PMT_OTH_PD	period of VR
		Prior payments made for claims from the same SSN and same
	C_PRIOR_PMT_THIS_PD	period of VR
	C_IPE_DT	Individualized Plan for Employment Date
 		

PROGRAM_COSTS	C_SSN	SSN
		Number of VR Period (an indicator that claims for reimbursement for
	C_CNTL_CNTR	multiple VR periods have occurred)
		Number of times a claim for the same SSN and VR Period has been
	C_DETL_CNTR	made and entered into system
	PC_PROGRAM	Type of SSA Trust Fund (DI, SSI)
	PC_BENEFITS	Amount of Program Monthly Payments
	PC_ALLOWED	Program Costs Allowed

APPENDIX K.2: VRRMS LAYOUT, MARCH 2017 ONWARD

For Schema U: VR Tables 4/18/2016

L: PCWOSS VRPMACCD, VR Payment Action Code Reference Table

This table is used to decode the VR Payment Code used within VRMMS.

VR_PMT_ACTN_CD, VR Payment Code [C_PCODE, Char 3, not nullable, no default, primary key] A three position code describing the action taken on the submitted VR claim.

VR_ACTN_CTGY_CD, VR Payment Code Type [C_PCODE_TYPE, Char 1, not nullable, no default, constraint- must be F for Favorable, P for Partially Favorable, or U for Unfavorable, or N {not applicable?::Q}] Identifies a general category into which the VR Payment Code falls.

VR_PMT_ACTN_DESC, VR Payment Code Description [C_PCODE_DESC, VarChar 550, not nullable, no default] English decode of the VR Payment Code.

VR_PMT_ACTN_CSD, VR Payment Code Short Description [Char 60, not nullable, no default].

Reference table meta-data to be included: VLD_SW (default Y), EFF_STDT, EFF_ENDT, LU_PIN, LU_TS (default DB timestamp).

Samples:

100	U	This claim has been disallowed. Review of the termination date was performed as requested. The review found that the termination date is correct.
110	U	This claim has been disallowed. Review of the payment period was performed as requested. The review found that the payment period is correct.
190	U	This claim has been disallowed. Refer to attachment to this notice for further explanation.
200	U	This claim has been disallowed. The individual's work activity could not be verified or established.
250	U	This claim has been disallowed. The individual performed SGA in 9 out of 12 months, but stopped work in 2 or 3 of the 12 months because of his or her medical impairment.

M: PCWOSS VROCCATC, Vocational Rehabilitation R Occupational Categories (Major category) Reference Table

Describes a major category of occupations that applies to an SSA disability beneficiary receiving VR services.

VROCC_CTGY_CD, Occupational Major Category:: [Char 1, not nullable, no default, primary key]

VROCC_CTGY_DESC, Occupational Major Category Description: [Char 60, not nullable, no default]

Examples:

0,PROFESSIONAL, TECHNICAL & MANAGERIAL OCCUPATIONS

2, CLERICAL AND SALES OCCUPATIONS

3, SERVICE OCCUPATIONS

4,AGRICULTURAL, FISHERY, FORESTRY AND RELATED OCCUPATIONS

5,PROCESSING OCCUPATIONS

6, MACHINE TRADES OCCUPATIONS

8,STRUCTURAL WORK OCCUPATIONS

9, MISCELLANEOUS OCCUPATIONS

These reference table metadata apply: VLD_SW (Y or N, default Y), LU_PIN, LU_TS (default DB timestamp).

M: PCWOSS VROCCSCD for Vocational Rehabilitation Subcategory Reference Table

Describes a minor category of occupations that applies to an SSA disability beneficiary receiving VR services.

VROCC_SBCTGY_CD, Occupational Category: (OCC_CAT in VRRMS): [Char 2, not nullable, no default, primary key]

VROCC_CTGY_CD, Occupational Major Category: [Char 1, not nullable, no default, foreign key constraint: should be in VROCCATC]

VROCC_SBCTGY_DESC, Occupational Category Description: (OCC_CAT_DESC in VRRMS): [Char 100, not nullable, no default]

Examples:

02,0,OCCUPATIONS IN MATHEMATICS and PHYSICAL SCIENCES

03,0,COMPUTER-RELATED OCCUPATIONS 04,0,OCCUPATIONS IN LIFE SCIENCES 05,0,OCCUPATIONS IN SOCIAL SCIENCES 07,0,OCCUPATIONS IN MEDICINE & HEALTH 09,0,OCCUPATIONS IN EDUCATION

All standard reference table metadata apply: VLD_SW (Y or N, default Y), LU_PIN, LU_TS (default DB timestamp).

M: PCWOSS VROCCCD, Vocational Rehabilitation Occupational Code Reference Table

Describes a specific occupation that applies to an SSA disability beneficiary receiving VR services.

VROCC_CD, Occupational Code: (OCC_CODE in VRRMS): [Char 2, not nullable, no default, primary key]

VROCC_SBCTGY_CD, Occupational Category: (OCC_CAT in VRRMS): [Char 2, not nullable, no default, foreign key constraint: should be in VROCCSCD]

VROCC_CTGY_CD, Occupational Major Category: [Char 1, not nullable, no default, foreign key constraint: should be in VROCCATC]

VROCC_DESC, Occupational Code Description: (OCC_CODE_DESC in VRRMS): [Char 120, not nullable, no default]

Examples:

025,02,0,Meteorology

029,02,0,Mathematics and Physical Sciences/ N.E.C.

030,03,0,Systems Analysis and Programming

031,03,0,Data Communications and Networks

032,03,0,Computer System User Support

033,03,0,Computer Systems Technical Support

039,03,0,Computer-related Occupations/ N.E.C.

040,04,0,Agricultural Sciences

041,04,0,Biological Sciences

All standard reference table metadata apply: VLD_SW (Y or N, default Y), EFF_STDT, EFF_ENDT (nullable), INSRT_PIN, INSRT_TS (default DB timestamp), LU_PIN, LU_TS (default DB timestamp).

.....

M: PCWOSS VROCALOC, Vocational Rehabilitation Allocations data table

This table maintains for each fiscal year for T 2 and T16 separately how much funding has been allocated for VR for that title, and how much funding has actually been spent. Two new rows are added each FY, but every VR payment or adjustment results in an update to the "Spent" amount.

Primary key is Fiscal Year + ENTLT_CD

FY, Fiscal Year: [Char 4, not nullable, no default] The fiscal year for which the allocation has been made.

ENTLT_CD, Entitlement Code (already named in PCWOSS.ENTLTCD): [Char 2, not nullable, no default, must be "2" or "16"]

ALLOCD_AMT, Allocated (A_ALLOC in VRRMS): [Dec 11,2, not nullable, no default] The fiscal year allocation for either T2 or T16 for VR payments.

APRVD_AMT, Spent (A_SPEND in VRRMS): [Dec 11,2, not nullable, system default (0)] The amount approved whether or not sent to SSOARS.

APRVD_UNPD_AMT, Pending: [Dec 11,2, not nullable, system default (0)] The amount approved but not yet sent to SSOARS. This is a breakout of Spent.

These standard metadata apply: LU PIN, LU TS (default DB timestamp).

4

M: PCWOSS VRCLMCST, Vocational Rehabilitation Claim Cost Type Reference Table

Describes a category of occupations that applies to an SSA disability beneficiary receiving VR services.

VR_CLM_CST_TYP_CD, Claim Cost Type (CC_TYPE in VRRMS): [Char 3, not nullable, no default, primary key]

VR_CLM_CST_TPDESC, Claim Cost Type Description [Char 30, not nullable, no default] ACP, Administrative Costs DIR, Direct Costs TRK, Tracking Costs OTH, Other Costs

All standard reference table metadata apply: VLD_SW (Y or N, default Y), LU_PIN, LU_TS (default DB timestamp).

M: PCWOSS VRRBTTCD, VR SGA Type of Claim Reference Table

Identifies the type of claim that has been submitted to SSA for VR reimbursement.

VR_RMBRST_TYP_CD, VR Type of Claim: (VRRMS C_TYPE in CLAIM_CONTROL) [Char 2, not nullable, no default, primary key] The type of claim code used in VRRMS.

VR_RMBRST_TPDESC, Type of Claim Description: [Char 20, not nullable, no default] Provides a description for the VR Type of Claim.

Examples:

B : Allowance

BJ: Allowance, second period

E:301

EJ: 301, second period F: Reconsideration

BK: Adjustment BB: Resubmittal

All standard reference table metadata apply: VLD_SW (Y or N, default Y), EFF_STDT, EFF_ENDT (nullable), LU_PIN, LU_TS (default DB timestamp).

M: PCWOSS VRPTARCD, Vocational Rehabilitation Payment Adjustment Reason Reference Table

Identifies a specific reason why SSA is altering on denying a claim for a VR payment, for a specific expense item in a VR claim.

VR_PMTARSN_CD, VR Payment Adjustment Code: (VRRMS C_RSN_NUM) [Char 1, not nullable, no default] Indicates the reason why the amount requested for a VR payment has been adjusted.

VR_PMTARSN_DESC, VR Payment Adjustment Description: (VRRMS C_RSN_DESC) [Char 70, not nullable, no default] Description for the Payment Adjustment Code.

Examples:

- 1,Failed to respond to our request for information
- 2,Documentation does not support reimbursement request
- 3, We found duplicate billings
- 4,Direct costs were found outside the payment period
- 5,Overcharge was due to mathematical error
- 6, Charge is considered a third party payment
- 7, Charge is considered ACP since State personnel provided services
- 8, Undercharge was due to mathematical error

All standard reference table metadata apply: VLD_SW (Y or N, default Y), EFF_STDT, EFF_ENDT (nullable), LU_PIN, LU_TS (default DB timestamp).

.....

M: PCWOSS VRALOFAC, Vocational Rehabilitation Allocation Factors Reference Table

This table identifies overhead costs to be added to the direct costs claimed by a state vocational rehabilitation agency. Factors are adjusted at the start of each FY for each VR agency.

Primary key is VR Code + year.

ST_VR_ABBR_CD, State VRA Abbreviation: [Char 4, not nullable, no default, foreign key constraint: must be in VRSTABDA]

FY, Fiscal Year: [Char 4, not nullable, no default] Fiscal Year.

ADMINV_CSTFCTR_AMT, Administrative Cost Factor: (V_ACP_FACT in VRRMS): [Dec 8,2; not nullable, no default] Permitted additional average monthly claim amount attributable to administration and counseling/placement for months through VR closure.

TRKG_CSTFCTR_AMT, Tracking Cost Factor: (V_TRK_FACT in VRRMS): [Dec 8,2; not nullable, no default] Permitted additional monthly VR claim amount attributable to tracking beneficiary after VR closure, not to exceed nine months.

CST_ALLOCN_MTHD_CD, VR Allocation Method: [Char 1, not nullable, no default, constraint: must be A or B] identifies whether the method A or the method B cost allocation method was chosen by the SVR.

These standard metadata apply: INSRT_PIN, INSRT_TS (default DB timestamp), LU_PIN, LU_TS (default DB timestamp).

Q Add: VLD_SW, Verified [Char 1, not nullable, default N, must be Y or N] Identifies whether the amount in this row have been verified. The row cannot be used until the amounts are verified.

Q Add: AMT_VRFD_PIN, Verified PIN [Char 6, not nullable, no default] The PIN of the person successfully verifying the contents of this row.

Q Add: AMT_VRFD_TS, Verified Timestamp [Timestamp, nullable, default null] The time the contents of this row were successfully verified.

T: Create history table HVRALOFC (will be updated by DB2 Triggers).

In the history table add these additional history only fields: DELD_SW (must be Y or N, default N), AUDT_TS (not nullable, system default) and AUDT_PIN (not nullable, default spaces).

There are no constraints of any kind on the history table other than on DELD SW.

M: PCWOSS VRSGACCD, Vocational Rehabilitation SGA Continuous Period Reference Table

This code identifies the type of continuous period of SGA used to allow a VR claim. For a VR to be entitled to reimbursement the SSA beneficiary must have performed continuous SGA for one of the period identified in this table.

VR SGA CPRD TYPCD, SGA period type [Char 2, not nullable, no default, primary key]

VR_SGA_CPRD_TPDESC, SGA period type description [Char 100, not nullable, no default]

Examples:

- 09: 9 months of consecutive months of SGA
- 10: 9 months of SGA within 10 consecutive months, break for any reason
- 12: 9 months of SGA within 12 consecutive months, breaks for non-medical reasons outside beneficiary control

Only these standard metadata apply: VLD_SW (default Y, must be Y or N), LU_PIN, LU_TS (default DB timestamp).

M: PCWOSS VRRHBSCD, Vocational Rehabilitation Status Reference Table

These codes are two position codes nationally used by VR agencies to describe the current status of a particular VR claim.

VR_STUS_CD, VR status code [Char 2, not nullable, no default, primary key]

VR STUS DESC, VR status code description [Char 80, not nullable, no default]

Examples:

- 00: Referral
- 02: Applicant (Signed application)
- 04: Waiting List (Order of Selection)
- 06: Extended Evaluation
- 08: Closed before Certified Eligible
- 10: Plan Development Begun (Certified eligible)
- 12: Plan Development Completed (No services yet provided)
- 14: Counseling and Guidance (Plan started)
- 16: Physical and/or Mental Restoration (Plan started)
- 18: Training (Plan started)
- 20: Ready for Employment

- 22: In Employment
- 24: Services Interrupted
- 26: Successful Case Closure (Rehabilitated)
- 28: Closed Not Rehabilitated after Plan started, some services provided
- 30: Closed Not Rehabilitated before Plan started, no services provided
- 32: Postemployment Services (maintain/regain employment after successful closure)
- 38: Closed from Waiting List (Order of Selection)

Only these standard metadata apply: VLD_SW (default Y, must be Y or N), LU_PIN, LU_TS (default DB timestamp).

M: PCWOSS VROCSSCD, Vocational Rehabilitation Supplemental Service Reference Table

These codes are three position codes nationally used by VR agencies to supplement the current status of a particular VR claim.

VR_SUPPL_SRV_CD, VR supplemental status code [Char 3, not nullable, no default, primary key]

VR_STUS_CD, VR status code [Char 2, not nullable, no default, foreign key constraint: must be in VRRHBSCD]

VR_SUPPL_SRV_DESC, VR supplemental status code description [Char 90, not nullable, no default]

Examples:

- 086, 08, Closed during/after trial work/extended evaluation and before certified eligible
- 160, 16, Limbs
- 161, 16, Braces
- 162, 16, Hearing Aids
- 163, 16, Eye Glasses
- 164, 16, Wheelchairs, Walkers Crutches
- 165, 16, Dentures
- 166, 16, Other Assistive Devices
- 167, 16, Medical Services
- 180, 18, State Supported University
- 181, 18, Private In-State University or College
- 182, 18, Community or Area Technical College
- 183, 18, Out-of-State University or College
- 184, 18, Area Vocational-Technical College
- 185, 18, Proprietary School approved by the agency

- 186, 18, Other Training (Supported Employment)
- 187, 18, Rehabilitation Facility Approved by Agency (EOS)
- 188, 18, Rehabilitation Facility Approved by Agency (Skill Training)
- 189, 18, OJT- On-the-job Training
- 241, 24, Medical (Physical)- Interrupted under Medical Advice
- 242, 24, Medical (Mental)- Reoccurrence of psychiatric condition in remission, drug and alcohol abuse
- 243, 24, Personal Problems- Inability to adapt, inappropriate behavior, family problems
- 244, 24, Academic-Poor grades or inability to do course work
- 245, 24, Financial- Client does not have adequate funds to continue training
- 246, 24, Attendance-Poor or irregular attendance resulting in termination for other reasons
- 247, 24, Employment- Client is employed
- 248, 24, Unable to locate or contact client
- 249, 24, Other Reason Lack of transportation, client moved or died, etc.

Only these standard metadata apply: VLD_SW (default Y, must be Y or N), LU_PIN, LU_TS (default DB timestamp).

.....

M: PCWOSS VREXPCCD, Vocational Rehabilitation Expense Category Reference Table

Expenses submitted by VR agencies to SSA for reimbursement are assigned to a particular expense category and type.

VR EXP CTGY CD, VR expense category: [Char 2, not nullable, no default, primary key]

VR EXP CTGY DESC, VR expense category description: [Char 50, not nullable, no default]

VR EXP CTGY TXT, VR expense category explanation: [VarChar 500, nullable, default null]

Examples:

- 01, Intake and Assessment
- 02, Counseling and Guidance
- 03, Physical and Mental Restoration
- 04, Training
- 05, Maintenance
- 06.Travel
- 07, Services to Family Members
- 08, Services for the Deaf and/or Blind
- 09, Rehabilitation Technology
- 10.Placement
- 11, Work-related Materials
- 12, Post Employment Services

- 13,Occupational Support
- 14, Rehabilitation Technology
- 15,Other Goods and Services

Only these standard metadata apply: VLD_SW (default Y, must be Y or N), LU_PIN, LU_TS (default DB timestamp).

M: PCWOSS VREXPICD, Vocational Rehabilitation Expense Item Reference Table

Expenses submitted by VR agencies to SSA for reimbursement are assigned to a particular expense category and type.

VR EXMP ITM CD, VR expense item: [Char 3, not nullable, no default, primary key]

VR_EXP_CTGY_CD, VR expense category: [Char 2, not nullable, no default, foreign key constraint: must be in VREXPCCD]

VR_EXP_ITM_DESC, VR expense item description: [Char 50, not nullable, no default]

VR EXP ITXT, VR expense item explanation: [VarChar 1000, nullable, default null]

Examples:

- 011,01,Diagnosis/Assessment/Evaluation
- 021,02, Purchased counseling/guidance services
- 031,03,Corrective surgery or therapy treatment
- 032,03, Hospitalization in connection with corrective surgery or therapy treatment
- 033,03, Professional clinic fees
- 034,03,Prescriptions for medications
- 035,03, Treatment for substance addiction to alcohol or drugs
- 036,03,Other restorative services not covered above

All standard reference table metadata apply: VLD_SW (Y or N, default Y), EFF_STDT, EFF_ENDT (nullable), INSRT_PIN, INSRT_TS (default DB timestamp), LU_PIN, LU_TS (default DB timestamp).

Q Add: CMPRBL_EXCP_SW, Similar/Comparable Exception: [Char 1, not nullable, no default, must be Y or N] Indicates whether or not this direct cost is excluded from denial on account of similar/comparable benefits available from another source.

Q Add: RSA_SRV_CD, RSA Service Code [Char 3, not nullable, default spaces, in a later release and foreign key constraint will be added to RSASRVCD] The Rehabilitation Services Agency equivalent code for this expense item.

T: Add: VR_SRV_CSD, VR Service Code Short Description [Char 20, not nullable, no default] a 20 character short description for the VR service that was rendered moved from VRSRVCD.

N: PCWOSS VRACALOC, VR Actuarial Cost Allocation Reference table

This table is used to support a formula to determine lifetime savings when processing a Vocational Rehabilitation Cost Reimbursement request. The "A" factor is the amount of administrative savings over the life-time of a disability claim. The "B" factor is a factor multiplied by the gross benefit amount, such as a PIA, to determine the current value of expected lifetime savings. Separate "A" and "B" factors are provided by the office of the actuary by gender for each age until full retirement.

Primary key is Age + Gender.

AGE_NUM, Age [SmallInt, not nullable, no default, constraint >= 16] The age of the SSA beneficiary as of the end of the SGA period used to make a VR cost reimbursement award.

SEX_CD, Gender [Char 1, not nullable, no default, constraint: must be "M" or "F"] The gender of the SSA beneficiary for a VR cost reimbursement reward is being processed.

ADMINV_CSTFCTR_NUM, "A" Factor [Integer, not nullable, no default] The lifetime administrative costs for a person this age and gender.

BNFT_CSTFCTR_NUM, "B" Factor [Decimal 7,2, not nullable, no default] The factor which when multiplied by the benefit amount determines lifetime benefits for a person this age and gender.

Standard metadata: LU PIN (no default] and LU TS (system default)]

N: PCWOSS VRPRSTCD, Vocational Rehabilitation Process Step Reference Table

Provides the description for various existing Vocational Rehabilitation process steps.

VR_PRC_STEP_CD, VR Process step: [Char 2, not nullable, no default, primary key] VR_PRC_STEP_DESC, VR Process Step Description: [Char 50, not nullable, no default]

Reference table metadata: VLD_SW (default Y), EFF_STDT (not nullable, no default), EFF_ENDT (nullable, default null), LU_PIN (no default), LU_TS (system default).

Sample values:

- P7 wage information received.
- P8 over 30,000 claim for Manager approval
- P9 289 notice returned to RRT
- P0 C3,C7,C8 notice returned to RRT
- PA \$30,000 returned for correction
- PB Claim to trainer for review
- PC approved by trainer okay to process

.....

Q: PCWOSS RSASRVCD, RSA Service Code Reference Table

This table lists the Rehabilitation Services Agency codes assigned to individual direct service costs for a VR claim.

RSA SRV CD, RSA Service Code [Char 3, not nullable, no default, primary key]

RSA_SRV_DESC, RSA Service Code Description [Char 50, not nullable, no default]

CMPRBL_EXCP_SW, Similar/Comparable Exception: [Char 1, not nullable, no default, must be Y or N] Indicates whether or not this direct cost is excluded from denial on account of similar/comparable benefits available from another source.

RSA_SRV_LONG_DESC, RSA Service Code Long Description [VarChar 1000, not nullable, system default (empty)]

T: Add: VR_EXP_CTGY_CD, VR Expense Category Code [Char 2, not nullable, no default, foreign key constraint: must be in VREXPCCD, Vocational Rehabilitation Expense Category Reference] VR Expense Category reference for the VR direct service category code RSA_SRV_CD that is present in the table RSASRVCD.

Reference table metadata: VLD_SW (default Y), EFF_STDT, EFF_ENDT (default null), INSRT_PIN, INSRT_TS (system default timestamp)

Examples of categories are:

- 051 Assessment
- 056 Diagnosis and Treatment of Impairments
- Vocational Rehabilitation Counseling and Guidance
- 066 Graduate College or University Training
- 71 Four-Year College or University Training
- 076 Junior or Community College Training
- 081 Occupational or Vocational Training
- 086 On-the-job Training

- 091 Apprenticeship Training
- 096 Basic Academic Remedial or Literacy Training
- 101 Job Readiness Training
- 106 Disability-Related Skills Training
- 111 Miscellaneous Training
- 116 Job Search Assistance
- 121 Job Placement Assistance
- 126 On-the-job Supports Short Term
- 131 On-the-job Supports Supported Employment
- 136 Transportation
- 141 Maintenance
- 146 Rehabilitation Technology
- 151 Reader Services
- 156 Interpreter Services
- 161 Personal Attendant Services
- 166 Technical Assistance Services
- 171 Information and Referral Services
- 176 Benefits Counseling
- 181 Customized Employment Services
- 186 Other Services

R: PCWOSS QREVFOVR, VR Agency QA and PVR Random Sampling Selection Data Table

This table is used to record what percent of a VR's claims should be randomly sampled for QA purposes, what percent are subject to Prepayment Validation Review (PVR), and manages the actual random selection process for both. A QA review looks at the entire case and is selected when a VR examiner finally adjudicates a case. This table governs random selection based on the VR being paid. A separate table governs random selection based upon the VR Examiner clearing the case. Either may result in a VR case selection for QA purposes. A VR case can be selected for PVR review as soon as all other basic payment eligibility requirements have been met, typically at a point earlier than the in-line QA review. A PVR review requires the submitting state VR to submit documentation for all direct costs, while a QA review looks at all aspects of a case. A PVR review always occurs without consideration to sampling when: (1) More than one SVR is claiming reimbursement for overlapping payment and VR periods; and (2) This is a supplemental claim and the prior initial claim or any prior supplemental claims were already subject to PVR.

ST_VR_ABBR_CD [Char 4, not nullable, no default, primary key, foreign key constraint: must be in VRSTABDA]

QASMP_INTVL_NUM, VR QA Sampling Interval (Quality Assurance Sample Interval Number) [Integer, not nullable, default 1, constraint: must be from 1 through 100] One VR claim is selected for QA review purposes for every VR QA Sampling Interval number of VR

claims. For example, if the random sampling interval were 4, then 1 out of every four consecutive VR claims processed would be randomly selected. 0 indicates no claims will be sampled, 1 indicates every claim will be sampled. 100 would indicate that one out of every 100 claims would be sampled. The VR QA Sampling Interval also determines the sample window size. A sample window would be a consecutive number of VR claims from which one claim would be selected at random. Once a sample is selected from within the sample window another sample is not selected until the next window is opened. The sample windows are fixed in size, but once a new sample window is entered which case within the window is selected is subject to a new random sample selection. For example, if the VR QA Sampling Interval was 4, then for each sequence of 4 VR claims one and only one would be selected at random for QA purposes, randomly divided between the 1st, 2nd, 3rd and 4th cases encountered in successive sample windows. For each sample window one and only one claim would be selected for the QA sample, but which claim within the window might be selected is a separate random selection for each subsequent sample window.

Whenever VR QA Sampling Interval is updated, all other dependent variables are reset as if the VR QA sampling window were being created for the first time: VR QA Sampling Window Position reset to 1, a new Next VR QA Sample Selection Location randomly picked within the new VR QA sample window size, and VR QA Sample Selected is set to "N" unless the first location within the sample window is selected (The new Next VR QA Sample Selection Location was = 1), in which case VR QA Sample Selected is set to "Y".

QASMP_POSN_NUM, VR QA Sampling Window Position (Quality Assurance Sample Position Number) [Integer, not nullable, default 1, constraint: must be a value from and including 0 through and including QASMP_INTVL_NUM] Indicates the position within the current VR QA sampling window. This value is incremented by 1 for each VR claim, unless VR QA Sampling Window Position >= VR Sampling Interval in which case VR Sampling Window Position is reset to 1 and not incremented by 1. Whenever the VR QA Sampling Window Position is set to 1 (whether initialized or reset), a new Next QA Sample Selection Location is determined, and VR QA Sample Selected is reset to N unless the first claim in the new sample window was selected, in which case the VR QA Sample Selected will be set to Y.

NXQA_SLTN_LOC_NUM, Next VR QA Sample Selection Location (Next Quality Assurance Selection Location Number) [Integer, not nullable, default 1, constraint: must be a value from and including 0 through and including QASMP_INTVL_NUM] Indicates the next case that will be selected from a random sample within the current VR QA sampling window. When the VR QA Sampling Window Position value is incremented and the new value for the sampling position is equal the Next VR QA Sample Selection Location, that case will be the case selected for the random sample from within the current sample window. The value for Next VR QA Sample Selection is Location set as follows: At program initiation SecureRandom is used once to create a unique random number (type long) to use as a seed value the random number generator. SecureRandom is not used again until the program is reinitialized. The seed number is used to initialize a subclassed java.util.random whose algorithm is provided elsewhere. Whenever a new sampling window is entered (VR QA Sampling Windows Position is set to 1), a new value is requested from random using nextInt(value) where value = VR QA Sampling Interval. One is added to the result and this becomes the new VR QA Sample Selection

Location, identifying which case in the new sample window will be selected for the random sample.

QASMP_SLTN_SW, VR QA Sample Selected (Quality Assurance Sample Selection Switch) [Char 1, not nullable, default N, must be Y or N] Indicates whether or not a sample has yet been selected within the current sampling window. The value for "VR QA Sample Selected" is set to "N" when a new sample window is entered, and is set to "Y" once a sample is selected within the window. Once a sample has been selected in one sampling window, another claim is not selected until a new sampling window is entered. A new sampling window is entered only when VR QA Sampling Window Position is set to 1. If VR QA Sample Selected = "Y", the only activity required is to increment VR QA Sampling Window Position by 1 unless VR QA Sampling Window Position already = VR QA Sampling Interval. In that later case the VR QA Sampling Window Position is reset to 1, and a new Next VR QA Sample Selection Location is determined. If the new Next VR QA Sample Selection Location also = 1, then VR QA Sample Selected is set "Y", else VR QA Sample Selected is set "N".

QASMP_EXMR_SW, Use Examiner QA for VR QA (Quality Assurance Sample Examiner Switch) [Char 1, not nullable, default N, must be Y or N] If this switch is true and if the current VR case is not selected for sampling using VR QA criteria, then if the current case is sampled for Examiner QA purposes that sample can also be counted for VR QA purposes as long as the VR Examiner Sampling Interval is the same as or greater than the VR QA Sampling Interval. If the Examiner selection is used for VR QA purposes if it meets these criteria, then VR QA Sample Selected would be set Y. If Use Examiner QA for VR QA is N, then only a VR QA random selections is used to satisfy a VR QA sample requirement.

PRPVALRS_INTVL_NUM, VR PVR Sampling Interval (Prepayment Validation Review Sample Interval Number) [Integer, not nullable, default 1, constraint: must be from 1 through 100] Similar to VR QA Sampling Interval except for PVR purposes rather than QA purpose. One VR claim is selected for PVR purposes for every VR PVR Sampling Interval number of VR claims.

PRPVALRS_POSN_NUM, VR PVR Sampling Window Position (Prepayment Validation Review Sample Position Number) [Integer, not nullable, default 1, constraint: must be a value from and including 0 through and including PRPVALRS_INTVL_NUM] Similar to VR QA Sampling Window Position except for PVR purposes rather than QA purposes. Indicates the position within the current VR PVR sampling window.

NPRPVALRSL_LOC_NUM, Next VR PVR Sample Selection Location (Next Prepayment Validation Review Selection Location Number) [Integer, not nullable, default 1, constraint: must be a value from and including 0 through and including PRPVALRS_INTVL_NUM] Similar to Next VR QA Selection Location Number except for PVR purposes rather than QA purposes. Indicates the next case that will be selected from a random sample within the current VR PVR sampling window.

PRPVALRS_SLTN_SW, VR PVR Sample Selected (Prepayment Validation Review Sample Selection Switch) [Char 1, not nullable, default N, must be Y or N] Similar to QA Sample

Selection Switch except for PVR purposes rather than QA purposes. Indicates whether or not a sample has already been selected within the current VR PVR sampling window.

PRPVALRS_EXMR_SW, Use VR QA for Examiner QA (Prepayment Validation Review Sample Examiner Switch) [Char 1, not nullable, default N, must be Y or N] If this switch is true and if the current VR case is not selected for sampling using Examiner QA criteria, then if the current case is sampled for VR QA purposes that sample can also be counted for Examiner QA purposes, as long as the VR Examiner Sampling Interval is the same as or greater than the QA Sample Interval Number. If the Examiner selection is used for VR QA purposes if it meets these criteria, then QA Sample Selection Switch would be set Y. If QA Sample Examiner Switch is N, then only a VR QA random selections is used to satisfy a VR QA sample requirement.

LU_PIN [Char 6, not nullable, no default] LU_PIN is updated only when QA Sample Interval Number or PVR Sample Interval Number is changed.

LU_TS [Timestamp, not nullable, system default timestamp] LU_TS is updated only when QA Sample Interval Number or PVR Sample Interval Number is changed.

A history table HQREVFVR will be created and be maintained only through the use of a trigger. A change will be posted to the history table only if (a) a row is deleted or (b) if in the row the QA Sample Interval Number or PVR Sample Interval Number is updated. Additional fields in the history table will be: AUDT_TS, DELD_SW (default "N") and DELD_BY_PIN. There are no constraints of any kind on the history table other than on DELD_SW.

R: PCWOSS QRSMPFVR, VR Examiner QA Random Sampling Selection Data Table

This table is used to record what percent of a VR examiner's claims should be randomly sampled, and manages the actual random selection process.

PIN, Personal Identification Number [Char 6, not nullable, no default, primary key, foreign key constraint: must be in PCWOSS.USR/PIN]

QASMP_INTVL_NUM, VR Examiner Sampling Interval (Quality Assurance Sample Interval Number) [Integer, not nullable, default 1, constraint: must be from 1 through 100] One VR claim is selected for review purposes for every VR Examiner Sampling Interval number of VR claims. For example, if the random sampling interval were 4, then 1 out of every four consecutive VR claims processed by the VR examiner would be randomly selected. 0 indicates no claims will be sampled, 1 indicates every claim will be sampled. 100 would indicate that one out of every 100 claims would be sampled. The VR Examiner Sampling Interval also determines the sample window size. A sample window would be a consecutive number of VR claims from which one claim would be selected at random. Once a sample is selected from within the sample window another sample is not selected until the next window is opened. The sample windows are fixed in size, but once a new sample window is entered which case within the window is selected is subject to a new random sample selection. For example, if the VR Examiner

Sampling Interval were 4, then for each sequence of 4 VR claims one and only one would be selected at random for VR Examiner QA purposes, evenly divided between the 1st, 2nd, 3rd and 4th samples. For each sample window one and only one claim would be selected for the VR examiner QA sample, but which claim within the window might be selected is a separate random selection for each successive sample window.

Whenever VR Examiner Sampling Interval is updated, all other dependent variables are reset as if the VR Examiner sampling window were being created for the first time: VR Examiner Sampling Window Position reset to 1, a new Next VR Examiner Sample Selection Location randomly picked within the new VR Examiner sample window size, and VR Examiner Sample Selected = "N" unless the first location within the sample window is selected (Next VR Examiner Sample Selection Location was = 1), in which case VR Examiner Sample Selected = "Y".

QASMP_POSN_NUM, VR Examiner Sampling Window Position (Quality Assurance Sample Position Number) [Integer, not nullable, default 1, constraint: must be a value from and including 0 through and including QASMP_INTVL_NUM] Indicates the position within the current sampling window. This value is incremented by 1 for each VR claim, unless VR Examiner Sampling Window Position >= VR Examiner Sampling Interval in which case VR Examiner Sampling Window Position is reset to 1 and not incremented by 1. Whenever the VR Examiner Sampling Window Position is set to 1 (whether initialized or reset), the Next VR Examiner Sample Selection Location is determined, and VR Examiner Sample Selected is reset to N unless the first claim in the new sample window was selected, in which case the VR Examiner Sample Selected will be set to Y.

NXQA SLTN LOC NUM, Next VR Examiner Sample Selection Location (Next Quality Assurance Selection Location Number) [Integer, not nullable, default 1, constraint: must be a value from and including 0 through and including QASMP INTVL NUM] Indicates the next case that will be selected from a random sample within the current sampling window. When the VR Examiner Sampling Window Position value is incremented and the new value for the sampling position is equal the Next VR Examiner Sample Selection Location, that case will be the case selected for the random sample for the current sampling window. The value for Next VR Examiner Sample Selection Location is set as follows: At program initiation SecureRandom is used once to create a unique random number (type long) to use as a seed value the random number generator. SecureRandom is not used again until the program is reinitialized. The seed number is used to initialize a subclassed java.util.random whose algorithm is provided elsewhere. Whenever a new sampling window is entered (VR Examiner Sampling Window Position is set to 1), a new value is requested from random using nextInt(value) where value is VR Examiner Sampling Interval. One is added to the result and this becomes the new VR Examiner Sample Selection Location, identifying which case in the new sample window will be selected for the random sample.

QASMP_SLTN_SW, VR Examiner Sample Selected (Quality Assurance Sample Selection Switch) [Char 1, not nullable, default N, must be Y or N] Indicates whether or not a sample has yet been selected within the current window. The value for "VR Examiner Sample Selected" is set to "N" when a new sample window is opened, and is set to "Y" once a sample is selected

within the window. Once a sample has been selected in one sampling window, another claim is not selected until a new sampling window is entered. A new sampling window is entered only when VR Examiner Sampling Window Position is set to 1. If VR Examiner Sample Selected = "Y", the only activity required is to increment VR Examiner Sampling Window Position by 1 unless VR Examiner Sampling Window Position already = VR Examiner Sampling Interval. In that later case the VR Examiner Sampling Window Position is reset to 1, and a new Next Examiner Sample Selection Location is determined. If the new Next Examiner Sample Selection Location also = 1, then VR Examiner Sample Selected is set "Y", else VR Examiner Sample Selected is set "N".

If a claim is selected as a sample on grounds other than random sample for a VR examiner, if the claim was adjudicated by that examiner it will be counted as the sample case for that examiner's then current sample window.

QA_EXMR_USE_CD, Use VR QA for Examiner QA (Quality Assurance Examiner Use Code) [Char 1, not nullable, default S, must be N, S or Y] When a case is not selected for a sample for Examiner QA purposes, but the case is selected for VR QA purposes, the case may still be used for Examiner QA purposes depending on the value of this code:

N: If not specifically selected for Examiner QA, do not include a simultaneous VR QA selection. S: If not specifically selected for Examiner QA but simultaneously selected for VR QA, include the VR QA case as an Examiner case as well as long as the VR QA Sampling Interval is equal to or longer than the VR Examiner Sampling Interval.

Y: Consider the case selected for Examiner QA if also selected for VR QA.

If a VR QA selection causes the case to also be considered for Examiner QA purposes, then set VR Examiner Sample Selected = Y.

LU_PIN [Char 6, not nullable, no default] LU_PIN is updated only when QA Sample Interval Number or PVR Sample Interval Number is changed.

LU_TS [Timestamp, not nullable, system default timestamp] LU_TS is updated only when QA Sample Interval Number or PVR Sample Interval Number is changed.

A <u>history table</u> HQRSPFVR will be created and be maintained only through the use of a trigger. A change will be posted to the history table only if a row is deleted or if in the row the QA Sample Interval Number is updated. Additional fields in the history table will be: AUDT_TS, DELD_SW (default "N") and DEL_BY_PIN. There are no constraints of any kind on the history table other than on DELD_SW.

R: PCWOSS QREABSVR, SVR Assignment by Examiner Table

Used to assign claims to a particular Examiner based on the SVRs assigned to the Examiner.

Primary key: ST VR ABBR CD + PIN

19

ST_VR ABBR_CD, State Vocational Rehabilitation Abbreviation Code [Char 4, not nullable, no default, foreign key constraint into VRSTABDA] The abbreviation for the state that will be assigned to this Examiner.

PIN: [Char 6, not nullable, no default, foreign key constraint: must exist as PIN in PCWOSS.USR] The PIN of a VR Examiner to whom this State VR should be assigned.

T: Add: LAST_CSASGNT_TS, Last Case Assignment Timestamp [timestamp, nullable, default null] The most recent assignment of a case to this examiner identified in PIN to the state identified in ST_VR_ABBR_CD.

LU PIN, LU TS (system default timestamp)

T: Create history table HQREABSV (will be updated by DB2 Triggers).

In the history table add these additional history only fields: DELD_SW (must be Y or N, default N), AUDT_TS (not nullable, system default) and AUDT_PIN (not nullable, default spaces).

There are no constraints of any kind on the history table other than on DELD SW.

R: PCWOSS QREABSSN, SSN Assignment by Examiner Table

Used to assign claims to a particular Examiner based on the terminal digits assigned to the Examiner.

TRML_DGT_STRT_NUM, Terminal Digits Range Begins (Terminal Digit Start Number): [Char 2, not nullable, no default, primary key, must be a value from "00" through "99"] The begin of a terminal digit assignment for a particular examiner. Multiple ranges can be assigned to the same examiner.

TRML_DGT_END_NUM, Terminal Digits Range Ends (Terminal Digit End Number): [Char 2, not nullable, no default, must be a value from "00" through "99", cannot be less than TRML_DGT_STRT_NUM in same row] The end of a terminal digit assignment for a particular examiner.

PIN: [Char 6, not nullable, no default, foreign key constraint: must exist as PIN in PCWOSS.USR] The PIN of a VR Examiner to whom these terminal digits should be assigned.

LU PIN, LU TS (system default timestamp)

T: Create history table HQREABSN (will be updated by DB2 Triggers).

In the history table add these additional history only fields: DELD_SW (must be Y or N, default N), AUDT TS (not nullable, system default) and AUDT PIN (not nullable, default spaces).

There are no constraints of any kind on the history table other than on DELD SW.

R: PCWOSS VRACTCAT, VR Payment Action Category Code Reference Table

(currently used in PCWOSS.VRPMACCD)

VR_ACTN_CTGY_CD [Char 1, not nullable, no default, primary key] A once position code which described the general effect of the associated VR Payment Action Code and is one of the following:

F: Favorable

U: Unfavorable

P: Partially favorable

N: No decision made

VR_ACTN_CTGY_DESC, VR Action Category Code Description [Char 30, not nullable, no default]

LU_PIN, LU_TS (system default timestamp)

S: PCWOSS VRHCLAIM, Main VRRMS Claim Table

{XML} indicates data elements for which a DTD will also be created for single case data import through either VRRMS or the EN Portal.

Submittal data from SSA-199 and SVR other SVR provided meta-data:

Primary key: COSSN + VR CLM SNUM

COSSN [Char 9, not nullable, no default] Required, the own SSN of the SSA beneficiary for whom VR services were rendered. This value may be corrected by SSA. Data first entered in this field is duplicated to SVR COSSN where it remains unchanged. On SSA-199.

VR_CLM_SNUM, Claim UID [Integer, not nullable, no default] A systems assigned UID unique to this individual VR claim submittal for this COSSN. This value will be reassigned if the initially reported beneficiary's own SSN was incorrect.

VR_COSSN, SVR COSSN {XML} [Char 9, not nullable, no default] The own SSN of the SSA beneficiary for whom VR services were rendered, as submitted by the SVR. This value is for documentation purposes and is not changed even in the case of an erroneous COSSN submitted by the EN. Not otherwise used other than to keep track of the COSSN at the time of submission.

- **ST_VR_ABBR_CD** {XML} [Char 4, not nullable, no default, **alternate key**, foreign key constraint: must be in VRSTABDA] Required, the SVR making this VR claim. This value may be corrected by SSA. In the EN Portal this value is assigned based on the UserID. In iTOPSS it is selected by the SSA Examiner. On SSA-199.
- **VR_OFC_IDFR, SVR Office Identifier** {XML} [VarChar 50, not nullable, system default (empty)] Optional SVR internal office or location identifier. When SSA requests information from or provides information to the SVR this item will be returned if it is present. Not otherwise used. Normally only provided at the EN Portal.
- VR_CID, SVR Client ID {XML} [VarChar 50, not nullable, system default (empty)] Optional internal client reference number the SVR uses for this beneficiary. When SSA requests information from or provides information to the SVR this item will be returned if it is present. Not otherwise used. Normally only provided at the EN Portal.
- VR_CASE_IDFR, SVR Internal Case Identifier {XML} [VarChar 50, not nullable, system default (empty)] Optional internal SVR case identifier for this particular SVR case. When SSA requests information from or provides information to the SVR this item will be returned if it is present. Not otherwise used. Normally only provided at the EN Portal.
- VR_CLM_REF_TXT, SVR Claim Reference Information {XML} [VarChar 100, not nullable, system default (empty)] Optional information the SVR may wish to include to reference this particular claim filed with SSA. This could be a claim number or any similar item. When SSA requests information from or provides information to the SVR this item will be returned if it is present. Not otherwise used. Normally only provided at the EN Portal.
- **VR_INVC_NUM, SVR Invoice Number** [{XML}} VarChar 100, not nullable, system default (empty)] An optional SVR provided invoice number. When SSA provides information to the SVR about payments, this number will be provided to the SVR along with the SVR Claim Reference Information. Not otherwise used. Normally only provided at the EN Portal.
- VR_CNTCT_NM, SVR Contact Name {XML} [VarChar 60, not nullable, system default (empty)] Required, the name of an SVR contact who can answer questions about this claim. Can be updated by SSA.
- T: Change: VR CNTCT NM default to system default (empty).
- VR_CNTCT_PHN_TXT, SVR Contact Telephone {XML} [VarChar 30, not nullable, system default (empty)] Required, the telephone number of an SVR contact for any questions concerning this claim. The field can include an extension, hours of availability, or any other useful contact information. Can be updated by SSA.
- T: Change: VR CNTCT PHN TXTdefault to system default (empty).
- VR_AUTHN_SGNR_NM, SVR Authorizing Official Signature {XML} [VarChar 60, not nullable, no default] The mandatory name of the SVR official who is certifying that the

information submitted is accurate and complete, and who is in an officially recognized capacity is submitting this claim for reimbursement from SSA. Not otherwise used. On SSA-199.

VR_AUTHN_TITLE_TXT, SVR Authorizing Official Title {XML} [VarChar 60, not nullable, no default] The mandatory official title of the SVR Authorizing Official. Not otherwise used. On SSA-199.

VR_AUTHN_DT, SVR Authorization Date {XML} [Date, not nullable, no default] The mandatory date on which the SVR Authorizing Official authorized this claim. Not otherwise used. On SSA-199.

VR_SENT_DT, SVR Date sent to SSA {XML} [Date, not nullable, no default] The date the SVR reports sending the VR claim to SSA. Not otherwise used except for statistical purposes.

SRV_TYP_CD, Service Code Type {XML} [Char 1, not nullable, default "R", must be "S" or "R"] Indicates whether direct cost codes using in submitting direct costs are RSA cost codes or SSA cost codes.

R: RSA codes

S: SSA codes

VR_RMKS_TXT, SVR Remarks {XML} [VarChar 4046, not nullable, system default (empty)] Optional additional remarks provided by the SVR. Not updated by SSA and may be used for supplemental claim information. On SSA-199.

VR_DLSGA_RMKS_TXT, SVR Remarks for delayed SGA {XML} [VarChar 4046, not nullable, system default (empty)] Required and system enforced where the SSA determined "First Month of Continuous SGA" is more than one year after the "Date of Final VR Closure". In this case the SVR must furnish a description of the services provided and an explanation of how the individual's continuous period of SGA could not have occurred without the VR services provided, initiated or coordinated by the VR. SSA can cut and paste an explanation to this field after-the-fact. Part of remarks on SSA-199.

- - - - - - - - - - -

From SSA-199, SVR provided claim data:

CLNT_FNM, Client First Name [Char 15, not nullable, no default] Required, can be updated by SSA. Copied to SVR Client First Name where it remains unchanged. Item 1 on SSA-199.

CLNT_MNM, Client Middle Name [Char 15, not nullable, default spaces] Optional, can be updated by SSA. Item 1 on SSA-199.

CLNT_LNM, Client Last Name [Char 20, not nullable, no default] Required, can be updated by SSA. Copied to SVR Client First Name where it remains unchanged. Item 1 on SSA-199.

CLNT_SFNM, Client Suffix [Char 4, not nullable, default spaces] Optional, can be updated by SSA. Item 1 on SSA-199.

Client name tests: Any letter (upper or lower case), numbers, spaces, dashes, single quotes. Must begin with a letter, cannot have two or more dashes in a row, cannot have two or more single quotes in a row, last letter that is not a space cannot be a dash or a single quote.

VR_CLNT_FNM, SVR Client First Name [Char 15, not nullable, no default] The client first name as initially provide by the SVR as "Client First Name", and not updated by SSA or otherwise used except for possible display or audit purposes.

VR_CLNT_LNM, SVR Client Last Name [Char 20, not nullable, no default] The client last name as initially provide by the SVR as "Client Last Name", and not updated by SSA or otherwise used except for possible display or audit purposes.

VR_CLMBSS_CD, SVR Claim Basis {XML} [Char 1, not nullable, no default, must be in new reference table VRCLMBAS] Required, indicates the basis for which this VR claim is being made as initially reported by the SVR, and not further updated by SSA. On SSA-199. One of:

- S: Continuous Period of SGA
- 3: Medical Recovery during VR (301)

VRCLMPHZ_CD, SVR Claim Phase {XML} [Char 1, not nullable, no default, must be in new reference table VRCLMPHA] Required, indicates the request phase for this particular VR claim as initially reported by the SVR, and not further updated by SSA. On SSA-199. One of:

- 1: Initial Claim
- 2: Resubmittal (Prior claim denied, basis for the denial no longer exist)
- 3: Supplemental (Prior claim allowed, additional expenses or other expenses being claimed)
- 4: Subsequent Period (New period of VR on same SSA period of disability entitlement)
- 5: Reconsideration (Prior claim denied, SVR disagrees)

VR_T16_SW, SVR SSI Involved: {XML} [Char 1, not nullable, default N, must be Y or N] Required, the VR indicator whether or not the client was eligible for SSI during the payment period. This field only records the VR statement and is not otherwise used except for possible display purposes. Item 2 on SSA-199.

VR_T2_CLM_NUM, SVR CLMSSN, T2 Claim Number {XML} [Char 9, not nullable, default spaces] If the beneficiary receives T2 benefits, the T2 claim account number. This field only records the VR statement and is not otherwise used except for possible display purposes. Item 2on SSA-199.

VR_T2_BIC, SVR CLMBIC, T2 Claim BIC {XML} [Char 3, not nullable, default spaces] Required only if CLMSSN is present, the BIC associated with that CLMSSN. This field only records the VR statement and is not otherwise used except for possible display purposes. Item 2 on SSA-199.

VR_STYBLNDS_SW, SVR Statutorily Blind {XML}[Char 1, not nullable, default N, must be Y or N] Required, the VR indicator whether or not the client is statutorily blind. This field only records the VR statement and is not otherwise used except for possible display purposes. Item 4 on SSA-199.

VR_CLNT_ENTRY_DT, Date Client Entered VR {XML} [Date, not nullable, no default] Required, the date the client entered the VR by signing an application for services or by receiving intake and assessment services. If a day is not available then "01" will be used. Not updated by SSA except to correct an SVR reporting error. Item 5a on SSA-199.

IPE_SGN_DT, Date Signed IPE {XML} [Date, not nullable, no default] Required, the date the client and VR agency signed the Individual Plan for Employment (IPE). Not updated by SSA except to correct an SVR reporting error. Item 5b on SSA-199.

CLNT_EMPT_STDT, Date Employment Began {XML} [Date, nullable, default null] The date the client began to work. Required for SGA cases but not 301 cases. Not updated by SSA except to correct an SVR reporting error. Item 6 on SSA-199.

VR_FNL_CLOSR_DT, Date of Final VR Closure {XML} [Date, not nullable, no default] Required, the date the VR determines the client's participation in the VR program has ended, which should not be later than the ninth continuous month of SGA. If a day is not available the last day of the month will be used. Not updated by SSA except to correct an SVR reporting error. Item 7 on SSA-199.

[Item 8 on SSA-199: Tracking Months claimed, if any, are included in the new Months Used for SGA Purposes Table]

MED_SRVS_PRVDD_IND, Medical Services Provided {XML} [Char 1, not nullable, default U, must be U, Y or N] Indicates whether or not medical services were provided, initiated or coordinated under the IWP. Value must be Y or N for an SGA case, can be Y, N or U for 301 case. Not updated by SSA except to correct an SVR reporting error. Item 9 on SSA-199.

VROCC_CD, Beneficiary Occupation {XML} [Char 3, not nullable, no default, foreign key constraint: must exist as VROCC_CD in PCWOSS.VROCCCD] Required, the VR Occupational Code for the beneficiary. Not updated by SSA except to correct an SVR reporting error. Item 16 on SSA-199.

Examples:

- 025 Meteorology
- 029 Mathematics and Physical Sciences/ N.E.C.
- 030 Systems Analysis and Programming
- 031 Data Communications and Networks
- 032 Computer System User Support
- 033 Computer Systems Technical Support
- 039 Computer-related Occupations/ N.E.C.
- 040 Agricultural Sciences
- 041 Biological Sciences

{Item 10 on SSA-199, "Extended evaluation services", is no longer used.}

DIRCT_CCAMT, Direct Costs Claimed {XML} [Decimal 9,2, not nullable, no default, cannot be negative] Required, the total of actual direct costs claimed by the SVR and for which reimbursement is being requested. This amount is used for claim documentation only and is not used for payment purposes or updated by SSA. Item 11 on SSA-199.

ACPL_CCAMT, ACP Costs Claimed During VR {XML} [Decimal 9,2, not nullable, no default, cannot be negative] Required, Administrative, Counseling and Placement (ACP) costs claimed by the SVR. This is usually a flat rate payable for each month from the "Date Client Entered VR" through the SVR provided "Date of Final VR Closure". This amount is used for claim documentation only and is not used for payment purposes or updated by SSA. Item 12 on SSA-199.

AVRCLSR_TRKG_CCAMT, Tracking Costs Claimed After VR {XML} [Decimal 9,2, not nullable, no default, cannot be negative] Required, Administrative costs (only) for tracking a VR case after closure by the SVR Always 0 for 301 cases. This is a flat rate payable for each month of continuous SGA. This amount is used for claim documentation only and is not used for payment purposes or updated by SSA. Item 13 on SSA-199.

OTH_CCAMT, Other Costs Claimed {XML} [Decimal 9,2, not nullable, no default, cannot be negative] Required, the total of other actual direct costs claimed by the SVR and normally incurred after the VR provided "Date of Final VR Closure" and through the last month of benefit payment (also called the post-employment period). This amount is used for claim documentation only and is not used for payment purposes or updated by SSA item 14 on SSA-199.

TOT_CCAMT, Total Costs Claimed {XML} [Decimal 9,2, not nullable, no default, must be > 0] Required, total costs claimed by the SVR as the sum of Direct Costs Claimed, ACP Costs Claimed During VR, Tracking Costs Claims After VR and Other Costs Claimed. This amount is used for claim documentation only and is not used for payment purposes or updated by SSA. Item 15 on SSA-199.

[Item 17 (reverse):	Direct and other cos	sts claimed, if any,	are entered in	the new Direct	Costs
Claimed Table]					

- - - - - - - - - - -

SSA generated meta-data:

CLM_IMPRTD_SW, Conversion case switch [Char 1, not nullable, default N, must be Y or N] Indicates that this case was converted from the Oracle database for the previous version of VRRMS.

CLM_PEND_SW, Pending case switch [Char 1, not nullable, default N, must be Y or N, **alternate index**] Indicates whether this is still requires action or the case is complete.

WRKCS_UID [Integer, nullable, default null] The iTOPSS work case UID assigned to this case. Conversion cases will have this UID set to null. When a work case UID is assigned it is never changed, even if the SSN or other primary key information is corrected.

DISB_CLM_ITER_NUM, Disability claim iteration number [SmallInt, nullable, default null] Identifies a unique period of SSA disability benefit entitlement. VR claims filed for different periods of unique SSA disability benefit entitlement are each subject to their own SSA disability lifetime benefit maximum calculations. VR claims filed for the same period of unique SSA disability benefit entitlement are combined for the purpose of being subject to the same SSA disability lifetime benefit maximum calculation.

VR_PRD_ITER_NUM, VR period iteration number [SmallInt, nullable, default null] Identifies a unique period of separate provision of VR services for a single period of SSA disability benefit entitlement. Each such separate period has its own separate benefit contribution period, but all VR claims filed for the same period of unique SSA disability benefit entitlement are combined for the purpose of being subject to the same SSA disability lifetime benefit maximum calculation.

VR_ITER_NUM, Claim iteration number [SmallInt, nullable, default null] Indicates the iteration of claim filed for the same VR period. Each filing for the same VR period, whether initial, resubmittal, reconsideration or supplemental receives its own claim iteration number. Any such claim iteration with a favorable determination is combined with all favorable claim iterations for the same VR period for determining the unified VR benefit payable for that one VR period iteration.

SSA_RCPDT, SSA Receipt Date [Date, not nullable, default current system date] Required, the date on which SSA received this claim. If SSA enters this case into an SSA system this is the date the claim was physically received and not the date the case was entered into VRRMS. INSRT_TS is the actual case creation date. The SSA Receipt Date and INSRT_TS will be the same for all VR claims provided at the EN Portal.

T: Change: SSA_RCPDT default to current system date.

TKTASM_CD, Service Channel[Char 1, not nullable, default "U", must be a value in PCWOSS.TKTASM_CD] required, indicates the method by which the VR case was established. Examples are: E = EN Portal Direct Key, F = EN file via SSA EN Portal, G = EN file via iTOPSS, I = iTOPSS Direct Key, U = Unknown. This value is not keyed but is system derived based upon the means of data entry.

CLMBSS_CD, Claim Basis [Char 1, not nullable, no default, must be in new reference table VRCLMBAS] Required, indicates the basis for which this VR claim is being made. This value is seeded by "SVR Claim Basis" and is the Claim Basis used for the duration of this case. One of:

- S: Continuous Period of SGA
- 3: Medical Recovery during VR (301)

CLMPHZ_CD, Claim Phase [Char 1, not nullable, no default, must be in new reference table VRCLMPHA] Required, indicates the request phase for this particular VR claim. This value is seeded by "SVR Claim Phase" and is the Claim Phase used for the duration of this case. One of 1: Initial Claim

- 2: Resubmittal (Prior claim denied, basis for the denial no longer exist)
- 3: Supplemental (Prior claim allowed, additional expenses or other expenses being claimed)
- 4: Subsequent Period (New period of VR on same SSA period of disability entitlement)
- 5: Reconsideration (Prior claim denied, SVR disagrees)

VR_PMT_ACTN_CD, VR Payment Action Code [Char 3, not nullable, default "000", must exist in PCWOSS.VRPMACCD] Required, the three position decision code which reflects SSA's disposition of this VR claim. "000" indicates that no decision of any kind has ever been made for this case. "VVV" is a special case which indicates that a prior decision has been voided and undone and the case must be adjudicated again.

DCN_PIN, Disposition PIN [Char 6, not nullable, default spaces] The PIN of the person who disposed of this VR claim by setting an allowable VR_PMT_ACT_CTGY_CD other than "000". This PIN is provided by the system. This disposition might not result in an immediate decision if the claim was selected for QA, or the claim was an award that exceeded a certain dollar threshold and required a manager's approval.

DCN_TS, Disposition Timestamp [Timestamp, nullable, default null] The timestamp on which the last decision was made for this VR Claim. This timestamp is provided by the system.

PMT_PIN, Payment PIN [Char 6, not nullable, default spaces] The PIN of the person who last forwarded this claim to the VRRMS payment file. When there are issues with SSOARS or QA or award reviews the disposition and payment information may differ. This PIN is provided by the system.

PMT_TS, Payment Timestamp [Timestamp, nullable, default null] The timestamp on which this allowed claim was sent to the VRRMS payment file. This timestamp is provided by the system.

PMT_SEQ_NUM, Payment Sequence Number [SmallInt, nullable, default null] The system assigned payment sequence number for the most recent payment request sent to the VRRMS payment file for this claim.

VR301_ALWC_DCN_DT, 301 Allowance Decision Date: [Date, nullable, default null] The date on which ODO made a determination that this beneficiary was properly in the VR 301 program. A 301 claim cannot be paid without this date (Claim Basis = "3"). A 301 claim can be denied without this date. This date can be entered manually, and may be the result of a systems lookup with the ODO 301 control system.

VR301_NTCDT, 301 Notice Date: [Date, nullable, default null] The date on which SSA sent a written notice to the SVR to file a VR claim using 301 as the basis for the claim. This date is used to determine if a 301 claim was filed timely. A 301 notice is not sent for every 301 case. An entry can be made only for a 301 case (Claim Basis = "3"). This date can be entered manually, and may be the result of a systems lookup with the ODO 301 control system. A 301 is considered filed late if a 301 Notice was sent, and the claimed is filed more than 90 days after the later of the 301 Notice Date or the end of the month of SVR provided "Date of Final VR Closure"

DRYDT, Diary Date [Date, nullable, default null] The date for which this VR claim has been diaried by an SSA Examiner. A claim cannot be adjudicated unless Diary Date is null. Diaries are set only for the purpose of requesting additional information from the SVR submitting the claim.

LATE_FLG_ISU_CD, Late Filing Issue: [Char 1, not nullable, default "N", must be a value in new reference table **LTFLGISU**] System provided based upon the conditions listed. If the listed Filing Reason \Leftrightarrow "N", then "Good Cause for Late Filing" must be completed. N: Late Filing not an issue

- 1: Good Cause needed: 301 claim, 301 notice sent, claim filed more than 90 days after later of notice sent date or end of month of date of final VR closure
- 2: Good Cause needed: 301 claim, 301 notice not sent, claim filed more than 12 whole months after date of final VR closure
- 3: Good Cause needed: SGA claim, claim filed more than 12 whole months after last month of continuous SGA

LATE_FLG_DETN_TXT, Good Cause for Late Filing Finding [VarChar 4046, not nullable, system default (empty)] If "Late Filing Issue" <> "N", then some text is required here before a payment can be made. No entry is required if the claim is denied. Not available for input if "Late Filing Situation" = "N". Good Cause for late filing cannot be established unless there is some entry in this field. This may justify either a finding that good cause is met, or that good cause is not met. A VR claim is file late if: (1) it is a 301 claim, a 301 Notice was sent, and the claimed is filed more than 90 days after the later of the 301 Notice Date or the end of the month of SVR provided "Date of Final VR Closure", or (2) it is a 301 claim, a 301 Notice was not sent, and the claim is filed more than 12 whole calendar months after the SVR provided "Date of Final VR Closure", or (3) it is an SGA claim filed more than 12 whole calendar months after the SSA determined "Last Month of Continuous SGA".

LATE_FLG_DETN_IND, Good Cause for Late Filing Determination: [Char 1, not nullable, system default (space)] Indicates whether or not good cause for late filing has been established, and is available for input only if "Late Filing Situation" <> "N". If "Late Filing Issue" <> "N", an entry in Late Filing Determination is required for any payment, but is not required for a denial. "Y" cannot be entered unless some text has already been entered in "Good Cause for Late Filing Determination". A case with an N must be denied, but not necessarily for late filing. A case with a Y can be paid but can still be denied but not for late filing.

Space: Late Filing is not an issue, or Late Filing is an issue but no Good Cause determination has been made

N: Late filing an issue and Good Cause not established, claim cannot be paid

Y: Late filing an issue and Good Cause established

PVR_SLTN_DT, PVR Selection Date [Date, nullable, default null] The date on which this case was selected for Pre-validation Review (PVR). PVR selection is a systems activity. This date will be null if the claim was not selected for PVR.

QA_SLTN_DT, QA selection date [Date, nullable, default null] The date on which this case was selected for QA review. QA selection is a systems activity. This date will be null if the claim was not selected for QA.

QA_SLCTRS_CD, QA selection reason [Char 1, not nullable, system default (space), must be in a new reference table Must be in new reference table QASLCTRS] The system generated basis for the QA selection for this case, one of:

Space: Not selected for QA.

V: System selection based on VR

E: System selection based on Examiner

F: System selection based on Examiner also satisfying VR selection

M: Manual selection

QA_LAST_ACTN_CD, Last QA Return Status [Char 1, not nullable, system default (space), must be in new reference table **QALSTACT**] Summarizes the routing that resulted from the completion of the most recent QA review action, if any. Must be selected by the reviewer to close out the review action.

Space: No QA involvement

A: Adjudicated by reviewer, no defects

B: Adjudicated by reviewer, defects found

N: Returned by reviewer without defects

D: Returned by reviewer with defects for cure and clearance

R: Returned by reviewer with defects for cure and re-review

QA_UID: [Integer, nullable, default null, referential integrity to PCWOSS.QAEVNT] An optional QA work case in PCWOSS.QAEVNT which documents the QA activity for this claim.

MAPRVL_REQD_SW, Manager approval required switch [Char 1, not nullable, default N, must be Y or N] Indicates that this case is a large award requiring management approval. This is a step in addition to any QA activity and occurs after any QA activity is complete.

MGR_LAST_ACTN_PIN, Manager PIN [Char 6, not nullable, default spaces] The PIN of the manager reviewing this claim when the dollar amount of the award reaches a certain threshold. This PIN is provided by the system.

MGR_LAST_ACTN_TS, Manager Timestamp [Timestamp, nullable, default null] The timestamp when the manager reviewed this claim because an award reached a certain dollar threshold. This timestamp is provided by the system.

MGRQA_LAST_ACTN_CD, Last Manager Decision [Char 1, not nullable, system default (space), must be in new QA return reference table QALSTACT] Identifies the outcome of the most recent Manager Approval.

_ _ _ _ _ _ _ _ _ _ _ _ _

Entitlement Information:

Summary Disability Entitlement Data:

ENTLT_CD, Entitlement Code: [Char 2, not nullable, default spaces, one of "2", "C", "16", spaces (space after 2 and C)] Indicates the overall entitlement established for the SSA beneficiary for this VR claim. This code is used to determine what accounting information will be sent to SSOARS for charging this VR payment. The code may be either system derived or manually entered. An award cannot be made unless the value is one of: "2", "C" or "16".

TRSTFND_CD, Trust Fund Code: [Char 1, not nullable, default space, one of "R" or "D" or space] Required if "Entitlement Code" is "2" or "C". The trust fund to which any VR payments for T2 purposes should be charged, either RSI or DI. This code is used to determine what accounting information will be sent to SSOARS for charging this VR payment. The code may be either system derived or manually entered.

CRNT_ENTLT_DT, DOEC Date of Current Entitlement: [Date, nullable, default null] The date of entitlement to disability used for this VR claim to distinguish this period of entitlement to disability from other periods of entitlement to disability. This is used to prevent duplicate payments and to ensure that all Prior Payout amounts have been considered when relevant to the current VR claim. If the ENTLT_CD is "2" or "C" this is normally a T2 entitlement date.

DOB [Date, nullable default null] Required prior to payment amount determination. PDCF.CLNT/T2_DOB if ENTLT_CD is "C" or "2", else PDCF.CLNT/T16_DOB. Appropriate DEC query DOBs can also be used.. System provided but can be over-keyed.

SEX_CD, Gender [Char 1, not nullable, default space, must be one of space, M, F, or U] Must be M or F prior to payment amount determination. Use appropriate DEC queries. System provided but can be over-keyed.

STYBLNDS_SW, Statutory Blindness Switch [Char 1, not nullable, default N, must be Y or N] Indicates whether or not the beneficiary is statutorily blind and therefore subject to the different blind SGA amounts. "SVR Statutorily Blind" as entered by the VR is propagated to this field, but changes are made by SSA only to this field and not the field initially provided by the SVR. May also be system provided.

INSRT_PIN, INSRT_TS (system default timestamp), LU_PIN, LU_TS (system default timestamp)

_ _ _ _ _ _ _ _ _ _ _ _ _

<u>Payment Period Determination:</u> (also referred to as the "Gross Payment Period") The SSA Examiner is expected to select and set each of the following variables. Some may be prefilled with system obtained information but Examiner validation is required. All are required to be present for payment.

PMT_PRD_CLMSSN, Payment Period Claim Account Number: [Char 9, not nullable, default spaces] The T2 or T16 claim number used by SSA to determine the VR Payment Period. Even if multiple entitlement is involved, only one account is selected to determine the Payment Period, usually but not necessarily the one account with the longest period of entitlement when overlapped with the period of VR. This must be one of the up to three prior claim numbers associated with this claim.

PMT_PRD_CLM_BIC, Payment Period Claim Account BIC: [Char 3, not nullable, default spaces] If the Payment period Claim Account Number is T2, the T2 BIC used by SSA to determine the VR Payment Period. This must be the BIC that has already been associated earlier with the account selected for the Payment Period Claim Account Number:

PMT_PRD_STDT, Payment Period Begin Date: [Date, nullable, default null] Identifies the date selected by SSA as the starting date for the payment period. The Payment Period Begin Date and Basis for Payment Period Begin Date must match the DOO/DOEC already provided for Disability Entitlement Details for the Payment Period Claim Account Number.

PMT_PRD_SDTB_CD, Basis for Payment Period Begin Date: [Char 1, not nullable, default space, must be in a new reference table PPSTDTBS] Identifies the basis for the selection of the Payment Period Begin Date, one of:

Space: Not selected yet

2: T2 first day of waiting period (If DAC \Leftrightarrow F or X, then the 1st of the month after the DOO, unless DOO is the 1st day of the month in which case the DOO is used as-is, not to be used for EXR cases)

F: T2 first day of eligibility, no waiting period (If DAC = F or X, DOEC)

6: T16 first day of eligibility (S1-ELG-RD-D6)

PMT_PRD_ENDT, Payment Period End Date: [Date, nullable, default null] Identifies the date selected by SSA as the ending date for the payment period. The Payment Period End Date and Basis for Payment Period End Date must match the DOST already provided for Disability Entitlement Details for the Payment Period Claim Account Number.

PMT_PRD_EDTB_CD, Basis for Payment Period End Date: [Char 1, not nullable, default space, should be in a new reference table PPENDTBS] Identifies the basis for the selection of the Payment Period End Date, the earlier of a benefit termination date or the last day of the "Last Month of Continuous SGA", one of:

Space: Not selected yet

2: T2 Last day of last month of entitlement (month before DOST)

L: Last day of the "Last Month of Continuous SGA" (SGA cases only)

6: T16 Last day of last month of entitlement (the month before the termination month)

Period of Continuous SGA (applies only to SGA cases):

Months of SGA are identified in the "Months Used for SGA" table. Also known as the "Gross Payment Period."

CONTS_SGA_MNTH1_DT, First Month of Continuous SGA: [Date, nullable, default null] The first month of the required continuous period of SGA established by SSA. The day of the month is not material and is always "01". The entire period of continuous SGA cannot exceed 12 months. Applies only to SGA cases. This date may be systems computed but can be over keyed by the Examiner. Edit criteria are: Payment Period must already be established, the number of months from the First Month through the Last Month cannot exceed twelve calendar months including both the first and last months, and there must be nine months of SGA already identified in the "Months Used for SGA" table got the period defined by First Month through last Month.

CONTS_SGA_LAST_MDT, Last Month of Continuous SGA: [Date, nullable, default null] The last month of the required continuous period of SGA established by SSA that occurs during the Payment Period. The day of the month is not material and is always "01". Applies only to SGA cases. The entire period of continuous SGA must include 9 months of SGA that cannot be spread over a more than 12 calendar month contiguous period. See "First Month" for edit criteria. In addition Last Month must be later than First Month, and Last Month must be a past month. A claim based on a continuous period of SGA is supposed to be filed within the 12 months after the Last Month of Continuous SGA.

VR_SGA_CPRD_TYP_CD, SGA Period Type: [Char 2, not nullable, default spaces, foreign key constraint: must exist in PCWOSS.VRSGACCD] Indicates the basis for the establishment of this period of continuous SGA. Applies only to SGA cases. System derived based on the selection of First and Last Month of continuous SGA. Must be one of:

Spaces: Not determined (to be added to the reference table)

NN: Period of continuous SGA could not be established. (If an SGA case this must be a denial.) (to be added to the reference table)

- 09: 9 consecutive months of SGA (update to reference table needed)
- 10: 9 months of SGA within 10 consecutive months, break for any reason
- 12: 9 months of SGA within 12 consecutive months, break reasons unrelated to impairment and outside beneficiary control

If this field is set to a value other than "12" then the following field is automatically cleared.

SGABRK_OSBCTL_IND, Break Outside Beneficiary Control Determination [Char 1, not nullable, default space, must be space, Y or N] When the 9 months of SGA occurred over 12 consecutive months this field indicates whether or not the Examiner found that the breaks were unrelated to the impairment and outside of the beneficiary control. If VR_SGA_CPRD_TYP_CD is "12" then this field must be "Y" in order for a claim to be awarded. This field is available for input only if VR_SGA_CPRD_TYP_CD.

SGA_EVALDTN_CD, VR Closure to First SGA Period Determination: [Char 1, not nullable, default space, must be a value in a new reference table SGAEVDCD] The VR claim must result in the beginning of a continuous period of SGA within 12 months of VR closure, otherwise an explanation is required for a longer delay. Applies only to SGA cases. If "1" applies it will be set by the system and cannot be changed. If "1" does not apply, the Determination will be a space and before a payment can be made the Examiner must choose a selection other than space or "1". An award can be made only if the value is "T", "V", "M" or "N". If "D" is selected the claim cannot be awarded. If the value is "T", "V", "M" or "N" there must be something in the field "SVR Remarks for Delayed SGA".

Must be one of:

Space: Finding not yet made or not applicable

- 1: Began within one year of SVR provided "Date of Final VR Closure" (system derived, cannot be selected by user)
- T: More than one year but preceded by transitional work activity
- V: Not preceded by transitional work activity but continuous period could not have occurred without VR services.
- M: Medical recovery before end of continuous period and VR medical services contributed to medical recovery (SSA-199 question 9 "Medical Services provided" under an IWRP must have been answered "Yes".)
- N: Medical recovery before end of continuous period but recovery not expected by SSA and VR medical services did not contribute to medical recovery (Either no CDR scheduled or a MINE CDR scheduled).
- D: No justification found for more than one year gap from VR Closure to first month of continuous SGA (claim must be a denial).

.

Period of VR

Both dates must be available before an award can be made. Also known as the "Net Payment Period".

VR_PRD_STDT, VR Period Begin Date: [Date, nullable, default null] System derived from the later of the SVR provided "Date Client Entered VR" or the SSA determined "Payment Period Begin Date". Cannot be determined without both of these dates being available.

VR_PRD_ENDT, VR Period End Date: [Date, nullable, default null] System derived from the earlier of the SVR provided "Date of Final VR Closure" or the SSA determined "Payment Period End Date". If a 301 case both of these dates must be available before the VR End Date can be determined. Payment period end date by definition is also never later than the "Last month of continuous SGA". If an SGA case this third date must also be available before VR End Date can be determined.

- - - - - - - - - - -

Post-employment Period

Both dates must be available before an award can be made.

POST_EMPT_PRD_ENDT, Post-employment Period End Date: [Date, nullable, default null] Systems derived. If the "Payment Period End Date" > "VR Period End Date", then this value is the "Payment Period End Date", else this value is null. Both "Payment Period End Date" and "VR Period End Date" must be available for the "Post-employment Period End Date" to be computed.

POST_EMPT_PRD_STDT, Post-employment Period Begin Date: [Date, nullable, default null] Systems derived as follows: If the "Post-employment Period End Date" is null then this value is also null, else this value is the day after the "VR Period End Date".

. - - - - - - - - - -

Calculation of Savings to SSA:

Total VR payments for the current period of disability entitlement cannot exceed the expected payout of SSA disability benefits for the SSA beneficiary. VR payments are capped once the total VR payments for the current period of disability exceed the projected lifetime benefit payments for the SSA beneficiary plus administrative costs.

SVCALC_PIA, Savings PIA Used Amount: [Dec 7,2, nullable, default null] Required before payment if "Entitlement Code" is "C" or "2", not available for entry if "Entitlement Code" = "16". The PIA used in calculating savings to SSA on account of benefit termination due to a successful VR claim. The amount paid for VR claims for any period of VR cannot exceed the estimated savings to SSA. This amount may be provided by VRRMS but can be overwritten by the Examiner. For SGA claims, the PIA used is the PIA in effect for the Last Month of Continuous SGA. For 301 claims, the PIA used is the PIA in effect at SVR provided "Date of Final VR Closure".

SVCALCWCMP_OFS_AMT, Savings Workers' Comp Used Amount: [Dec 7,2, nullable, default null] Optional, available for entry if "Entitlement Code" = "C" or "2", not available if Entitlement Code = "16". If entered cannot exceed "Savings PIA Used Amount". The workers' compensation offset amount used in calculating savings to SSA on account of benefit termination due to a successful VR claim. Workers' compensation offset is used to reduce the PIA. The amount paid for VR claims for any period of VR cannot exceed the estimated savings to SSA. This amount may be provided by VRRMS but can be overwritten by the Examiner. For SGA claims, the Workers' Comp amount used is the amount in effect for the Last Month of Continuous SGA. For 301 claims, the Workers' Comp amount used is the amount in effect at SVR provided "Date of Final VR Closure".

SVCALC_T16_FEDBAMT, SSI FBA Used Amount: [Dec 7,2, nullable, default null] Required before payment if "Entitlement Code" is "C" or "16". The SSI federal benefit amount used in calculating savings to SSA on account of benefit termination due to a successful VR claim. The amount paid for VR claims for any period of VR cannot exceed the estimated savings to SSA. This amount may be provided by VRRMS but can be overwritten by the Examiner. For SGA claims, the SSI FBA amount used is the federal payment amount actually

being paid for the Last Month of Continuous SGA. For 301 claims, the SSI FBA used is the SSI FBA in effect at the SVR provided "Date of Final VR Closure".

SSA_TOT_SAVGS_AMT, Total SSA Savings Amount: [Dec 9,2, nullable, default null] The systems calculated amount of savings to SSA on account of benefit termination due to a successful VR claim based on this VR claim. Any SVR payment will be reduced if necessary by the amount that the allowed costs exceed the calculated Total SSA Savings Amount. Age as AGE_NUM and gender as SEX_CD are used to retrieve from PCWOSS.VRALOFAC the "A" factor ADMINV_CSTFCTR_NUM and the "B" factor BDNFT_CSTFCTR_NUM. Total SSA Savings Amount is computed as "A" Factor + ((Savings PIA Used Amount – Savings Workers' Comp Used Amount + SSA FBA used amount) x "B" Factor). For SGA claims, the age and benefit amounts used in calculating savings to SSA are those in effect for the month of the "Last Month of Continuous SGA". For 301 claims, the age and benefit amounts used are those in effect at SVR provided "Date of Final VR Closure". If the T2 is involved and the only claim BICs involved are "C", then half of the PIA is used in this computation rather than the entire PIA.

PRIOR_VRCLMPO_AMT, Prior Payout: [Dec 9,2, nullable, default null, cannot be < 0] The amount already paid for prior VR claims of any type, if any, for the same period of SSA disability entitlement, usually but not exclusively initial and supplemental claims. "Prior Payout" reduces the current savings to SSA. If there has been any prior VR payment on the beneficiary's current period of disability, both the current expected and prior established payments are totaled to ensure they do not exceed the Total SSA Savings amount. If they do, then the current payment is reduced by the excess of all payments over the Total SSA Savings Amount currently being calculated. This amount may be systems derived but can be over keyed.

- - - - - - - - - - -

Calculation of VR Payment Amount:

This calculation is performed only if an award is possible and all data necessary to support an award is present.

ACPL_CAAMT, ACP Costs Allowed: [Dec 8,2, not nullable, system default (0)] The systems calculated total amount of Administrative, Counseling and Placement (ACP) costs that might be allowed. ACP costs are allowed for all months of the "Period of VR" In addition, ACP costs are also paid for any month after the end of the ACP period in which an "Other Cost" for post-employment services is allowed. A fixed monthly amount is paid for each month of the ACP period or month where "Other Costs" are paid. The amount is set for each individual SVR and is updated each fiscal year. Using ST_VR_ABBR_CD and FY, ADMINV_CSTFCTR_AMT is retrieved from PCWOSS.VRALOFAC for each separate fiscal year and summed as necessary for the total ACP COSTS Allowed. VLD_SW in VRALOFAC must be "Y" for the ST_VR_ABBR_CD and FY being searched. If VLD_SW <> Y, ACP Costs Allowed cannot be calculated until the new year has been entered and validated.

DIRCT_CAAMT, Direct Costs Allowed: [Dec 8,2, not nullable, system default (0)] The systems calculated total amount of actual Direct Costs that might be allowed. The system will sum allowed Direct Costs from the Direct Cost Table where the allowable Direct Costs are wholly incurred during the "Period of VR". Direct costs that begin with the Period of VR but which end within the post-entitlement period will be treated as post-entitlement "Other" costs.

T: Change: DIRCT_CCAMT to be not nullable with no default.

OTH_CAAMT, Other Costs Allowed: [Dec 8,2, not nullable, system default (0)] The systems calculated total amount of the Other Costs that might be allowed. These are also called postentitlement costs. These are allowable Direct Costs from the Direct Cost Table incurred wholly within the post-entitlement period or which began in the Period of VR and ended in the post-entitlement period.

TRKG CAAMT, Tracking Costs Allowed: [Dec 8,2, not nullable, system default (0)] The systems calculated total amount of the Tracking Costs that might be allowed. Tracking costs are allowable only for SGA claims and not for 301 claims. Tracking costs are incurred for months that occur from the month after the end of the "Period of VR" through the "Last Month of Continuous SGA", the duration of the post-employment period. It is possible that no months qualify. Tracking Costs cannot be paid for any month where ACP costs are also paid, and since ACP costs are also paid for any month where other costs are allowed for post-employment, no month where other costs are allowed can be considered a Tracking Cost Month. Tracking Costs must also be claimed by the VR on the SSA-199 or equivalent. No more than 9 months of tracking costs can be paid, and the number of months of tracking costs is reduced by 1 for every month in the post-employment period for which an ACP payment is made. Tracking Costs are a fixed monthly amount paid for each reimbursable Tracking Cost month. The amount is set for each individual SVR and is updated each fiscal year. Using ST_VR_ABBR_CD and FY, TRKG CSTFCTR AMT is retrieved from PCWOSS.VRALOFAC for each separate fiscal year and summed as necessary for the total Tracking Costs Allowed. VLD SW in VRALOFAC must be "Y" for the ST VR ABBR CD and FY being searched. If VLD SW <> Y, ACP Costs Allowed cannot be calculated until the new year has been entered and validated.

TFSRDUC_AMT, Trust Fund Savings Reduction [Dec 8,2, not nullable, system default (0)] The systems calculated amount that this claim must be reduced so that the total payout on this period of disability does not exceed the expected savings to SSA. Usually this value is zero and results in no reduction, but it is possible that the reduction is so large that it is reduces the "Total Payable" amount to zero.

- (1) Calculate ACP Costs Allowed + Direct Costs Allowed + Other Costs Allowed + Tracking Costs Allowed + Prior Payout Total SSA Savings.
- (2) Any result from (1) greater than zero becomes the "Trust Fund Savings Reduction", else the Trust Fund Savings Reduction is zero.

TOT_PAYBL_AMT, Total Payable [Dec 9,2, not nullable, system default (0)] The systems calculated amount of the final payment amount for this VR claim instance, if allowed, computed as: ACP Costs Allowed + Direct Costs Allowed + Other Costs Allowed + Tracking Costs

- Allowed Trust Fund Savings Reduction. If the result is less than zero, then zero is used instead.
- T: Add: **PMT_PRD_SLTN_TS**, Payment Period Selection Timestamp (Date and time the payment period was selected) [timestamp, nullable, default null] The last time that the VR claim examiner selected dates for the benefit claim period.
- T: Add: DIRCT_CST_GRP_CD, Direct Cost Group Code (RSA or SSA, VR expense category) [Char 1, not nullable, default "S", must be "R" or "S"] Identifies whether the VR by default uses RSA or SSA codes in identifying a direct cost code.
- T: Add: **SSACT_PRTCPN_CD**, Social Security Act Title Participation Code (SSA Benefit involvement) [Char 1, not nullable, no default, must be 1, 2 or 3] The SSA benefit participation as identified by the SVR when submitting their VR claim. Must be a valid SSA benefit participation code of: 1: T2 only, 2: Concurrent, or 3: T16 only.
- U: Add: PVR_RQSTD_SW, Preliminary Validation Review Requested Switch [CHAR 1, not nullable, default N, must be Y or N] The PVR Requested Switch will be used to indicate whether the get-PVR-Selection global service has been called for a given claim. (The global service function should only be called once during the life of the claim.)
- U: Add: **PRNT_VR_CLM_SNUM**, Parent Vocational Rehabilitation Claim Sequence Number [INTEGER, nullable, default NULL] The parent VR claim sequence number field will be used to indicate the parent's claim sequence number of a supplemental claim. This is necessary to link supplemental claims to their parent claim.
- U: Add: NTC_SENT_DT, Notice Sent Date [Date, nullable, default NULL] Needs to store the date when any notes were sent. When Notice Sent Date is null {no notice ever sent}, then global function Send-Award-Notice executed using passed COSSN and VR_CLM_SNUM, and VRPAYMNT/WRKCS_UID if not null.
- U: Add: SECT301NSNT_SW, Disability Benefits for Work Program Participation Notice Not Sent Switch (Switch to indicate that a 301 notice was not sent) [Char 1, not nullable, default N, must be Y or N]. Used to positively indicate that although the current claim is a 301 claim that no 301 notice was ever sent.
- U: Add: PREV_PMT_ACTN_CD, Previous Payment Action Code (Old payment action code) [Char 3, not nullable, default spaces] When a payment has been cancelled, the existing VR payment action code VR_PMT_ACTN_CD will be moved to this new field, and VR PMT ACTN CD reset to "000" to indicate that the claim has been reopened.
- U: Add: CLM_LAST_REOPD_DT, Claim Last Reopened Date (Date claim last reopened)
 [Date, nullable, default null] The date this claim was last reopened after a payment cancellation.

U: Add: RSBCSNTC_LSENT_DT, Resubmit Costs Notice Last Sent Date (Date Resubmit Costs Notice was last sent) [Date, nullable, default null] The date the last time this notice was sent.

U: Add: LSGANTC_LSENT_DT, Late Substantial Gainful Activity Notice Last Sent Date (Date Late SGA Notice was last sent) [Date, nullable, default null] The date the last time this notice was sent.

U: Add: LFLNTC_LSENT_DT, Late Filing Notice Last Sent Date (Date Late Filing Notice was last sent) [Date, nullable, default null] The date the last time this notice was sent.

U: Add: EXSGAPNTC_LSENT_DT, Extended Substantial Gainful Activity Period Notice Last Sent Date (Date Long SGA Period Notice was last sent) [Date, nullable, default null] The date the last time this notice was sent.

U: Add: CPRDSGA_EXPLN_TXT, Continuous Period of Substantial Gainful Activity Explanation Text (Explanation for 12 month period of SGA) [VarChar 4046, not nullable, system default (empty)] The determination and explanation why 9 months of SGA in a 12 month period was accepted, or why 9 months of SGA in a 12months period was not accepted providing one possible basis for denial of this VR claim.

T: Add these metadata fields to both data and history tables: VLD_SW (default Y), EFF_STDT (nullable, default null), EFF_ENDT (nullable, default null).

A <u>history table</u> HVHCLAIM will be created, and it will be maintained solely by use of triggers. Additional fields in the history table will be: AUDT_TS, DELD_SW (default "N") and DELD_BY_PIN. There are no constraint of any kind on the history table other than on DELD_SW.

S: PCWOSS VRCLMBAS, VR Claim Basis Reference Table

VR_CLMBSS_CD, VR Claim Basis [Char 1, not nullable, no default, primary key] Indicates the basis for this VR claim, and is one of:

S: Continuous Period of SGA

3: Medical Recovery during VR (301)

VR CLMBSS DESC, VR Claim Basis Description [Char 40, not nullable, no default]

LU PIN, LU TS (System default TS)

S: PCWOSS VRCLMPHA, VR Claim Phase Reference Table

VRCLMPHZ_CD, VR Claim Phase [Char 1, not nullable, no default, **primary key**] Indicates the request phase for this particular VR claim., and is one of:

- 1: Initial Claim
- 2: Resubmittal (Prior claim denied, basis for the denial no longer exist)
- 3: Supplemental (Prior claim allowed, additional expenses or other expenses being claimed)
- 4: Subsequent Period (New period of VR on same SSA period of disability entitlement)
- 5: Reconsideration (Prior claim denied, SVR disagrees)

VR CLMPHZ DESC, VR Claim Phase Description [Char 20, not nullable, no default]

VR_CLMPHZ_LONG_DESC, VR Claim Phase Extended Description [VarChar 4046, not nullable, system default (empty)]

LU PIN, LU TS (System default TS)

S: PCWOSS LTFLGISU, Late Filing Issue Reference Table

LATE_FLG_ISU_CD, Late Filing Issue [Char 1, not nullable, no default, primary key]

LATE_FLG_ISU_DESC, Late Filing Issue [VarChar 150, not nullable, no default] N: Late Filing not an issue

- 1: Good Cause needed: 301 claim, 301 notice sent, claim filed more than 90 days after later of notice sent date or end of month of date of final VR closure
- 2: Good Cause needed: 301 claim, 301 notice not sent, claim filed more than 12 whole months after date of final VR closure
- 3: Good Cause needed: SGA claim, claim filed more than 12 whole months after last month of continuous SGA

LU_	_PIN,	LU_	_TS	(System	default TS)
-----	-------	-----	-----	---------	-------------

S: PCWOSS QASLCTRS, QA Selection Reason Reference Table

QA_SLCTRS_CD, QA Selection Reason [Char 1, not nullable, no default, **primary key**] Summarizes the routing that resulted from the most recent QA review, if any.

Space: Not yet evaluated for QA

V: System selection based on VR

F: System selection based on Examiner also satisfying VR selection

E: System selection based on Examiner

M: Manual selection

U: New: N: Not selected for OA

QA SLCTRS DESC, QA Selection Reason [Char 40, not nullable, no default]

VLD_SW (default Y), LU_PIN, LU_TS (System default TS)

S: PCWOSS QALSTACT, Last VR QA Return Status Reference Table

QA_LAST_ACTN_CD, Last QA Return Status [Char 1, not nullable, no default, primary key] Summarizes the routing that resulted from the most recent QA review, if any.

Space: No QA Return yet

A: Adjudicated by reviewer and not returned, no defects

- B: Adjudicated by reviewer and not returned, defects found
- N: Returned by reviewer without defects
- D: Returned by reviewer with defects for cure and clearance
- R: Returned by reviewer with defects for cure and return for re-review

QA_LAST_ACTN_DESC, Last QA Return Status Description [Char 70, not nullable, no default]

VLD_SW (default Y), LU_PIN, LU_TS (System default TS)

S: PCWOSS SGAMNTRK, Months Used for SGA Purposes Data Table

Identifies months used in establishing the continuous period of SGA, and identifies tracking months which might be payable. Item 8 on the SSA-199.

Primary key: COSSN + VR_CLM_SNUM + SGA_MDT

Relational constraint: COSSN + VR_CLM_SNUM must exist in the main VR Claim table VRHCLAIM.

COSSN [Char 9, not nullable, no default] The own SSN of the SSA beneficiary for whom VR services were rendered.

VR_CLM_SNUM, Claim UID [Integer, not nullable, no default, foreign key constraint will be added at a later date] A systems assigned UID unique to this individual VR claim submittal for this COSSN.

SGA_MDT, **Month** [Date, not nullable, no default] Required, identifies a single month, day of month not material but should be the first,

VR_MNTH_CLMD_SW, Claimed by VR as a Tracking Month Switch [Char 1, not nullable, must be Y or N, default N] Indicates whether or not this month is claimed by the SVR for Tracking Period purposes for Tracking Cost payment purposes. Item 8 on the SSA-199. Not altered by SSA.

SSA_MNTH_USED_SW, Used by SSA as Payable Tracking Month Switch [Char 1, not nullable, must be Y or N, default N] Indicates whether or not this month was used by SSA for Tracking Cost payment purposes. A month cannot be both a Tracking Month and an ACP month at the same time. The month must have been claimed by the VR as a Tracking Month in order to be paid by SSA as a tracking month.

SSA_ACPLMH_USED_SW, Used by SSA as payable ACP Month Switch [Char 1, not nullable, must be Y or N, default N] Indicates whether or not this month was used by SSA for ACP Cost payment purposes. A month cannot be both a Tracking Month and an ACP month at the same time.

SGA_MNTH_SW, SGA Month Switch: [Char 1, not nullable, must be Y or N, default N] Indicates whether or not this month is an SGA month.

SGA_MNTH_WICPRD_SW, SGA Month Within Continuous Period [Char 1, not nullable, must be Y or N, default N] Indicates whether or not this month was used by SSA as an SGA month a part of the continuous period of SGA.

ERNGS_RANGE_CD, Earnings Range Code [Char 1, not nullable, default space] A Ticket to Work earnings range code as identified in PDCF.ERNRNGCD. This code is initially supplied by the Get-Earnings-Information web service.

ERNGS_SRC_CD, Earnings Source Code [Char 1, not nullable, default space] The source of information used for the Earnings Range Code as identified in PCWOSS.ERNGS_SRC_CD. This code is initially supplied by the Get-Earnings-Information web service.

U: New: PMT_BSS_CD, Payment Basis Code (Payment basis this claim) [Char 1, not nullable, default N, must be one of N, A, T or D] Indicates the basis for the payment for this month for the current claim.

N: Not paid this claim as Other ACP or Tracking. For initial claims could still be paid regular ACP which is not a function of this table.

A: Paid this claim as Other ACP.

T: Paid this claim as Tracking.

D: Paid this claim the difference between Tracking and ACP.

INSRT PIN, INSRT TS (System default TS), LU PIN, LU TS (System default TS)

A <u>history table</u> HSGMNTRK will be created, and it will be maintained solely by use of triggers. Additional fields in the history table will be: AUDT_TS, DELD_SW (default "N") and

DELD_BY_PIN. There are no constraint of any kind on the history table other than on DELD_SW.

S: PCWOSS SGAEVDCD, Closure to First SGA Finding Reference Table

SGA_EVALDTN_CD, VR Closure to First SGA Period Evaluation [Char 1, not nullable, no default] The VR claim must result in the beginning of a continuous period of SGA within 12 months of VR closure, otherwise an explanation is required for a longer delay. Applies only to SGA cases. Must be one of:

Space: Finding not yet made

- 1: Began within one year of SVR provided "Date of Final VR Closure"
- T: More than one year but preceded by transitional work activity
- V: Not preceded by transitional work activity but continuous period could not have occurred without VR services.
- M: Medically recovered before end of continuous period but VR medical services contributed to medical recovery
- N: Medically recovered before end of continuous period but recovery not expected by SSA and VR medical services did not contribute to medical recovery
- D: No justification found for more than one year gap from VR Closure to first month of continuous SGA (Denial)

SGA_EVALDTN_DESC, VR Closure to First SGA Period Evaluation Description [Char 250, not nullable, no default]

VLD_SW (default Y), LU_PIN, LU_TS (System default TS)

S: PCWOSS PPSTDTBS, Basis for Payment Period Begin Date Reference Table

PMT_PRD_SDTB_CD, Basis for Payment Period Begin Date: [Char 1, not nullable, no default, primary key] Identifies the basis for the selection of the Payment Period Begin Date, one of:

Space: Not selected

- 2: T2 first day of waiting period (If DAC \Leftrightarrow F or X, then DOO) (ignoring special case of the 1st) (does not apply to EXR cases)
- F: First day of T2 eligibility, no waiting period (If DAC = F or X, DOEC)
- 6: T16 first day of eligibility (S1-ELG RD-D6)

PMT_PRD_SDTB_DESC, Basis for Payment Period Begin Date Description: [Char 60, not nullable, no default]

ENTLT_CD [Char 2, not nullable, no default, must be "2" or "16"] Describes what title can use this basis code.

VLD_SW (default Y), LU_PIN, LU_TS (System default TS)

S: PCWOSS PPENDTBS, Basis for Payment Period End Date Reference Table

PMT_PRD_EDTB_CD, Basis for Payment Period End Date: [Char 1, not nullable, no default] Identifies the basis for the selection of the Payment period End Date, one of: Space: Not selected

2: T2 Last day of last month of entitlement (month before DOST)

L: Last day of the "Last Month of Continuous SGA"

6: T16 Last day of last month of entitlement

PMT_PRD_EDTB_DESC, Basis for Payment Period End Date Description: [Char 60, not nullable, no default]

ENTLT_CD [Char 2, not nullable, no default, must be "2" of "16"] Describes what title can use this basis code.

VLD_SW (default Y), LU_PIN, LU_TS (System default TS)

S: PCWOSS VRDRCTCL, Direct Costs Claimed Data Table

This table contains one row for each direct cost claimed for each VR case, and whether and how SSA accepted that cost. Information in this table is used only in the case of an award.

Primary key: COSSN + VR CLM SNUM + VR EXP ITM SEQ NUM

Foreign key constraint: COSSN + VR_CLM_SNUM must exist in VR claim table VRHCLAIM.

COSSN [Char 9, not nullable, no default] The own SSN of the SSA beneficiary for whom VR services were rendered.

VR_CLM_SNUM, **Claim UID** [Integer, not nullable, no default] A systems assigned UID unique to this individual VR claim submittal for this COSSN.

VR_EXP_ITM_SEQ_NUM, Direct Expense Item UID [SmallInt, not nullable, no default] A systems assigned UID corresponding to an individual direct expense item submission line item number for this claim submission. A separate UID is assigned to each separately identified direct expense for the current VR claim.

- **IVRCLM_SUBMN_SW, Initial Submission Switch** [Char 1, not nullable, default Y, must be Y or N] Indicates whether or not this cost was a part of the SVR's initial claim submission. This switch is not modified by SSA once entered.
- **DOROC_CD, Direct or Other cost:** {XML} [Char 1, not nullable, default D, must be D or O] Required, indicates whether the cost being claimed is a "Direct" cost or an "Other" cost, each of which have separate qualifying period criteria. "Other Costs" are also known as postemployment costs. If the claim is allowed, this flag may be altered depending on whether it is allowed as an "Other Cost" with the service dates wholly contained within the Period of VR, or whether it is an Other date where the "Month of Service End Date" is in the post-employment period.
- **SRV_PRD_STDT, Month of Service Start Date** {XML} [Date, not nullable, no default] Required, the month in which the direct service was rendered. If the service was rendered over several months then this is the first month in which the eservice was rendered, and the next field is the last month in which the service was rendered.
- SRV_PRD_ENDT, Month of Service End Date {XML} [Date, not nullable, no default] Required, if the direct service was rendered over several months, this is the last month in which the service was rendered. If the direct service was rendered only within one month, then the Month of Service Start and End dates will be in the same month. If an interactive user enters only a Start Date, the End Date will be systems propagated to be the same as the Start Date. The "Month of Service End Date" cannot be earlier than the "Month of Service Start Date".
- VR_EXP_ITM_CD, {XML} VR Direct cost expense item, [Char 3, not nullable, no default, foreign key constraint: must exist as VR_EXP_ITM_CD in PCWOSS.VREXPICD] Required, this code identifies the nature and purpose of the claimed expense.
- **SRV_EXP_AMT, Service Expense** {XML} [Decimal 8,2; not nullable, no default, must be > 0] Required, the amount of the direct expense for which the VR is seeking reimbursement.
- VR_EXP_REF_TXT, SVR reference information {XML} [VarChar 50, not nullable, system default (empty)] Optional information the SVR may wish to include to reference this expense in the SVR's own records. This could be a State VR voucher number, payment date, case number, or any other similar information useful to the SVR in documenting their claim and in retrieving their own records if requested by SSA. This field is normally only provided at the EN Portal.
- **VR_EXP_ITXT, Expense Description** {XML} [VarChar 500, not nullable, system default (empty)] An optional description, note or message the VR wishes to make concerning this one expense item. This field is normally only provided at the EN Portal.
- **DRCSTUS_CD, Direct Cost Status Code** [Char 2, not nullable, default "C", code must exist in the Direct Cost Status Code reference table DRCTUSCD] Required. This code indicates the current disposition of the claimed direct expense item. For allowed cases, only rows with a status code of "A" are paid. For allowance case, all rows must have a status code of either "A"

"or "Dx" before an allowance is permitted. When claims are first entered, the Status Code of "C" is automatically provided for all entries.

Possible Direct Cost Status Code values are:

C: Expense claimed but not reviewed

A: Expense allowed as claimed

Dx: Expense disallowed (see below)

V: Verification of expense requested/additional information requested

P: PVR requires verification of this expense

R: Expense information resubmitted by VR but not reviewed

W: Expense withdrawn by VR

Disallowance reason:

D0: No specific reason given

D1: Direct cost outside of VR period and post-employment period.

D3: Requested proof of payment for expense missing/inadequate

D4: Service was not paid for by the State VR agency

D5: Service was provided by a State VR Agency employee

D6: Similar or comparable service available from another source

D7: Service not a listed service

D8: Service not provided under an IPE or similar document

D9: Service not purchased and used specifically for the disabled individual

DA: Service not reasonable and necessary

DB: Service not the lowest reasonable cost

DC: Service did not contribute to employment at the SGA level

DD: Duplicate, already included

DE: Duplicate, previously paid.

DZ: Other reason not specified.

EXP_ITM_VRFD_SW, Expense verified [Char 1, not nullable, default N, must be Y or N] Required, indicates whether or not this direct expense item has been verified. Verification is only required if the case is selected for PVR, but may be optionally noted for any service.

DEV_NOTES_TXT, Development Note [VarChar 1000, not nullable, default empty] Optional SSA developmental note required in evaluated this direct cost item.

NOTE_TO_VR_TXT, Note to SVR [VarChar 1000, not nullable, default empty] Optional text or note concerning this item that should be viewable by the SVR in the EN Portal or on a notice for either developmental purposes or explanation for reason for adjudication.

INSRT_PIN, INSRT_TS (system default timestamp), **LU_PIN, LU_TS** (system default timestamp).

A <u>history table</u> HVDRCTCL will be created, and it will be maintained solely by use of triggers. Additional fields in the history table will be: AUDT_TS, DELD_SW (default "N") and

DELD_BY_PIN. There are no constraint of any kind on the history table other than on DELD_SW.

S: PCWOSS DRCTUSCD, Direct Cost Status Code Reference Table

DRCSTUS CD, Direct Cost Status Code [Char 2, not nullable, no default, primary key]

DRCSTUS DESC, **Direct Cost Status Code Description** [Char 80, not nullable, no default]

HELP_TXT, **Direct Costs Status Code Help** [VarChar 4046, not nullable, system default (empty)] Provides additional information concerning this status code to the VR Examiner.

Reference table metadata: VLD_SW (default Y), EFF_STDT, EFF_ENDT, LU_PIN, LU_TS (system default TS).

.....

S: PCWOSS VRCASACT, VR Case Activity Data Table

Each access of a VR case results in a row being written to the VR case activity table.

Primary key: COSSN + VR CLM SNUM + INSRT TS

Foreign key constraint: COSSN + VR CLM SNUM must exist in claim table VRHCLAIM.

Alternate index: INSRT PIN + INSRT TS + COSSN + VR CLM SNUM

COSSN [Char 9, not nullable, no default] The own SSN of the SSA beneficiary for whom VR services were rendered.

VR_CLM_SNUM, **Claim UID** [Integer, not nullable, no default] A systems assigned UID unique to this individual VR claim submittal for this COSSN.

VR_CASE_ACTVT_CD, VR Activity Code [Char 4, not nullable, no default, foreign key constraint: must be in the VR Case Activity Reference Table VRCASATC]

SUPPL_DATA_TXT, Supplemental Data [VarChar 200, not nullable, system default (empty)] Optional additional explanatory material concerning this event.

INSRT_PIN [Char 6, not nullable, no default] The PIN of the user associated with this activity. This can also include the "E" PIN of an EN portal user.

INSRT_TS [Timestamp, not nullable, system default timestamp] The date and time associated with this event.

S: PCWOSS VRCASATC, VR Case Activity Reference Table

VR_CASE_ACTVT_CD, VR Activity Code [Char 4, not nullable, no default, primary key]

VR_CASE_ACTVT_DESC, VR Activity Code Description [Char 50, not nullable, no default] Provides a description for the VR Activity Code.

LU_PIN (no default), LU_TS (system default TS)

Sample codes:

Intake-

INKI: Keyed in iTOPSS

INKP: Keyed by VR at Portal

INPD: PDF

INXP: XML at Portal INXI: XML in iTOPSS

INXW: XML via Internet web service

Development-

PVRR: PVR request PVRA: PVR response

SVRR: Other SVR information request SVRA: Other SVR information response

Update

UPDA: Data updated by SSA EVAL: Trial evaluation run

Decision-

DCUN: Unfavorable

DCFA: Favorable, unchanged DCFJ: Favorable, with adjustments

QA-

QAVR: VR QA selection

QAEX: Examiner QA selection QARA: Reviewer approved

QARR: Returned by Reviewer for correction

QARE: Returned by Examiner to review and resubmit QAMG: Manager approval on large payment case

View:

VEWS: SSA staff viewed this case

VEWV: VR staff viewed this case at the Portal

S: PCWOSS VRCASNOT, VR Case Note Data Table

Notes for a specific VR claim.

Primary key: COSSN + VR CLM SNUM + INSRT TS

COSSN [Char 9, not nullable, no default] The own SSN of the SSA beneficiary for whom VR services were rendered.

VR_CLM_SNUM, Claim UID [Integer, not nullable, no default, foreign key constraint will be added at a later date] A systems assigned UID unique to this individual VR claim submittal for this COSSN.

VR CASE NOTES TXT, VR Case Note Text [VarChar 4024, not nullable, no default]

EXPDT, Expiration Date [Date, nullable, default null] The date after which this not is subject to deletion.

U: Add: MGR_ONLY_DSSW, Manager Only Display Switch (Private switch) [Char 1, not nullable, default N, must be Y or N] Indicates whether or not this alert is visible only to VR Managers.

INSRT_PIN (no default), INSRT_TS (system default TS), LU_PIN (no default), LU_TS (system default TS)

S: PCWOSS VRALRNOT, VR Alert Data Table

Alerts or note for a specific state VR.

Primary key: ST VR ABBR CD + INSRT TS

ST_VR_ABBR_CD [Char 4, not nullable, no default, **primary key**, foreign key constraint: must be in VRSTABDA]

VR ALRT TXT, VR Alert Text [VarChar 4024, not nullable, no default]

EXPDT, Expiration Date [Date, nullable, default null] The date after which this not is subject to deletion.

U: Add: MGR_ONLY_DSSW, Manager Only Display Switch (Private switch) [Char 1, not nullable, default N, must be Y or N] Indicates whether or not this alert is visible only to VR Managers.

INSRT_PIN (no default), INSRT_TS (system default TS), LU_PIN (no default), LU_TS (system default TS)

S: PCWOSS VRPAYMNT, VR Payment Data Table

Manages all payments for the VR process except for advance payments. When a claim is awarded, payment information is moved to this table for effectuation. If a payment is cancelled before payment is effectuated by the US Treasury, then the payment is voided and the award is cancelled. The claim would need to be adjudicated again in order to effectuate payment. If the date in PCWOSS.ENET/VR_PMTLRLSD_DT is a future date, payments will be held and not released to SSOARS until VR_PMTLRLSD_DT is no longer a future date.

Primary key: COSSN + VR CLM SNUM + PMT SEQ NUM

Relational constraint: $COSSN + VR_CLM_SNUM + PMT_SEQ_NUM$ must exist in the

VRRMS main claim table VRHCLAIM.

Compound alternate key: ST VR ABBR CD + COSSN + VR CLM SNUM +

PMT SEQ NUM.

(Other alternate keys exist)

ST_VR_ABBR_CD [Char 4, not nullable, no default, foreign key constraint: must be in VRSTABDA] The State VR agency to whom the payment is being made.

COSSN [Char 9, not nullable, no default] The own SSN of the SSA beneficiary for whom VR services were rendered.

VR_CLM_SNUM, Claim UID [Integer, not nullable, no default] A systems assigned UID unique to this individual VR claim submittal for this COSSN.

PMT_SEQ_NUM, Payment Sequence Number [SmallInt, not nullable, default 1, constraint: must be a value from 1 through 99] A system assigned value so that ST_VR_ABBR_CD + COSSN + VR_CLM_SNUM + PMT_SEQ_NUM is unique, including in the history table for the payment table HVPAYMNT.

DUNS [Char 9, not nullable, no default, **alternate key**, foreign key constraint: must be in VRSTABDA] The DUNS of the SVR due this payment. If the payment is being held the DUNS can change until the claim is released to SSOARS.

EIN [Char 9, not nullable, no default] The EIN associated with the payment DUNS. If the payment is being held the EIN can change until the claim is released to SSOARS.

ACCTG_TXN_INVC_NUM [VarChar 45, nullable, default null, alternate key, unique if not null] The SSA invoice number used by VRRMS in communicating with SSOARS. (Null permitted to accommodate historical cases.)

TOT_DUE_AMT, Total Amount Due: [Decimal 9,2, not nullable, no default, constraint: must be > 0] The total amount approved for this claim. This amount may be reduced to recoup an overpayment.

WRKCS_UID: Integer, nullable, default null, **alternate key**] The workcase on which this payment was authorized. (Null permitted since not all claims will be associated with a work case, including historical cases.)

TOT_PAID_AMT, Total Amount Paid: [Decimal 9,2, not nullable, no default, constraint: cannot be < 0] The amount payable on this claim after all overpayments were recovered. Overpayments are not recouped until the claim is sent to SSOARS, so for held claims Total Amount Paid will be the same as Total Amount Due until the claim is released to SSOARS.

Calculating Total Amount Paid: The last step before submitting payment to SSOARS is to read the Payment Adjustment Table to see if there is a collectible amount for this EN (Running Total for the most recent row is > 0). If there is, then an "E" event for "Recoupment" is posted to the Payment Adjustment Table for the amount of Running Total not to exceed the Total Amount Due. Reading and adjustment to the Payment Adjustment table are a serialized read. The Total Amount Paid is then the Total Amount Due less the amount of the "E" adjustment. If the Total Amount Paid is > 0, then that amount is prepared as the amount to be certified to SSOARS. SSOARS voucher amount. If the Total Amount Paid = 0, then the payment is not certified to SSOARS but is closed out with a Payment Status cod of "Z" for "Zero Payment Due".

ENTLT_CD, Entitlement code: [Char 2, not nullable, default spaces, constraint: must be one of: spaces, "C", "16" or "2". The beneficiary benefit entitlement code, used to determine how the Total Amount Paid should be charged to SSA accounts. Spaces are permitted for historical cases.

TRSTFND_CD: [Char 1, not nullable, default space, one of "R" or "D" or space] The trust fund to which any VR payments for T2 purposes should be charged, either RSI or DI, used to determine how the Total Amount Paid should be charged to SSA accounts.

VR_INVC_NUM, SVR Invoice Number [VarChar 45, not nullable, system default (empty)] An optional SVR provided invoice number which is available to the SVR as a part of SVR payment inquiries.

VR_PSTUS_CD, VR Payment Status Code [Char 1, not nullable, no default, alternate key, must be in VR payment status code reference table VRPAYSTA] A code that identifies the current status of the payment for this claim, one of:

H: Held pending SVR release (allowed, but payments are being held for this SVR and will not be paid until payments are released for this SVR)

R: Request sent to SSOARS (either from hold status or directly to SSOARS)

E: SSOARS release failed due to error (allowed, was held, failed to be accepted by SSOARS on account of error once released. This is considered a cancelled payment, and the claim must be re-authorized.)

W: SSOARS release failed due to web service issue, or SAM issue or BFY issue. (allowed, was held, failed to be accepted by SSOARs for reason given, claim is can be automatically resubmitted to SSOARS.)

S: Accepted by SSOARS (accepted by SSOARS, may still be pending in SSOARS or may have been sent to Treasury)

T: Pending in Treasury

C: Cancelled before payment (cancelled by VRRMS user while still held, or while still pending in SSOARS)

P: Paid (by the US Treasury)

R: Total amount recouped (Overpayment completely offset the Total Amount Due, the claim is never further evaluated unless voided)

PSTUS_TS, Status Timestamp [Timestamp, not nullable, no default] One of the following dates:

- If Status Code "Held pending SVR release" then the timestamp of final allowance when the claim was forwarded to the payment queue but is not to be paid until all held payments are released for the SVR.
- If Status Code "Request sent to SSOARS" then the timestamp the service request was sent to SSOARS. Every payment made regardless of whether it was held or was immediately submitted to SSOARS is first recorded with this status code before being sent to SSOARS.
- If Status Code "SSOARS release failure due to error" or "SSOARS release failed due to web service issue" then the timestamp when the submission to SSOARS was identified as a failure. The failure can be for any reason, such as SSOARS returned an error, or there was a timeout or other service failure.
- If Status Code "Pending in SSOARS" then the timestamp the service request was sent to SSOARS, unchanged if the prior Status Code was "R".
- If Status Code "Cancelled before Payment" then the timestamp when the cancellation was confirmed. If the case was being held, then this is the timestamp the VR Payment Status Code was changed to "C". If the case was pending in SSOARS, then the timestamp when the cancellation was accepted by SSOARS. If the claim was pending in SSOARS, the Status Code is not changed to "C" and the Status Timestamp updated until the cancellation has been confirmed by SSOARS.
- If Status Code "Pending in Treasury", the Status Timestamp is not changed.
- If Status Code "Paid" then the date the US Treasury has reported that funds will be in the VR's bank account. This can be a future date.
- If Status Code "Total amount recouped", then the Status Timestamp is updated to when that determination was made.

SSOARS_VCHR_NUM, SSOARS voucher number [VarChar 45, not nullable, system default (empty)] The SSOARS voucher number when the payment request was accepted by SSOARS.

VOIDD_PMT_CD, Voided [Char 1, not nullable, default N, must be Y or N or C] A payment is voided only if a payment was paid, and indicating the payment was incorrect and should be withheld from future payments. If the entire payment was withheld to recoup an overpayment, it is immediately considered paid, otherwise if some amount is payable, it is technically not paid until confirmed by SSOARS as paid by the US Treasury. If any part of the payment was due another payment should be issued. If the payment was not due, any amount paid or any amount not paid to recoup an overpayment requires an adjustment.

Y: Payment was made that should not have been made. VR Payment Status Code is "P" or "R". Use of "Y" requires a manual determination that the payment should be voided. The Payment Acton Code for the VR claim is also changed to "VVV" and the claim is again pending and must be cloned and readjudicated.

C: Payment request was cancelled or removed before payment was made. The payment must be reauthorized in order to be resubmitted. Voided will be set by the system to "C" whenever VR Payment Status Code is set to "E" (SSOARS reject due to error) or "C" (Cancelled by user before payment.). The Payment Acton Code for the VR claim is also changed to "VVV" and the claim is again pending and must be cloned and readjudicated.

N: Payment was correctly made. Voided will be set by the system to "N" when VR Payment Status Code is set to "P" or "R".

Space: Payment is pending.

If the payment is voided with "Y", one to two transactions will be automatically be posted by the system to the Payment Adjustment Event Table. If the Total Amount Paid is > 0, then the Total Amount Paid will be posted with an event code of "C" for "Create Overpayment". If the Total Amount Paid and the Total Amount Due are not the same, then the difference will be posted with an event code of "F" for "Recoupment Voided". Any updates to the Payment Adjustment Event table are serialized.

If the payment is voided with "C", and the Total Amount Paid and the Total Amount Due are not the same, then the difference will be posted to the Payment Adjustment Event Table with an event code of "F" for "Recoupment Voided". Any updates to the Payment Adjustment Event table are serialized.

PMT_ADJT_TS, Payment adjustment timestamp [Timestamp, nullable, default null] If this payment is related to a payment adjustment, the VR_ST_ABBR_CD plus this Payment adjustment timestamp will point to one or two rows that will exist in the Payment Adjustment Event Table.

T: Add: **RSI_DI_ACCT_PCT**, Retirement Survivors Disability Insurance Account Percentage Rate (RSDI percentage) [Dec 6,3; nullable, default null] For claims for concurrent T2/T16 disability beneficiaries, the percentage amount of the total award to be charged to an RSI or DI account.

T: Add: **RSI_ACCT_AMT**, Retirement Survivors Insurance Account Amount (RSI account amount) [Dec 9,2; nullable, default null] For fund accounting, the amount of this claim to be charged to the RSI trust fund.

T: Add: **DI_ACCT_AMT**, Disability Insurance Account Amount (DI account amount) [Dec 9,2; nullable, default null] For fund accounting, the amount of this claim to be charged to the DI trust fund.

T: Add: **T16_ACCT_AMT**, Supplemental Security Income Account Amount (SSI account amount) [Dec 9,2; nullable, default null] For fund accounting, the amount of this claim to be charged to the SSI general account.

U: Add: **PMT_APPD_FY**, **Payment Applied Fiscal Year (Fiscal year charged)** [Char 4, not nullable, system default (spaces)]. The fiscal year to which this VR payment is charged.

INSRT_PIN, INSRT_TS (system default timestamp), **LU_PIN, LU_TS** (system default timestamp).

A <u>history table</u> HVPAYMNT will be created, and it will be maintained solely by use of triggers. Additional fields in the history table will be: AUDT_TS, DELD_SW (default "N") and DELD_BY_PIN. There are no constraint of any kind on the history table other than on DELD_SW.

S: PCWOSS VRPAYSTA, VR Payment Status Code Reference Table

VR_PSTUS_CD, VR Payment Status Code [Char 1, not nullable, no default, primary key] A code that identifies the current status of the payment for this claim, one of:

H: Held pending SVR release

R: Request sent to SSOARS

E: SSOARS release filed due to error

W: SSOARS release failed due to service, SAM or BFY issue.

S: Pending in SSOARS

T: Pending in Treasury

C: Cancelled before payment

P: Paid

R: Total amount recouped

VR PSTUS DESC, VR Payment Status Code Description [Char 30, not nullable, no default]

VR_PSTUS_LONG_DESC, VR Payment Status Code Long Description [VarChar 4046, not nullable, system default (empty)]

LU_PIN, LU_TS (system default timestamp).	

S: PCWOSS VRADPMEV, VR Payment Adjustment Event Data Table

This table is used to manage incorrect payments in the VR program. Rows once inserted are never updated. Corrections are made by adding new rows with offsetting amounts. When Typically the most recent row for an SVR is read and a new row added. This process should be a serialized transaction. This will occur when posting a new row to this table or when a payment is made.

Primary key: ST_VR_ABBR_CD + PMT_ADJT_TS + ADJT_PMT_EVNT_CD

Alternate key: COSSN + VR CLM SNUM + PMT SEQ NUM

ST_VR_ABBR_CD [Char 4, not nullable, no default, foreign key constraint: must be in VRSTABDA] The state VR agency to whom this payment adjustment action is charged.

PMT_ADJT_TS, Payment Adjustment Timestamp [Timestamp, not nullable, no default] The insert timestamp for this row.

ADJT_PMT_EVNT_CD [Char 1, not nullable, no default, foreign key constraint: must exist in existing PCWOSS.ADJT_PMT_EVNT_CD] The reason for this payment adjustment action. The reason selected determines the effect of the adjustment, which can be positive, negative, neutral or an overlay. The current list consist of:

- C Create Overpayment (increases total overpayment)
- D Reverse/Correct Overpayment (reduces total overpayment)
- E Overpayment Recouped (reduces total overpayment)
- F Recoupment Voided (increases total overpayment)
- G Refund Received (reduces total overpayment)
- H Refund Voided (increases total overpayment)
- U Underpayment Issued (added to a negative overpayment, presumably to return to zero)
- X Net overpayment carried forward (overlays total overpayment)
- Z No effect/for documentation only (no effect on total overpayment)

This additional item will be added for VR purposes only and does not apply to Ticket:

A Advance payment (applies to VR reimbursement cases only)

Developer note: ADJ_EFFT_CD in the ADJT_PMT_EVNT_CD reference table controls the application of ADJT_AMT based upon the ADJT_PMT_EVNT_CD. ADJT_EFFT_CD is one of:

- P: Positive, adds to the total overpayment
- N: Negative, reduces the total overpayment
- R: Replace, overlaying the current total overpayment
- Z: No effect on the current total overpayment

Use ADJ_EFFT_CD to determine how to handle ADJT_AMT, and do not embed the effect on the total overpayment amount in your application.

ADJT_AMT [Decimal 11,2, not nullable, no default, cannot be < 0] The amount of this payment adjustment. This amount is not signed. The effect of this amount (positive, negative,

overpay, comment) is determined by the ADJ_EFFT_CD associated with ADJT_PMT_EVNT_CD.

COSSN [Char 9, nullable, default null]

VR_CLM_SNUM, Claim UID [Integer, nullable, default null]

PMT SEQ NUM [SmallInt, nullable, default null]

If COSSN, VR_CLM_SNUM and PMT_SEQ_NUM are all present they along with VR_ST_ABBR_CD should together exist as the primary key for a row in the VR Payment table VRPAYMNT. Since they are not always present this cannot be a foreign key constraint.

XREF_TS, Cross Reference Timestamp [Timestamp, nullable, default null] In conjunction with the ST_VR_ABBR_CD allows a cross reference to a prior overpayment action. For example, an action to reverse/correct an overpayment should refer back to the row where the overpayment was created. If a Cross Reference Timestamp is shown here, VR_ST_ABBR_CD + Cross Reference Timestamp should already exist in this table.

WRKCS_UID [Integer, nullable, default null] The workcase which authorized the payment that is now or which was considered an overpayment. There may not be any work case associated with the overpayment event.

VR_PMT_ASGNDRSN_CD [Char 1, not nullable, system default (space)] An optional reason describing why an overpayment was created. Codes will be developed at a later date based upon user input.

RUNTOT_AMT, Running Total [Decimal 11,2, not nullable, no default, can be negative] Used for accounting and trouble shooting. If ADJT PMT EVNT CD is:

Z: Running Total is the same as the running total in the most recent row in this table for this SVR.

X: Running total is the same as ADJT AMT in this row.

Any other code, then the running total is the most recent row in this table for this SVR is adjusted by ADJT_AMT in this row as required by the ADJT_PMT_EVNT_CD.

ADJT_RSN_TXT [VarChar 1000, not nullable, system default (empty)] An optional description concerning the reason for the action being taken. This text if present will be visible to the SVR.

INOTE_TXT, Internal note [VarChar 1000, not nullable, system default (empty)] An optional internal note visible to SSA only concerning this overpayment action.

INSRT_PIN [Char 6, not nullable, no defau	ılt]
---	------

S: PCWOSS VRADVATH, SVR Advance Authorization Data Table

This table records the authorization of advances to an SVR.

Primary key: ST VR ABBR CD + INSRT TS

ST_VR_ABBR_CD [Char 4, not nullable, no default, foreign key constraint: must be in table VRSTABDA]

ADV AMT, Advance Amount [Dec 11,2, not nullable, no default, must be > 0]

FRST_ATHGSPVR_PIN, First Authorizing Supervisor [Char 6, not nullable, no default]

FRST_AUTHN_TS, First Authorization Timestamp [Timestamp, not nullable, system default timestamp]

SEC_ATHGSPVR_PIN, Second Authorizing Supervisor [Char 6, not nullable, default spaces]

SEC_AUTHN_TS, Second Authorization Timestamp [Timestamp, nullable, default null]

PMT_ADJT_TS, Payment Adjustment Timestamp [Timestamp, nullable, default null] When provided, in combination with ST_VR_ABBR_CD and a ADJT_PMT_EVNT_CD of "A" in the Payment Adjustment Table will cause the advance payment amount to be treated the same as an overpayment, with SVR payments being withheld until the advance is completely drawn down.

NOTE_TXT, Note [VarChar 4046,not nullable, system default (empty)] Any note concerning the authorization of this advance.

INSRT_TS (system default timestamp), LU_PIN, LU_TS (system default timestamp)

T: Create history table HVRADVTH (will be updated by DB2 Triggers).

In the history table add these additional history only fields: DELD_SW (must be Y or N, default N), AUDT_TS (not nullable, system default) and AUDT_PIN (not nullable, default spaces).

There are no constraints of any kind on the history table other than on DELD_SW.

S: PCWOSS AVRCLMTR, XML transmitted to SSA to establish a VR claim Audit Table

Primary key: ST_VR_ABBR_CD + INSRT_TS

ST VR ABBR CD [Char 4, not nullable, no default]

INSRT TS [Timestamp, not nullable, system default timestamp]

TKTASM_CD, Service Channel [Char 1, not nullable, default "U", must be a value in PCWOSS.TKTASM_CD] Indicates the method by which the VR case was established. Examples are: F = EN file via SSA EN Portal, G = EN file via iTOPSS, W = Interner Web Service (single).

T: Remove **CLM_ACPTD_SW**, **Claim accepted switch** [Char 1, not nullable, default Y, must be Y or N] Indicates whether or not the submitted XML was accepted and used to create a new VR claim instance.

T: Add: **CLM_ACPTD_CD**, Claim Accepted Code (Claim accepted indicator) [Char 1, not nullable, default N, must be Y, V or N] Y indicates the claim was validated and saved, V indicates the claim was validated but not saved since the submission was defined as a test only case, or N indicates one or more validation errors.

COSSN [Char 9, not nullable, default spaces] If a VR claim is created or if the XML cannot be processed but a COSSN can be extracted, the COSSN associated with the VR claim.

VR_CLM_SNUM, Claim UID [Integer, nullable, default null] If a VR claim is created the Claim UID established for that claim.

VR_XML_FL [CLOB 2Mb, not nullable, no default] The actual XML transmitted to establish the VR claim.

T: Add: **SRVRQ_TXN_TYP**, Service Request Transaction Type Code [Char 3, not nullable, no default] A three position value that identifies this type of transaction, and which should be in the PCWOSS SRVRQ TXN TYP table.

T: Add: **WRKCS_UID**, Work Case Unique Identifier [Integer, nullable, default null] The work case ID that was associated with this transaction, if any.

T: Add: **RESP_MSG_TXT**, Response Message Text (Response Message) [VarChar 9000, not nullable, system default (empty)] The response that was returned to the person or process establishing the VR claim. If the request was interactive, then Response Message will be plain text or HTML. If the request was submitted as an XML file or a web service request, the Response Message will be the full XML response.

T: Add: **RESP_CD**, Response Code (Response Type) [Char 1, not nullable, default "T", must be one of T, X or H] Identifies the type of content in the Response Message as:

H: HTML T: Text

X: XML

T: Add: **TEST_SUBMN_SW**, Test Submission Switch (Test-only switch) [Char 1, not nullable, default N, must be Y or N] Indicates if this message was submitted in test only mode, or if it was submitted as an actual claim.

INSRT PIN [Char 6, not nullable, no default]

T: Add Table metadata: LU_PIN (not nullable, no default), and LU_TS (not nullable, system default TS).

S: PCWOSS VRSTABDA, State VR Abbreviation Data Table

This table serves as a bridge table to PCWOSS.ENET so that state VR codes are abstracted from DUNS which can change. Other columns moved to this table include VR-only fields from ENET. These fields will be removed from ENET in a later release.

ST VR ABBR CD [Char 4, not nullable, no default, primary index]

DUNS [Char 9, not nullable, no default, foreign key constraint: must exist in ENET]

VR_BLND_SRV_SW [Char 1, not nullable, default "N", must be Y or N] Indicates if this SVR is for the blind.

VR_LGCY_ST_CD [Char 3, not nullable, no default] SSA legacy three position State Vocational Rehabilitation Agency code.

VR_SRVS_AGY_CD [Char 3, not nullable, no default] Rehabilitation Services Agency three position State Vocational Rehabilitation Agency code.

VR_PMTLRLSD_DT [date, nullable, default null] A date which if present results in VR payments being held for release to SSAORS until the date is no longer a future date or the date is set to null.

DIRCT_CST_GRP_CD, Direct Cost Group Code (RSA or SSA, VR expense category) [Char 1, not nullable, default "S", must be "R" or "S"] Identifies whether the VR by default uses RSA or SSA codes in identifying a direct cost code.

T: Add: VLD SW [Char 1, not nullable, default 'Y']

T: Add: EFF STDT [Date, nullable, default null]

T: Add: **EFF ENDT** [Date, nullable, default null]

T: Add: Unique alternate index on DUNS to prevent duplicates in this table.

T: Add: DIRCT_CST_GRP_CD, Direct Cost Group Code (RSA or SSA, VR expense category) [Char 1, not nullable, default "S", must be "R" or "S"] Identifies whether the VR by default uses RSA or SSA codes in identifying a direct cost code.

T: Add these metadata fields to both data and history tables: VLD_SW (default Y), EFF_STDT (nullable, default null), EFF_ENDT (nullable, default null).

LU_PIN [Char 6, not nullable, no default]
LU TS [Timestamp, not nullable, system default timestamp]

A <u>history table</u> HVSTABDA will be created, and it will be maintained solely by use of triggers. Additional fields in the history table will be: AUDT_TS, DELD_SW (default "N") and DELD_BY_PIN. There are no constraint of any kind on the history table other than on DELD_SW.

S: PCWOSS SSAENTDA, SSA Benefit Entitlement Data Table

Records the various established entitlements used in evaluating this VR claim. At least one row must be present for any allowed VR claim. A claim can be denied without any SSA benefit data present.

Primary key: COSSN + VR CLM SNUM + CLMSSN + CLMBIC

Alternate key: CLMSSN + CLMBIC

COSSN [Char 9, not nullable, no default] Own SSN of the beneficiary.

VR_CLM_SNUM, Claim UID [Integer, nullable, default null] If a VR claim is created the Claim UID established for that claim.

ENTLT_CD: [Char 2, not nullable, no default, must be "2", or "16"] Indicates the disability benefit entitlement type for this row as either T2 or T16.

CLMSSN: [Char 9, not nullable, no default] A claim SSN For the SSA beneficiary. For a T2 wage earner's own account. For an SSI account this should be the Housed Under Number (HUN).

CLMBIC: [Char 3, not nullable, no default] For a T2 claim this is the BIC. For a T16 claim this is the MFT.

DISB_ONST_DT, DOO: [Date, not nullable, no default] The date of onset associated with the account.

CRNT_ENTLT_DT, DOEC: [Date, not nullable, no default] The current date of entitlement for the account.

SUSPN_OR_TRMDT, DOST: [Date, nullable, default null] The date of termination for the account.

RFST_CD: [Char 6, not nullable, system default (spaces) The termination reason taken from the MBR or SSR.

CLM_TERMN_CD, Claim Termination Flag [Char 1, not nullable, system default (spaces) must be T, W or a space] Indicates the termination status for this claim.

W: Terminated on account of work and earnings

M: Terminated on account of medical improvement

T: Terminated but not on account of work and earnings or medical improvement Space: Not terminated

STYBLNDS_SW, Statutory Blindness Switch [Char 1, not nullable, default N, must be Y or N] Indicates whether or not the beneficiary is statutorily blind for this account.

VR301_ALWC_DCN_DT, 301 Allowance Decision Date: [Date, nullable, default null] The date on which ODO made a determination that this beneficiary was properly in the VR 301 program based on this account number. A 301 claim cannot be paid without this date (Claim Basis = "3"). A 301 claim can be denied without this date. This date can be entered manually, and may be the result of a systems lookup with the ODO 301 control system.

LAST_TXN_DT, Last transaction date [Date, nullable, default null] The last transaction date for the MBR or SSR that was used for this account in processing this VR claim. For the MBR this is the Run Process Date RUN_PRC_DT, and for the SSR this is the Last Transaction Date LAST_TXN_DT.

SSN_SSR_IDX_RECID, SSR logical record number [SmallInt, nullable, default null] For SSR entitlement only, the logical SSR record number for this COSSN

SSR_PRSN_IDFR, SSR Person Number [Char 1, not nullable, system default (spaces), must be a space, "1" or "3"] For SSR entitlement only, the person number for this CLMSSN.

INSRT_PIN [Char 6, not nullable, no default]
INSRT_TS [Timestamp, not nullable, system default timestamp]
LU_PIN [Char 6, not nullable, no default]
LU TS [Timestamp, not nullable, system default timestamp]

A <u>history table</u> HSAENTDA will be created, and it will be maintained solely by use of triggers. Additional fields in the history table will be: AUDT_TS, DELD_SW (default "N") and DELD_BY_PIN. There are no constraint of any kind on the history table other than on DELD_SW.

.....

T: PCWOSS.VRAWRKCS, new data table for VR workcases + history table HVRWRKCS This table tracks and manages pending VR claims.

WRKCS UID, Workcase Unique Identifier [Integer, not nullable, no default, primary key]

ST_VR_ABBR_CD, State Vocational Rehabilitation Abbreviation Code [Char 4, not nullable, no default, must be in PCWOSS.VRSTABDA]

COSSN, Client's Own Social Security Number [Char 9, not nullable, no default]

VR_CLM_SNUM, Vocational Rehabilitation Claim Sequential Number [Integer, not nullable, no default]

-- Alternate index on COSSN + VR CLM SNUM

VR_CLM_STUS_CD, Vocational Rehabilitation Claim Status Code (VR claim status) [Char 4, not nullable, no default, must be a value in the VR Claim Status reference table] Identifies the specific claim status for the VR claim.

VR_CLM_STUS_DT, Vocational Rehabilitation Claim Status Date (VR Claim Status Date) [Date, not nullable, no default] Indicates the most recent date on which the VR Claim Status was changed.

ASGND_EXMR_PIN, Assigned Examiner Personal Identification Number (Assigned Examiner) [Char 6, not nullable, default spaces, alternate index] The PIN of the VR examiner assigned to this case, if any.

EXMR_ASGNT_DT, Examiner assignment date [Date, nullable, default null] The date the current examiner was assigned.

ASGND_QA_REVR_PIN, Assigned Quality Assurance Reviewer Personal Identification Number (Assigned QA Specialist) [Char 6, not nullable, default spaces] The PIN of the QA Specialist assigned to this case, if any.

QA_REVR_ASGNT_DT, Quality Assurance Reviewer Assignment Date (QA Specialist assigned date) [Date, nullable, default null] The date the current QA specialist was assigned to this case.

ASGND_MGR_PIN, Assigned Manager Personal Identification Number (Assigned management reviewer) [Char 6, not nullable, default spaces] The PIN of the manager assigned to review this case, if any.

MGR_ASGNT_DT, Manager Assignment Date (Management reviewer assigned date) [Date, nullable, default null] The date the current manager was assigned to this case.

ASGND_CUSR_PIN, Assigned Current User Personal Identification Number (Current queue owner) [Char 6, not nullable, default spaces] The PIN of the person to whom this work case is currently assigned, if anyone. This should be the assigned examiner, QA specialist or management reviewer.

DRY_SET_DT, Diary Set Date [Date, nullable, default null] The date the current diary was set, if any.

DRY_EXPRS_DT, Diary Expires Date [Date, nullable, default null] The date a current diary will expire, if any.

DRY_EXPLN_TXT, Diary Explanation Text (Diary explanation) [VarChar 2000, not nullable, system default (empty)] The reason the current diary is/was set.

XCLMSSN, Cross Reference Social Security Number (Cross reference SSN) [Char 9, not nullable, default spaces] If this VR claim was established under the wrong SSN, this is the correct SSN. If this VR claim was submitted under the wrong SSN, and this workcase is the correct SSN, this is the incorrect SSN.

Table meta-data: INSRT_PIN (not nullable, no default), INSRT_TS (not nullable, system default TS), LU PIN (not nullable, no default), LU TS (not nullable, system default TS).

History table HVRWRKCS is maintained by triggers and includes DELD_SW (default N), AUDT_TS (system default TS, added to the primary key of the production table), and AUDT_PIN (no default).

T: PCWOSS.VRCLSBER, new reference table for VR Claim submission error message Decodes error messages for VR claim submissions.

CLM_SUBMN_ERR_CD, Claim Submission Error Code (Error code) [SmallInt, not nullable, no default, primary key] An arbitrary number identifying a particular error message.

TRML_IPUT_MSG_SW, Terminal Input Message Switch (Terminal Message switch) [Char 1, not nullable, default N, must be Y or N] If a message is a terminal message then no further errors are considered. If a message is not a terminal message, then additional error tests will be performed even if the VR claim cannot be accepted.

CASE_CD, Case Code (Case type code) [Char 1, not nullable, no default, must be one of C, S or B] Indicates the type of VR claim to which the error message applies, and must be one of:

C: Complete/full VR claims only

S: Supplemental VR claims only

B: Both Complete and Supplemental claims

IACTV_INEMSG_TXT, Interactive Input Error Message Text (Error message based on interactive input) [VarChar 200, not nullable, no default]

XML_ERR_MSG_TXT, Extensible Markup Language Error Message Text (Error message based on XML submission) [VarChar 200, not nullable, no default]

HELP_TXT, Help Text (Extended help) [VarChar 4000, not nullable, system default (empty)]

Examples:

- 1: SVR code svrCode missing or invalid.
- 2: SSN claimSSN missing or invalid.
- 3: No such person for this SSN claimSSN.

Table meta-data: LU_PIN (not nullable, no default) and LU_TS (not nullable, system default TS).

T: PCWOSS.VRCLSTUS, new reference table for VR Claim Status

VR_CLM_STUS_CD, Vocational Rehabilitation Claim Status Code (VR Claim Status) [Char 4, not nullable, no default]

VR_CLM_STUS_DESC, Vocational Rehabilitation Claim Status Description (VR Claim Status Description) [Char 50, not nullable, no default]

U: Add: VR_CLM_SSD, Vocational Rehabilitation Claim Status Short Description [Char 20, not nullable, no default]

VLD SW [char 1, not nullable, default Y, must be Y or N]

LU PIN (not nullable, no default), LU TS (not nullable, system default TS)

Examples:

AEAS: Awaiting assignment to an examiner

AEAC: Awaiting initial examiner action

ASLF: Awaiting explanation for late filing

ASPV: Awaiting PVR

ASDC: Awaiting additional direct cost information

ASOT: Awaiting other SVR information

AEDI: Awaiting examiner disposition

AQAS: Awaiting assignment to QA

AQDI: Awaiting QA disposition

ASQA: Awaiting examiner response to QA

AMAS: Awaiting assignment to manager

AMDI: Awaiting manager disposition

ASMA: Awaiting response to manager AEOT: Awaiting other examiner action CLFA: Closed, favorable decision CLUN: Closed, unfavorable decision

CLWS: Closed, wrong SSN CLIN: Closed, not a valid claim

.....

T: New reference table VRPAYARR for VR_PMT_ASGNDRSN_CD in PCWOSS.VRADPMEV

VR_PMT_ASGNDRSN_CD, VR Payment Assigned Reason Code [Char 1, not nullable, no default, Primary Key] An optional reason describing why the VR adjustment or overpayment was created.

ADJT_RSN_DESC, Adjustment Reason Description [Char 80, not nullable, no default] Provides an English decoding of VR PMT ASGNDRSN CD.

Samples:

C: Payment was cancelled, not due

R: Payment was cancelled, adjusted payment will be reissued

Table metadata: VLD_SW (default Y), EFF_STDT (not nullable, no default), EFF_ENDT (nullable, default null), LU_PIN (no default), LU_TS (system default TS).

T: PCWOSS.VRPNDCLM, new data table to hold VR claims being entered but not yet complete

Incomplete claims not yet validated will be stored here for recall into an interactive data entry session at either the Portal or iTOPSS. Rows in this table will be deleted when the claim is complete.

Primary key: ST_VR_ABBR_CD + PEND_CLM_INSRT_TS.

ST_VR_ABBR_CD, State Vocational Rehabilitation Abbreviation Code [Char 4, not nullable, no default, must be in PCWOSS.VRSTABDA]

PEND_CLM_DATA_FL, Pending Claim Data File (Pending claim data) [BLOB, 2Mb max, not nullable, no default] Pending claim information stored as a serialized Java object rather than as an XML representation.

SRC_CD, Source Code (Source) [Char 1, not nullable, no default, must be "E" or "S"] Indicates the source of the pending VR claim, either "E" for an SVR at the EN Portal, or "S" for SSA staff using iTOPSS.

CASE_NOTES_TXT, Case Notes Text (Incomplete claim case note) [VarChar 2000, not nullable, system default (empty)] Any temporary note the user may wish to make about this incomplete claim. This note is not retained once the case is accepted.

Table metadata: INSRT_PIN (not nullable, no default), **PEND_CLM_INSRT_TS** (not nullable, system default TS), LU_PIN (not nullable, no default), LU_TS (not nullable, system default TS).

U: PCWOSS.PMTBSSCD, Payment Basis Reference table

U: Add: **PMT_BSS_CD**, **Payment Basis Code** [Char 1, not nullable, no default] Indicates the basis for the payment for this month for the current claim.

U: Add: PMT_BSS_CDESC, Payment Basis Code Description [VARCHAR 60, not nullable, no default] Indicates the basis for the payment for this month for the current claim.

Standard reference table fields:

VLD_SW [Char 1, not nullable, default N, must be Y or N]

LU_PIN [Char 6, not nullable, no default]

LU TS [TIMESTAMP, not nullable, system default]

APPENDIX L: FILE LAYOUT OF THE WATERFALL FILE

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
DEC	01	A1	<pre>Decision Spaces = Unknown @ = Not Available A-Z = Case was Staled or Not based on 'Pending Time' and when/if it was completed</pre>
SSN	02-10	A9	Social Security Number (9-Digit Social Security Number)
BIC Widow/Widower Widow/Widower Widow/Widower	11-12	A2	<pre>Beneficiary Identification Code Title II A</pre>
TOC	13-14	A2	Type Of Claim Spaces = Unknown BC = Blind Child BI = Blind Worker BS = Blind Spouse DC = Disabled Child DI = Disabled Worker DS = Disabled Spouse
BOAN	15-23	A9	Beneficiary's Own Account Number (9-Digit Beneficiary's SSN) For T16 and T2 BIC 'A' same as SSN
CLMTYPE	24	A1	<pre>Claim Type Title II 1 = Title 2 Only 2 = Concurrent</pre> Title XVI

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			3 = Title 16 Only
PSC	25	A1	<pre>Payment Service Center Spaces = Unknown #</pre>
			7 = OCO (T2 Only) 8 = OIO (T2 Only)
INTEG	26	A1	<pre>Integrity Indicator Spaces = Unknown N = No Y = Yes</pre> (T6 Only)
STYPE	27	A1	<pre>Study Type Spaces = Unknown A</pre>
			D = Answered 'Can Work' To Question 3 Known Impairment E = Medical Remarks Or Attachments
			F = T2 DOCDR (T2 Only) G = No Response To Question 1 (Work)
			H = No Positive Responses To Question 3 (Doctor's Opinion)
			I = No Response To

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			Question 4 J = No Treatment (Mental Retardation Excluded With Permanent Impairment)
			K =
			<pre>M = Identifies Medium Logic Cases</pre>
			N = (T2 Only)
			P = Positive Answer To Question 3 (Unknown Impairment)
			<pre>Q = Positive Answer To Question 4 (Unknown Impairment)</pre>
			R = MIE Diary Special Study
			S = (T0.00.1.)
			T = (T2 Only) $U = Former Medium Study (T2 Only)$
			V = Former Medium Study Z = Integrity Sample
SCORE	28-31	A4	Score 0000 = Unknown 0001 - 0200 = Low 0201 - 0421 = Medium 0422 - 9998 = High 9999 = High (T6 Only) Invalid = Bad Codes
SELECT-IN	32	A1	Selection Data Title II 0 = Not Available H = High L = Low M = Medium
PROFCDE	33-34	A2	Profile Code (Not in use since 2003)
STATE	35-36	A2	<pre>State Code 00</pre>

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION		
ACRONYM			05 = California 06 = Colorado 07 = Connecticut 08 = Delaware 09 = District Of Columbia 10 = Florida 11 = Georgia 12 = Hawaii 13 = Idaho 14 = Illinois 15 = Indiana 16 = Iowa 17 = Kansas 18 = Kentucky 19 = Louisiana 20 = Maine 21 = Maryland 22 = Massachusetts 23 = Michigan 24 = Minnesota 25 = Mississippi 26 = Missouri 27 = Montana 28 = Nebraska 29 = Nevada 30 = New Hampshire 31 = New Jersey 32 = New Mexico 33 = New York 34 = North Carolina 35 = North Dakota 36 = Ohio 37 = Oklahoma 38 = Oregon 39 = Pennsylvania 40 = Puerto Rico (T2 41 = Rhode Island 42 = South Carolina 43 = South Dakota 44 = Tennessee 45 = Texas 46 = Utah 47 = Vermont	Only)	
			48 = Virgin Islands (12 49 = Virginia 50 = Washington 51 = West Virginia 52 = Wisconsin 53 = Wyoming	Only)	

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			54 = Africa (T2 Only) 55 = Asia (T2 Only) 56 = Canada (T2 Only) 57 = Central America (T2 Only) 58 = Europe (T2 Only) 59 = Mexico (T2 Only) 60 = Oceania (T2 Only) 61 = Philippines (T2 Only) 62 = South America (T2 Only) 94 = (T2 Only) 95 = (T2 Only) 96 = (T2 Only) 97 = Northern Marianas 98 = American Samoa 99 = Guam (T2 Only)
REGION	37-38	A2	Region Code Spaces = Unknown 01
DOC	39-41	A3	District Office Code (See Service Area Directory) Title II Spaces = Unknown A00 -> I79, 000 -> 999 Title XVI Spaces = Unknown A01 -> I79, 001 -> 999
PMF-TSITE	42-44	A3	PCACS Destination PMF TSite Title II

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			Blanks = Unknown CO
PMF-TCOM	45-49	A5	PCACS Destination PMF TCom Title II Alpha Data = Invalid Data =
PMF-LOCF	50-53 Title II	A4	PCACS Destination PMF TLOCF Blanks = Unknown AMF = CA = DIB = FILE = FIN = OUT = Title XVI Blanks = Irrelevant
PMF-TLOCS	54-57	A4	PCACS Destination PMF TLOCS Title II Blanks = Unknown AMF = BKLG = FIN = PTRN =

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			SCRN = 0055 = 1bbb = 8bbb = 9755 =
			<u>Title XVI</u> Blanks = Irrelevant
NIF-ST-SENT	58-59	A2	NIF State Sent (NOT IN USE)
PROFILE-SAMPLE	:- FY 60-61	A2	<pre>Profile Sample Fiscal Year Spaces = Unknown 00-99 = 2 Digit Year (starting '09)</pre>
DOM	62-69	A8CYMD	<pre>Date Of Mailing (CCYYMMDD)</pre>
(YEAR) (MONTH) (DAY)	(62-65) (66-67) (68-69)		1995 - Current 01 - 12 01 - 31
ROM	70-77	A8CYMD	<pre>Date Mailer Received (CCYYMMDD) 00000000 = Unknown</pre>
(YEAR) (MONTH) (DAY)	(70-73) (74-75) (76-77)		1995 - Current 01 - 12 01 - 31
CDRTYPE	78	A1	<pre>Direct Release Mailer D = Direct Release E = Age 18 Release</pre>
DECREC	79	A1	<pre>Decision Recommendation Spaces = Unknown D = Defer S = Send</pre>
FLIPCODE	80	A1	<pre>Integrity Switch (Flip Code) Spaces = Unknown</pre>

ACRONYM	POSITION NUMBER		DESCRIPTION
IDRI	81	A1	<pre>N</pre>
IDRIDTE	82-89	A8CYMD	Investigation Disability Result Input Date (CCYYMMDD) 00000000 = Unknown
(YEAR) (MONTH) (DAY)	(82-85) (86-87) (88-89)		1993 - Current 01 - 12 01 - 31
IDR	90	A1	<pre>Investigation Disability Result (Actual) @</pre>
IDRDTE	91-98	A8CYMD	Investigation Disability Result Date (Original)

ACRONYM	POSITION NUMBER		DESCRIPTION	
			(CCYYMMDD) 00000000 = Unknown	
(YEAR) (MONTH) (DAY)			1993 - Current 01 - 12 01 - 31	
TDR-OLD VR	99	A1	<pre>Investigation Disability Result (Old) (Not in Use) Title II Spaces = Unknown @ = Not Available A = Full Medical Review (PSC) No B = Full Medical Review (PSC) VR D = Deferral (PSC) VR E = Deferral (PSC) No VR F = Full Medical Review (ODD) G = Full Medical Review (Fast Track) H = Deferral (Fast Track) I = Deferral (ODD) W = Work CDR</pre> Title XVI @ = Not Available A = Full Medical Review (PSC) No	
VR			D = Deferral (PSC) VR E = Deferral (PSC) No VR	
IDRDTE-OLD	100-107	A8CYMD	<pre>Investigation Disability Result Date (Old) (Not in Use) (CCYYMMDD) 00000000 = Unknown</pre>	
(YEAR)	(100-104)		1993 - 1997 (T2 Only)	
(MONTH) (DAY)	(105-106) (107-108)		1994, 1997 1 - 12 1 - 31	
IDR-IDRI-OLD- IND	108	A1	Investigation Disability Result IDRI Indicator (Not in Use)	
FILLER-2	109-116	A8	Filler-2 To Be Used At A Later Date	

FY 2018 ACTIVE TRACKING FILE DESCRIPTION

	POSITION	FOCUS	
ACRONYM	NUMBER	FORMAT	DESCRIPTION

Spaces = Unknown

MBRIDR	117	A1	MBR Investigation Disability Result
			Now SYSIDR
			Spaces = Unknown
			@ = Not Available
			A = Full Medical Review (PSC) No VR
			B = Full Medical Review
			(PSC) VR
			C = Continued
			D = Deferral (PSC) VR
			E = Deferral (PSC) No VR
			F = Full Medical Review (ODD)
			G = Full Medical Review (Fast Track)
			H = Deferral (Fast Track)
			I = Deferral (ODD)
			N =
			T = Terminated
			U = Undeliverable
			W = Work CDR (T2 Only)
			X =
			Y = Full Medical
	4.4.0	- 4	Z =
ICR454-IND	118	A1	(Not in Use)
CDIO	119-124	A6CYM	Current Disability Investigation
			Origination Date
			(Originates from MBR now from DCF DIARY-MED-STDT or REVW-REV-STDT Start
			Date) 1
			(CCYYMM)
			Spaces = Unknown
			000000 = Unknown
(YEAR)	(125-128)		1973 - Current
(MONTH)			01 - 12
CDIE	125-130	A6CYM	Current Disability Investigation End
			Date (Originates from MBR now from DCF REVW-
			EVNT-STDT Start Date (when Closing Event))

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			(CCYYMM) 000000 = Unknown
(YEAR) (MONTH)	(125-128) (129-130)		1973 - Current 01 - 12
MDR-ORIG	131	A1	Medical Diary Reason Original Spaces = Unknown A
			(10 Only)

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			3 = Non-Permanent Disability Diary Periodic Review3 Year Diary 5 = Non-Permanent Disability Diary Periodic Review5 Year Diary 7 = Non-Permanent Disability Diary Periodic Review
			9 =7 Year Diary (T6 Only)
MRED	132-137	A6CYM	<pre>Medical Reexam Date (Original) (CCYYMM) 000000 = Unknown</pre>
(YEAR)	(132-135)		1967, 1970, 1981 - 1982, 1984 - 2011, 2013, 2020, 2022, 2030, 2043 (T2 Only) 1964 - 1966, 1969, 1974 - 2011 2015, 2020, 2027, 2029 -
(MONTH)	(136-137)		2030, 2033 (T6 Only) 01 - 12 (T2 Only) 01 - 12, 99 (T6 Only)
MDR-MBR	138	A1	<pre>Medical Diary Reason (MBR) Spaces = Unknown #</pre>

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			O = Central Nervous System Trauma P = All Back Conditions Q = Mental Deficiency R = Growth Impairment S = Endocrine Disorders T = Lymphoreticular Malignant Neoplasms
			<pre>U = Malignant Solid Tumors V = Initial Title XVI Allowance, Title II Determination, Diagnosis Unknown</pre>
			<pre>W = Trail Work Period Set,</pre>
			Improvement Not Expected (T2 Only) Y = Optional ALJ Medical
			Diary Z = Optional DDS Physician's Medical Diary
			<pre>3 = Non-Permanent Disability</pre>
			Diary Periodic Review 5 Year Diary Non-Permanent Disability
			Diary Periodic Review7 Year Diary
MRED-MBR	139-144	A6CYM	<pre>Medical Reexam Diary Date (MBR) (CCYYMM) Spaces = Unknown 000000 = Unknown</pre>
(YEAR)	(139-142)		1961 - 2011 (T2 Only) 1975 - 2011 (T6 Only)
(MONTH)	(143-144)		01 - 12 (10 OHLY)
LAF	145-146	A2	Ledger Account File Title II AD = Adjustment C = Current Payment DW, D2, D3, D6, D9 = Deferred Payment

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			Status E
			Title XVI Spaces = Unknown C = Current Payment N = Disallowed Claim ND = Denied Claim S7, S9 = Conditional Payment Status T3, T4, T8 = Terminated Status U = Active Title XVIII Status X7 = Adjustment Or Termination ZZ =
PRY At	147-148	A2	<pre>Pending Appeals Review Title II Spaces = Unknown</pre>
At			Recon Level B = Benefit Continuation Elected
			ALJ Hearing Level C = Medicare Only-Pre 6/68-All Levels D = Benefit Continuation Declined At Recon Level E = Benefit Continuation Declined At ALJ Level F = Medicare Only Elected At Recon Level G = Medicare Only Elected At ALJ

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			Hearing Level H = ALJ Hearing Decision Effectuated I = No Appeal On Initial Level Cessation Determination R = No Appeal On Recon Level Cessation Determination X = Title XVI Spaces = Unknown
TWPSD	149-154	A6CYM	Trial Work Period (TWP) Start Date (CCYYMM)
(YEAR) (MONTH)	(149-152) (153-154)		Title II 000000 = Unknown 1964 - 1967, 1969 - 2002 01 - 12 Title XVI 000000 = Unknown
TWPESM Months	155	A1	Title II Spaces = Unknown X = 0 = 1 = 2 = 3 = 4 = 5 = 5 = 6 = 7 = 8 = Title XVI Spaces = Unknown
	156-161 (156-159) (160-161)	A6CYM	Trial Work Period Diary Date Title II 000000 = Unknown 1992 - 2003 01 - 12

FY 2018 ACTIVE TRACKING FILE DESCRIPTION

ACRONYM	POSITION NUMBER		DESCRIPTION
			Title XVI Spaces = Unknown 000000 = Unknown
CWSD	162-167	A6CYM	<pre>Current Work Start Date (CCYYMM) 00000000 = Unknown</pre>
(YEAR)	(162-165)		1977 - 1979, 1982, 1984 - 1987, 1989 - 2002 (T2 Only)
(MONTH)	(166-167)		1974 - 1975, 1977 - 2002 (T6 Only) 01 - 12
DM-EC	168-170	A3	<pre>DM Event Code (T2) Spaces = Unknown</pre>
Up			Open Codes 001

Closed Codes

ACRONYM	POSITION NUMBER		DESCRIPTION		
			<pre>011 = Continuance 012 = CDR Deferred By PCVR</pre>		
DM-ED	171-178	A8CYMD	DM Event Date (T2) (CCYYMMDD) Spaces = Unknown 00000000 = Unknown		
(YEAR) (MONTH) (DAY)	(171-174) (175-176) (177-178)		1989-Current 01 - 12 01 - 31		
DM-DEST	179-181	A3	<pre>DM Event Destination Code Spaces = Unknown Alpha = Numeric = Invalid =</pre>		
SCORE-CMS	182-185	A4	Score-CMS Blank = Unknown 0000 = Unknown 0001 - 0200 = Low 0201 - 0421 = Medium 0422 - 9998 = High		
RELTYPE	186	A1	Release Type Spaces = Spaces A = Age 55 (T2 Only) D = Direct H = High Mailer L = Low Birth Weight (T6 Only) M = Mailer		

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION			
			<pre>N = Non-Low Mine P = Pacific Territory S = Medium Mailer</pre>			
PROFILE SAMPLE	187	A1	<pre>Profile Sample Spaces = Unknown N = No X = Y = Yes</pre>			
>>>>>>>	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>					
DOB	188-195	A8CYMD	<pre>Date Of Birth (CCYYMMDD) 00000000 = Unknown</pre>			
(YEAR) (MONTH) (DAY)	(188-191) (192-193) (194-195)		99999999 = Unknown 1894-Current 01 - 12 01 - 31			
RACE	196	A1	<pre>Race Spaces = Unknown @ = Not Available A = Asian B = Black H = Hispanic I = North American Indian/Eskimo O = Other U = Unknown W = White Z = Blank/Invalid (T6 Only)</pre>			
SEX	197	A1	Sex Spaces = Unknown (T6 Only) @ = Not Available F = Female M = Male U = Unknown (T6 Only)			
IMP	198-201	A4	<pre>Impairment Code (See DDB Reference Guide)</pre>			

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			<pre>Spaces</pre>
BS	202-203	A2	Body System Spaces = Unknown @@ = Not Available 01 = Musculosketal 02 = Special Senses And Speech 03 = Respiratory 04 = Cardiovascular 05 = Digestive 06 = Genito-Urinary 07 = Hemic And Lymphatic 08 = Skin 09 = Endocrine 10 = Multiple System 11 = Neurological 12 = Mental Disorders 13 = Neoplastic 14 = Immune Deficiency 15 = (T2 Only) 19 = Growth Impairment (T6 Only) 20 = Other/Unknown Code
			1-Position Code = Invalid (T2 Only)
MDR-VAL	204	A1	<pre>Medical Diary Reason- Valid Spaces = Unknown #</pre>

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			J = Sarcoidosis
			<pre>K = Progressive Neoplastic Disease</pre>
			L = Neoplastic Disease-
			Incapacitating
			M = Epilepsy
			N = Acute Leukemia
			O = Central Nervous System Trauma
			P = All Back Conditions
			Q = Mental Deficiency
			R = Growth Impairment
			S = Endocrine Disorders
			T = Lymphoreticular
			Malignant Neoplasms
			U = Malignant Solid Tumors
			V = Initial Title XVI
			Allowance, T2
			Determination,
			Diagnosis Unknown W = Trial Work Period Set,
			Improvement Expected
			X = Trial Work Period Set,
			Improvement Not
			Expected (T2 Only
			Y = Optional ALJ Medical
			Diary
			Z = Optional DDS Physician's
			Medical Diary
			<pre>3 = Non-Permanent Disability</pre>
			Periodic Review
			3-Year Diary
			5 = Non-Permanent Disability Periodic Review
			5-Year Diary
			7 = Non-Permanent Disability
			Periodic Review
			7-Year Diary
			9 = (T2 Only)
MRED-VAL	205-210	A6CYM	<pre>Medical Reexam Diary Date (CCYYMM) Spaces = Unknown 000000 = Unknown (T6 Only</pre>
(YEAR) (MONTH)	(205-208) (209-210)		1975 - Current 01 - 12

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION	
MDRTYPE	211-214	A4	MDR Type Spaces = Unknown MIE = Medical Improvement Expected MINE = Medical Improvement Not Expected MIP = Medical Improvement Possible UNK = Unknown	(T6 Only)
ENTLEVEL	215	A1	Entry Level Spaces = Unknown @ = Not Available A = Initial B = Reconsideration C = OHA Z = Unknown	(T6 Only)
DOO	216-221	A6CYM	<pre>Date Of Onset (CCYYMM) Spaces = Unknown 000000 = Unknown 1900 - Current</pre>	(T2 Only)
(YEAR) (MONTH)	(216-219) (220-221)		01 - 12	
DOE	222-227	A6	<pre>Date Of Entitlement (CCYYMM) 000000 = Unknown</pre>	
(YEAR) (MONTH) WRC	(222-225) (226-227) 228	A1	1957 - Current 01 - 12 WRC Spaces = Unknown # = Not Available A = B = C =	(T2 Only) (T2 Only) (T2 Only)
DCF-REV-TYPE	229	A1	DCF REVIEW TYPE	

ACRONYM	POSITION NUMBER		DESCRIPTION
			S = T16 MED E = EXR P = PL104 C = CHILD M = T2 MED W = WORK
DCF-REV-NUM	230-233	A4	DCF REVIEW NUM
PS-LOW-MAILER	234	A1	PS LOW MAILER
SNO	235	A1	SNO - SPECIAL NOTICE INDICATOR
FILLER-4	236-246	A11	Filler-4 To Be Used At A Later Date Spaces = Unknown
DEFERRAL-FY	247-248	A2Y	FY OF DEFERRAL
>>>>>>>>>>>	>>>>>>>	>>>> BA	ASIC STATS
FY-MAIL	249-252	A4CY	Fiscal Year Mailing Title II 1993 - Current Title XVI 0000 = Unknown 1994 - Current
TITLE	253-254	A2	Title Of Case Title II BO = 02 = Title II
TOU	255-260	А6	Title XVI Spaces = Unknown 16 = Title XVI Type Of Update Title II Spaces = Unknown ACDOCO =
			ACDOCO = ACIDOD = CTLUPD = DUDEX =

ACRONYM	POSITION NUMBER		DESCRIPTION
			MBRCES = MBRUPD = NDUPD = OLDTRK = TFROMD = T2/6DEAD = 833RCT = 833UPD = ACIDOD = ACXMCH = SSRCES =
TOA	261	A1	<pre>Type Of Action Spaces = Unknown @ = Not Available Alphas = Check MBRIDR/SYSIDR for values</pre>
DATE-TOA	262-269	A8CYMD	<pre>Date Of Type Of Action (CCYYMMDD) 00000000 = Unknown</pre>
(YEAR) (MONTH) (DAY)	(262-265) (266-267) (268-269)		Year of Action 01 - 12 01 - 31
DES-CASE	270-274	A5	Description Of Case Title II T2AUX = T2DAA = T2WKR =
			Title XVI T6ADU = T6A18 = T6CHI = T6CH2 = T6DAA = T6LBW =
FRZ-FLD-IND	275	A1	Frozen Field Indicator Spaces = Unknown
T6CH2-STATE	276-277	A2	T6CH2 State Title II Spaces = Unknown

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			Title XVI Spaces = Unknown 09 = 13 = 17 = 19 = 23 = 31 = 32 = 33 = 39 =
PEND-IND	278	A1	<pre>Pending Indicator C = Completed P = Pending</pre>
GOLD-K-IND	279	A1	Goldberg-Kelly-Indicator Spaces = Unknown I = P = S = T =
GOLD-K-DT	280-285	A6CYM	Goldberg-Kelly Date (CCYYMM) Spaces = Unknown 000000 = Unknown
(YEAR) (MONTH)	(280-283) (284-285)		1999 - Current 01 - 12
<<<<<<	<<<<<<	:<<<<< \	SSR-UPDATE>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
DR-1619	286-287	A2	DR-1619 Diary Spaces = Unknown A1 = CDR Required A2 = Potential Status Change VP = Unknown Z1 = CDR Required Z2 = Rediary Case Z3 = CDR Case To ODO

	_		
ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
DT-1619-DATE	288-295	A8CYMD	1619 Diary Date (CCYYMMDD) Spaces = Unknown 00000000 = Unknown
(YEAR) (MONTH) (DAY)	(292-293)		1988 - Current 01 - 12 01 - 31
OLD-CURSTAT	296-298	A3	<pre>Old CURSTAT Status Spaces = Unknown C01</pre>
CUR-CHG-DT	299-304	A6CYM	Current Status Change Date (CCYYMM) 000000 = Unknown
	(299-302) (303-304)		1998 - Current 01 - 12
CURSTAT T6HUN	305-307 308-316	A3	<pre>Current Status Spaces = Unknown C01 = E01, E02 = M01, M02 = N01 - N08, N11 - N13, N19 - N20, N22 - N25 = S04 - S09, S21 = T01, T31, T33 = T6 Housed Under SSN</pre>
ms_MDD	217	1 ת	(Household SSN)
T6-MDR	317	A1	Title 16 Medical Diary Reason Spaces = Unknown # = Not Available (T2 Only) A = Respiratory Disease B = Functional Psychotic C = Functional Non- Psychotic Disorders D = Active Rheumatoid-

ACRONYM	POSITION NUMBER		DESCRIPTION
			Other Arthritis
			E = Corrective Surgery
			Recovery Anticipated F = Obesity
			F = Obesity G = Fracture(s)
			H = Irreversible Infections
			I = Peripheral Neuropathies
			J = Sarcoidosis
			<pre>K = Progressive Neoplastic</pre>
			L = Neoplastic Disease- Incapacitating Residuals
			M = Epilepsy
			N = Acute Leukemia
			O = Central Nervous System
			Trauma
			P = All Back Conditions
			Q = Mental Deficiency
			R = Growth Impairment
			S = Endocrine Disorders
			T = Lymphoreticular
			Malignant Neoplasms
			<pre>U = Malignant Solid Tumors V = Initial Title XVI</pre>
			Allowance, Title II
			Determination, Diagnosis
			Unknown
			W = Trial Work Period
			Involved And Medical
			Reexam Diary Applies
			(T2)
			X = Trial Work Period
			Set, Improvement Not Expected (T2 Only)
			Y = Optional ALJ Medical Diary
			<pre>Z = Optional DDS Physician's</pre>
			3 = Periodic Review 3 Years
			5 = Periodic Review 5 Years
			7 = Periodic Review 7 Years
T6-MRED	318-323	A6CYM	T6 Medical Diary Reexam Date (CCYYMM)
			Spaces = Not Available 000000 = Unknown

ACRONYM	POSITION NUMBER		DESCRIPTION		
(YEAR) (MONTH)			1961 - Current 01 - 12		
PL-CODE	324	A1	Appeal Code Spaces = Unknown A = B = C = D = M = (T2 Only) P = Q = R = S = W = X = (T6 Only) Y = (T6 Only) Z = (T2 Only)		
PL-CDE-DT	325-332	A8CYMD	Appeal Code Date (CCYYMMDD) Spaces = Unknown 000000 = Unknown		
(YEAR) (MONTH) (DAY)	(325-328) (329-330) (331-332)		1980 - 1982, 1984 - 1985, 1988 - 2000 (T2 Only) 1990, 1992 - 2000 (T6 Only) 01 - 12 01 - 30 (T2 Only)		
T6-DPM	333	A1	01 - 31 (T6 Only) T6 Disability Permanent		
			Spaces = Unknown N = Non-Permanent Disability P = Permanent Disability		
KATRINA	334	A1	<pre>KATRINA SWITCH N = NO Y = YES (not electronic) X = KATRINA case, but electronic,</pre>		
ERROR-PRONE	335-336	A2	ERROR PRONE		

FY 2018 ACTIVE TRACKING FILE DESCRIPTION

	POSITION	FOCUS	
ACRONYM	NUMBER	FORMAT	DESCRIPTION

The STATE for ERROR PRONE cases

>>>>>>>>	>>>>>>	·>>>> BAC	EKGROUND DATA>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
R1EGS	337-341	A5	Third Oldest Earnings \$\$\$\$\$ 00001 -> 99999 = (Dollar Amounts) Valid =
R2EGS	342-346	A5	Second Oldest Earnings \$\$\$\$\$ 00001 -> 999999 = (Dollar Amounts) Valid = Invalid = (T6 Only)
R3EGS	347-351	A5	<pre>Newest Earnings \$\$\$\$\$ 00001 -> 999999 = (Dollar Amounts) Valid = Invalid = (T6 Only)</pre>
TOP	352	A1	<pre>Type Of Payee Spaces = Unknown A</pre>

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRI	PTION
			L	= State Or Local Non- Mental Institution (SLO)
			M	= State Or Local Mental Institution (SLM)
			N	<pre>= Privately-Owned Non- Mental Institution (PRO)</pre>
			0	= Privately-Owned Mental Institution (PRM)
			Р	= Non-Profit Non-Mental Institution (NPO)
			Q	= Non-Profit Mental Institution (NPM)
			R	= Financial Organization (FIN)
			S	= Social Agency (AGY)
			T	= Public Official (OFF)
			U	= Other (OTH)
			V	= Payee Being Developed (RPD)
			W	= Unknown For Minor Child (T2 Only)
			Υ	= (T2 Only)
СС	353	A1		ian Code = Unknown
			A	= Beneficiary Direct (SEL)
			В	= Spouse (SPO)
			С	= Natural Or Adoptive Father (FTH)
			D	= Natural Or Adoptive Mother (MTH)
			E	= Stepfather (SFT)
			F	= Stepmother (SMT)
			G	= Grandparent (GPR)
			Н	<pre>= Natural Or Adoptive Child Or Stepchild (CHD)</pre>
			I	= Other Relative (REL)
			J	= Federal Non-Mental Institution (FDO)
			K	= Federal Mental Institution (FDM)
			L	= State Or Local Non -Mental Institution (SLO)
			М	= State Or Local Mental

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			<pre>Institution (SLM) N = Privately-Owned Non -Mental Institution</pre>
			<pre>(PRO) O = Privately-Owned Mental Institution (PRM)</pre>
			P = Non-Profit Non-Mental Institution (NPO)
			Q = Non-Profit Mental
			Institution (NPM) R = Financial Organization
			<pre>(FIN) S = Social Agency (AGY) T = Public Official (OFF) U = Other (OTH) V = In Payee's Custody</pre>
			$W = Blank/Unknown \qquad (T2 Only)$
PCDR	354-355	A2	Prior CDRs 00 = 01 = 02 = 03 = 04 = 05 = 06 = 07 = 08 = (T2 Only) (T2 Only)
P1-DODEC	356-363	A8CYMD	P1 Date Of Decision (CCYYMMDD) 00000000 = Unknown
(YEAR) (MONTH) (DAY)	(356-359) (360-361) (362-363)		1973 - Current 01 - 12 01 - 31
LAST-ACT-OACT	364	A1	Last Action OACT Spaces = Unknown

ACRONYM	POSITION NUMBER		DESCRIPTION	
			0 = 1 = 2 = 2 = 3 = 4 = 5 = 6 = 7 = 8 = 9 = 9	
LAST-REV-OACT	365	A1	Last Reversal OACT Spaces = Unknown N = No Y = Yes	
LT-ACT-DT-OACT	366-371	A6CYM	Last Action Date OACT (CCYYMM) Spaces = Unknown 000000 = Unknown	
(YEAR) (MONTH)			1997 - Current 01 - 12	
STATUS-LOC	372	A1	Status LOC Spaces = Unknown 1 = 2 = 3 = 4 = 5 = 6 =	(T2 Only)
STATUS-LOC	372	A1	<pre>Status LOC (Continued) 7</pre>	(T2 Only) (T2 Only)
STATUS-LOC- SENT	373	A1	Status LOC Sent Title II Spaces = Unknown 5 = 6 = 7 =	

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			<u>Title XVI</u> <u>Spaces = Unknown</u>
>>>>>>>	>>>>>>>	>>>>>	>>>831 DATA>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
D1-DODEC	374-381	A8CYMD	831 Date Of Decision (CCYYMMDD) Spaces = Unknown 000000 = Unknown
(YEAR) (MONTH) (DAY)	(374-377) (378-379) (380-381)		1977 - Current 01 - 12 01 - 31 (T6 Only)
D1-RB	382-383	A2	<pre>831 Regulation Basis Code Title II Spaces = b1</pre>
(A)			C = CE = T2/T16 Collateral Estoppel C1 = T2 Medical And Vocational (A) C2 = D1 = T2 35 + Years Arduous Work
(A)			E1 = T2 Impairment Did Not Prevent SGA For 12 Months (D) E3 = T2 Impairment Prevented SGA
		(D)	Time Of Adjudication But Not Expected To Last 12 Months F1 - F2 = T2 Impairment Not Severe Does Not Meet Listing (D)

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			H1 - H2 = T2 Capacity For SGA-Relevant Past Work (D)
			<pre>I = J1 = Capacity For SGAOther Than Relevant Past Work (D)</pre>
		Past	J2 = T2 Capacity For SGA-Other
			Work (D) L1 = T2 Failure To Submit To Exam (D)
Found			M5 = T2 Insufficient Evidence
round			N3 =
			01 =
			P1 = T2 Prisoner Medical Exam Excluded (D)
			S1 =
			U =
			U4 =
			1b = 41 = T16 Impairment Not Severe-
			41 = T16 Impairment Not Severe- Does Not Meet Listing (D)
			61 = T16 Impairment Meets Listing (A)
			62, 65 = T16 Impairment Equals Listing (A)
			63 = T16 Medical And Vocational (A)
			64 = T16 35 + Years Arduous Work (A)
			66 = T16 Functional Equals (A)
			67 = T16 IFA Shows Comparable Severity (A)
			Title XVI
			Spaces = Unknown
			A1 = T2 Impairment Meets Listing (A)
			A6 =
			B1 = T2 Impairment Equals Listing (A)
(A)			CE = T2/T16 Collateral Estoppel
\\			C1 = T2 Medical And Vocational (A)
			D1 = T2 35 + Years Arduous Work (A)
			35 = T16 Impairment Prevented SGA

ACTIVE TRACKING FILE DESCRIPTION			
ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			At Time Of Adjudication But Not Expected To Last 12 Months (D) 51 = T16 IFA Not Comparable Severity 61 = T16 Impairment Meets Listing (A) 62, 65 = T16 Impairment Equals Listing (A) 63 = T16 Medical And Vocational (A) 64 = 35 + Years Arduous Work (A) 66 = T16 Functional Equals (A) 67 = T16 IFA Shows Comparable Severity (A)
D1-PDX	384-387	A4	831 Primary Impairment Code (See DDB Reference Guide) Blank = Unknown Spaces = Unknown @@@@ = Not Available 0010 = invalid 0011 -> 9998 = valid codes
D1-SDX	388-391	A4	831 Secondary Impairment Code (See DDB Reference Guide) Blank = Unknown Spaces = Unknown @@@@ = Not Available 0010 = invalid 0011 -> 9998 = valid codes
D1-MLN	392-398	A7	831 Medical Listing Code (See DDB Reference Guide) Blanks = Unknown (T6 Only)
D1-VRN	399-403	A5	0000000 = Unknown 831 Vocational Rule Number Spaces = Unknown (T6 Only) 20101 -> 20331, 20400 = (T2 Only) 20101 -> 20330, 20400 = (T6 Only) Less Than 5 Positions = Invalid

	1101		
ACRONYM	POSITION NUMBER		DESCRIPTION
DPM-DCF	404	A1	<pre>DPM on the DCF Spaces = Unknown</pre>
STRDT-DPM-DCF	405-412	A8CYMD	START DATE of DPM on the DCF Spaces = Unknown
PENDING-FASTRA	CK 413	A1	PENDING on Fast Track Indicator
>>>>>>	>>>>>>	>>>>>>	833 DATA>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
D3-DODEC	414-421	A8CYMD	833 Date Of Decision (CCYYMMDD) Spaces = Unknown 000000 = Unknown
(YEAR) (MONTH) (DAY)			1982 - Current 01 - 12 01 - 31
D3-AL	422	A1	833 Adjudicative Level Spaces = Unknown @ = Not Available A = Initial B = Reconsideration C = OHA D = ALJ E = Appeals Council Z = Unknown
D3-RFC	423-424	A2	833 Reason For Continuance/Cessation Title II = Unknown 01 - 02, 04, 13, 14 = T2 Termination 21 = T2 Cessation 26 = T2 Termination 30 - 48 = T2 Continuance 50 = T16 Termination 70 - 84, 86 = T16 Continuance 90, 95 - 97 = Invalid Title XVI Spaces = Unknown 30 - 32, 34, 36 - 38, 40, 44, 47 - 48 = T2 Continuance 70 - 86 = T16 Continuance

ACRONYM	POSITION NUMBER		DESCRIPTION
			90 - 91, 95 -97 = Invalid
D3-BS	425-426	A2	Spaces = Unknown @@ = Not Available O1 = Musculosketal O2 = Special Senses And Speech O3 = Respiratory O4 = Cardiovascular O5 = Digestive O6 = Genito-Urinary O7 = Hemic And Lymphatic O8 = Skin O9 = Endocrine 10 = Multiple System 11 = Neurological 12 = Mental Disorders 13 = Neoplastic 14 = Immune Deficiency 19 = Growth Impairment 20 = Other Or Unknown Code 99 = Invalid Code Used 1-Position Code = Invalid (T2 Only)
D3-PDX	427-430	A4	833 Primary Impairment Code (See DDB Reference Guide) Spaces = Unknown @@@@ = Not Available
			0011 -> 9998 = Valid Codes
D3-SDX	431-434	A4	833 Secondary Impairment Code (See DDB Reference Guide) Spaces = Unknown @@@@ = Not Available
LFL	435-437	A3	Last Folder Location Title II DDS = FO = OHA = PC7 =

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			PSC = STO = TRA = UNK = Title XVI DDS = OHA = UNK =
OTL	438-440	A3	Office Type Location ADM = DDS = FO = OHA = PSC = QA = RO = STO = TSC = UNK =
JSITE	441	A1	PCACS Jurisdiction Title II Spaces = Unknown 1 = 2 = 3 = 4 = 5 = 6 = 7 = 8 = Title XVI Spaces = Unknown
CSITE	442-444	A3	PCACS PSC Of Folder Location Title II Spaces = Unknown PC1 = PC2 = PC3 = PC4 = PC5 = PC6 = PC7 =

ACRONYM	POSITION NUMBER		DESCRIPTION	
			PC8 = R05 = 003 =	
			<u>Title XVI</u> Spaces = Unknown	
<<<<<<<<			DER LOCATION	
PLOC	445-449	A5	PCACS Folder Location Spaces = Unknown Numerous Alpha	(T2 Only)
			1705b -> 3044b = 8709b -> 9604b =	(T2 Only) (T6 Only)
PDIL	450-457	A6CYMD	PCACS Date in Location CCYYMMDD Title II 00000000 = Unknown	
	(450-453) (454-455) (456-457)		1974 - Current 01 - 12 01 - 31	
			Title XVI Spaces = Unknown 00000000 = Unknown	
PFUNC	458-461	A4	PCACS Function Spaces = Unknown Numerous Entries	(T2 Only)
PSTA	462-465	A4	PCACS Station Spaces = Unknown Numerous Entries 9755, 9855, 9955	(T2 Only) (T2 Only)
			1-Position Code = Invalid	(T2 Only)
T6-CFL	466-469	A4	T16 Folder Location Title II Spaces = Unk	nown

ACRONYM	POSITION NUMBER		DESCRIPTION
			NObR, = 0A19 -> OD62 = 0110 -> 9848 =
			Title XVI Spaces = Unknown b287, b877 = A01b -> Z64b = 001b -> 999b =
T6-DIL	470-477	A8CYMD	T6 Date In Location (CCYYMMDD) 00000000 = Unknown
(YEAR) (MONTH) (DAY)	(470-473) (474-475) (476-477)		1973 - Current 01 - 12 01 - 31
T6-CFLIND	478	A1	Title II Spaces = Unknown N = Title XVI Spaces = Unknown C = R = 0 =
T6-FRC	479-480	A2	Title XVI Spaces = Unknown 00
DS-EC	481-483	A3	DS-Event Code T16 Title II

	ACI	TVE TRAC	KING FILE DESCRIPTION
ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			Spaces = Unknown
			Open Codes 008 = New Investigation Or Appeal (CDR)
			016 = CDR Initiated Follow-Up 023 = MBR/SSR Condition
			(Unofficial Closeout) 027 = Direct Release CDR Follow-Up 032 = CDR Transfer
			Closed Codes 011 = Continuance 012 = CDR Deferred By PC-VR Request 013 = CDR Deferred By PC 017 = CDR Deferred By ODD (Fast Track) 018 = CDR Deferred By ODD
			019 = Termination
			Unknown Codes 034 =
			<u>Title XVI</u> <u>Spaces = Unknown</u>
			Open Codes 001 = Mailer Sent 002 = Second Mailer Sent 003 = Non-Responder Review 004 = Non-Responder Review Follow-Up 005 = Mailer Return Decision
			Pending 006 = Pending PC Review 007 = Pending PC Review Follow-Up 008 = New Investigation Or Appeal (CDR)
			009 = CDR Initiated By PC 010 = CDR Initiated By PCVR
			Requested 014 = CDR Initiated By ODD (Fast
			Track) 016 = CDR Initiated Follow-Up 020 = Undeliverable 021 = Undeliverable Follow-Up 023 = MBR/SSR Condition
			024 = Whereabouts Unknown 025 = Failure To Cooperate 026 = Failure To CooperateFollow-

ACRONYM	POSITION NUMBER		DESCRIPTION
Up			027 = Direct Release CDR Follow-Up 028 = CDR Initiated From Mailer Transfer 029 = Whereabouts Unknown Transfer 030 = Whereabouts UnknownFollow-Up 031 = Failure To CooperateTransfer 032 = CDR Transfer
			Closed Codes 011 = Continuance 012 = CDR Deferred By PCVR Request 013 = CDR Deferred By PC 017 = CDR Deferred By ODD (Fast Track) 018 = CDR Deferred By ODD 019 = Termination 033 = Admin Stop 036 = CDR Is Closed Unknown Codes
			034 =
DS-ED	484-491	A8CYMD	<pre>DS Event Date (CCYYMMDD) 00000000 = Unknown</pre>
(YEAR) (MONTH) (DAY)	(484-487) (488-489) (490-491)		1996 - Current 01 - 12 01 - 31
DS-DEST	492-494	A3	<pre>DS Destination Spaces = Unknown *** =</pre>
CURSTAT-TERM	495-497	A3	<pre>Current Status Terminated Spaces = Unknown T01 = T20 = T30 = T31 = T33 =</pre>
CURSTAT-TRM-DT	498-503	A6CYM	<pre>Current Status Terminated Date (CCYYMM) Spaces = Unknown</pre>

ACRONYM	POSITION NUMBER		DESCRIPTION
			000000 = Unknown
	(498-501) (502-503)		1999 - Current 01 - 12
DS-PDI	504	A1	DS Permanent Impairment Indicator Spaces = Unknown N = Non-Permanent P = Permanent 0 = Unknown
FT-DEC	505	A1	FasTrack Recommended-v-Final Decision Spaces = not FasTrack 1= DEFER/DEFER 2= DOCDR/DOCDR 3= DEFER/DOCDR 4= DOCDR/DEFER
<<<<<<	<<<<<<	<<<< RECE	CIPT DATES>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
STRDT-833	506-513	A8CYMD	State Receipt Date (833) (CCYYMMDD) 00000000 = Unknown
(YEAR) (MONTH) (DAY)	(506-509) (510-511) (512-513)		1993 - Current 01 - 12 01 - 31
STRDT-ND	514-521	A8CYMD	State Receipt Date (No Decision) (CCYYMMDD) 00000000 = Unknown
(YEAR) (MONTH) (DAY)	(514-517) (518-519) (520-521)		1996 - Current 01 - 12 01 - 31
STRDT-RCN	522-529	A8CYMD	State Receipt Date (Recon) (CCYYMMDD) 00000000 = Unknown
(MONTH)	(522-525) (526-527) (528-529) 530-537		1994 - Current 01 - 12 01 - 31 Receipt Date (ALJ) (CCYYMMDD) 00000000 = Unknown

FY 2018

ACTIVE TRACKING FILE DESCRIPTION

ACRONYM	POSITION FOCUS NUMBER FORMAT	DESCRIPTION
(YEAR)	(530-533)	1997 - Current
(MONTH)	(534-535)	01 - 12
(DAY)	(536-537)	01 - 31

ACRONYM	POSITION NUMBER		DESCRIPTION
RCPT-AC	538-545	A8CYMD	Receipt Date (AC) (CCYYMMDD) 00000000 = Unknown
(YEAR) (MONTH) (DAY)	(542-543)		1993 - Current 01 - 12 01 - 31
LAST-RCPT-AL	546	A1	Last Receipt Of AL Spaces = Unknown A = B = C =
NIF-PROJ-IND	547	A1	NIF Project Indicator Title II N = 0 = 1 = 2 = Title XVI Spaces = N =
NIF-PROJ-DT	548-553	A6CYM	NIF Project Date (CCYYMM)
(MONTH)			Title II 1999, 2001 - 2002 00, 04, 06, 12 Title XVI Spaces = Unknown 000000 = Unknown
DODEC-833	554-561	A8CYMD	<pre>Date Of Decision (833) (CCYYMMDD)</pre>
(YEAR) (MONTH) (DAY)	(554-557) (558-559) (560-561)		00000000 = Unknown 1993 - Current 01 - 12 01 - 31
AL-833	562	A1	Adjudicative Level (833)

ACRONYM	POSITION NUMBER		DESCRIPTION
			Spaces = Unknown A = Initial
RDT-833	563	A1	Result Of Determination (833) Spaces = Unknown C = Continuance S = Cessation T = Termination
RID-833	564	1	Record Identification (833) Spaces = Unknown S = Title XVI 4 = Title II
DDS-833	565-567	A3	DDS Code (833) (See DDB Reference Guide) Spaces = Unknown 010 - 887 =
RFC-833	568-569	A2	Reason For Continuance (833) Title II Spaces = Unknown 00 = Unknown 01 - 08, 10 - 16 = Title II Termination 17 - 18 19 = Title II Cessation 19 = Invalid 20 - 21 = Title II Continuance 20, 26 - 27 = Invalid 30 - 48 = Title II Continuance 50 - 57, 61 - 62, = Title XVI Termination 70 - 72, 74, 76 - 78, 80 = Title XVI Continuance 90, 97 = Invalid 90 = Unknown 01 - 02, 04 - 05, = Unknown 01 - 02, 04 - 05, 08, 13 - 14, 16 = Title II Termination Title II

ACRONYM	POSITION NUMBER		DESCRIPTION
			30 - 32, 34 - 37, 41, 43, = Title II Continuance 50 - 69 = Title XVI Termination 70 - 86 = Title XVI Continuance 90 - 92, 95 - 98 = Invalid 99 = Unknown
BFD833	570	A1	Basis For Determination (833) Spaces = Unknown A = Medical/Medical Vocational B = Work (T2 Only) D =
WRM833	571-572	A2	Why Review Made (833) Spaces = Unknown 00 = Vocational Rehab Diary Maturation Case 01 = Court Remand 02 = Reopened Mental Impair- ment Case 03 = Future Use 04 = Medical Improvement Expected-Medical Reexam Diary 05 = Medical Improvement Possible-3-Year Review Diary 06 = Medical Improvement Not Expected-5-Year Review Diary 07 = Medical Improvement Not Expected-7-Year Review Diary 08 = EPE Medical Review 09 = Adoption Issue 10 = TWP Diary Matured 11 = Voluntary Report Of Medical Improvement 12 = Earnings Posted Medical Reexam Set 13 = Earnings Posted No Medical Reexam Set 14 = Voluntary Report Of Work- Medical Reexam Set

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCR	IPTION
			15	= Voluntary Report Of Work-
				Medical Reexam Not Set
			16	= Third Party Report
			17	= State VR Report
			18	= Court Order (Other Than
				Medical Improvement-
				Individual Or Class Action
			19	= Post Transplant ESRD
			20	= Special (Use Only When
				Specifically Instructed)
			21	= Other
			22	= '301' Case Review Diary
			23	= Medical Improvement
			20	Expected-Medical Reexam
			0.4	Diary
			24	= Medical Improvement
				Expected-Medical Possible
				3-Year Review Diary
			25	= Medical Improvement Not
				Expected-7-Year Review
				Diary
			26	= EPE Medical Review
			27	= Voluntary Report Of
				Medical Improvement
			28	= Third Party Report
			29	= State VR Report
			30	= 'Clear Cut' Case
			31	=
			34	<pre>= CDR Mailer Released In FY94 (T2 Only)</pre>
			35	= CDR Mailer Released In
			36	FY95 = CDR Mailer Released In
				FY96 (T6 Only)
			37	= CDR Mailer Released In FY97
			38	= CDR Mailer Released In FY98
			39	= CDR Mailer Released In
			_	FY99
			40	= CDR Mailer Released In FY00
			41	= CDR Mailer Released In FY01
			42	= CDR Mailer Released In FY02
			43	= CDR Mailer Released In FY03
			44	= CDR Mailer Released In

ACRONYM	POSITION NUMBER		DESCRIPTION
			FY04 etc. 99 = Unknown
BS833	573-574	A2	Body System (833) Spaces = Unknown 01
RPDX833	575-578	A4	Recoded Primary Diagnosis Code (833) (See DDB Reference Guide)
RSDX833	579-582	A4	<pre>Spaces = Unknown 0011 -> 9998 = Valid Codes Recoded Secondary Impairment Code (833) (See DDB Reference Guide) Spaces = Unknown 0011 -> 9998 = Valid Codes</pre>
CDT833	583-584	A2	Continuing Disability Type (833) Spaces = Unknown 01

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			08 = MIP-Decision Review
			Unnamed Litigant 09 = MIP-Decision Review Reopened Mental Impairment
			10 = MINE-Permanent DIB 11 = MINE-Periodic Review Diary
			12 = Medical Other-Court Case
			13 = Medical Other-EPE
			34 = CDR Mailer Released In FY 1995
			35 = CDR Mailer Released In FY 1996 (T6 Only)
			36 = CDR Mailer Released In FY 1997
			37 = CDR Mailer Released In FY 1998
			38 = CDR Mailer Released In FY 1999
			39 = CDR Mailer Released In FY 2000
			40 = CDR Mailer Released In FY 2001
			41 = CDR Mailer Released In FY 2002
			42 = CDR Mailer Released In FY 2003
			43 = CDR Mailer Released In FY 2004
			44 = CDR Mailer Released In FY 2005 etc.
			99 = Unknown
EOR833	585	A1	Evidence Of Record (833) Spaces = Unknown
			N = No, Evidence Of Record Not
			Purchased Y = Yes, Evidence Of Record
			Purchased
CER833	586	A1	Consultative Exam Request (833) Spaces = Unknown N = No, Consultative Exam Not Requested
			Y = Yes, Consultative Exam

	AC.	IIVE IRACI	AING FILE DESCRIPTION
ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			Requested
FS833	587	A1	Federal Sample (833) Spaces = Unknown N = Not Selected P = Pre-Effectuation Review Q = Random Quality Assurance
Sample			y manaom gaarrey mobarance
DR833	588	A1	Diary Reason (833) (Values A Through U, Y And Z Support Reasons For Medical Reexam Diary) Spaces = Unknown A = Respiratory Disorders
			B = Functional Psychotic Disorders
			C = Functional Non-Psychotic Disorders
			D = Active Rheumatoid And Other Arthritis
			E = Corrective Surgery- Recovery Anticipated
			F = Obesity
			$G = Fracture(s) \qquad (T6 Only)$
			<pre>H = Irreversible Infections K = Progressive Neoplastic Disease (T2 Only)</pre>
			N = Acute Leukemia
			O = Central Nervous System Trauma
			P = All Back Conditions
			Q = Mental Deficiency
			R = Growth Impairment
			S = Endocrine Disorders
			T = Lymphoreticular Malignant Neoplasms
			U = Malignant Solid Tumors
			Y = Optional ALJ Medical Diary
			<pre>Z = Optional DDS Physician's</pre>
			<pre>3 = Non-Permanent Disability DiaryPeriodic Review- 3-Year Diary</pre>
			5 = Non-Permanent Disability DiaryPeriodic Review- 5-Year Diary
			7 = Non-Permanent Disability

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			DiaryPeriodic Review- 7-Year Diary
DD833	589-594	A6CYM	Diary Date (833) (CCYYMM)
(YEAR) (MONTH)	(589-592) (593-594)		1997 - Current 01 - 12
FILLER-12	595-601	A7	Filler-12
>>>>>>>>>	>>>>>>>	>>>>>NO	DECISION BLOCK>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
DODECND	602-609	A8CYMD	<pre>Date Of Decision (ND) (CCYYMMDD) 00000000 = Unknown</pre>
(YEAR) (MONTH) (DAY)	(602-605) (606-607) (608-609)		1996 - Current 01 - 12 01 - 31
ALND	610	A1	Adjudicative Level (ND) Spaces = Unknown A = Initial B = Recon C = Recon DHU D = ALJ G = Reopening I = Informal Remand (T6 Only)
HGT-COURT	611-612	A2	<pre>Hearing-Court Spaces = Unknown 10</pre>

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			Hearing, Regular 51 = Second Request For Hearing, Termination 60 = Third Request For Hearing, Regular (T6 Only) 61 = Third Request For Hearing, Termination (T2 Only) 90, 95 = Sixth Request For Hearing, Regular (T6 Only)
DISP-COURT	613	A1	<pre>Disposition-Court Spaces = Unknown A = (T2 Only) R = Court Remand At Court Level S = Court Remand At Presiding</pre>
ACT-COURT	614	A1	Action-Court Spaces = Unknown ? = S =
DODEC-COURT	615-622	A8CYMD	<pre>Date Of Decision-Court (CCYYMMDD) 00000000 = Unknown</pre>
(YEAR) (MONTH) (DAY)	(615-618) (619-620) (621-622)		2000 - Current 01 - 12 01 - 31
AL-COURT	623	A1	Adjudicative Level (Court) Spaces = Unknown F = District Office
RDT-COURT	624	A1	Result Of Determination (Court) Spaces = Unknown A = (T2 Only) R = Remand
RID-COURT	625	A1	Record Identification (Court) Spaces = Unknown R = Title XVI 2 = Title II (T2 Only)
ISSUE-COURT	626	A1	Issue Of Claim (Court)

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			<pre>Spaces = Unknown D = Disability Initial</pre>
RPDX-COURT	627-630	A4	Recoded Primary Diagnosis Code (Court) Spaces = Unknown 9999 = (T2 Only)
>>>>>>>>>>	>>>>>>>	>>>> F	RECON BLOCK>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
DODEC-RCN	631-638	A8CYMD	<pre>Date Of Decision (Recon) (CCYYMMDD) 00000000 = Unknown</pre>
(YEAR) (MONTH) (DAY)	(631-634) (635-636) (637-638)		1994 - Current 01 - 12 01 - 31
AL-RCN	639	A1	Adjudicative Level (Recon) Spaces = Unknown B = Recon C = Disability Hearing Unit
RDT-RCN	640	A1	Result Of Determination (Recon) Spaces = Unknown C = Continuance S = Cessation T = Termination
RID-RCN	641	A1	Record Identification (Recon) Spaces = Unknown S = Title XVI CDR 4 = Title II CDR
DDS-RCN	642-644	A3	4 = Title II CDR DDS Code (Recon) (See DDB Reference Guide) Spaces = Unknown 01Y - 88Z =
RFC-RCN	645-646	A2	Reason For Continuation (Recon) Title II

ACRONYM	POSITION NUMBER		DESCRIPTION
			Spaces = Unknown 00 = 01 - 08, 14 - 16 = T2 Termination 17 - 18, 20 - 21 = T2 Cessation 22, 24, 27 = T2 Termination 30 - 39, 41 - 42, 47 - 48 = T2 Continuance 50 - 55, 57, 61 - 62, 65 = T16 Termination 70, 72, 74 - 77 = T16 Continuance 90, 97 = T16 Termination
			Title XVI Spaces = Unknown 00 = 01 - 02, 13, 16 = T2 Termination 20 = T2 Cessation 30, 34, 36 - 37, 47 = T2 Continuance 50 - 66 = T16 Termination 67 - 69 = 70 - 86 = T16 Continuance 90 - 92, 95 - 99 = T16 Termination
BFD-RCN	647	A1	<pre>Basis For Determination (Recon) Spaces = Unknown A = Medical Or Medical/Vocational D = Other</pre>
WRM-RCN	648-649	A2	<pre>Why Review Made (Recon) Spaces = Unknown 00</pre>

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESC	RIPTION
			07	<pre>= Medical Improvement Not Expected-7-Year Review Diary</pre>
			08	= EPE Medical Review
			09	= Adoption Issue
			10	= TWP Diary Matured
			11	= Voluntary Report Of
			Т.Т	Medical Improvement
			12	= Earnings Posted Medical
			12	Reexam Set
			13	
			13	= Earnings Posted No Medical Reexam Set
			14	
			14	<pre>= Voluntary Report Of Work- Medical Reexam Set</pre>
			15	
			13	<pre>= Voluntary Report Of Work- Medical Reexam Not Set</pre>
			16	
			17	= Third Party Report
			18	<pre>= State VR Report = Court Order (Other Than</pre>
			10	Medical Improvement—
				Individual Or Class Action
			19	
			20	= Post Transplant ESRD
			20	= Special (Use Only When
			21	<pre>Specifically Instructed) = Other</pre>
			22	= '301' Case Review Diary
			23	= Medical Improvement
			23	Expected-Medical Reexam
				Diary
			24	= Medical Improvement
			2 1	Expected-Medical Possible
				3-Year Review Diary
			25	= Medical Improvement Not
				Expected-7-Year Review
				Diary
			26	= EPE Medical Review
			27	= Voluntary Report Of
				Medical Improvement
			28	= Third Party Report
			29	= State VR Report
			30	= 'Clear Cut' Case
			31	=
			34	<pre>= CDR Mailer Released In FY94 (T2 Only)</pre>
			36	= CDR Mailer Released In FY96 (T6 Only)
			37	= CDR Mailer Released In FY97
			39	= CDR Mailer Released In

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			FY99 40 = CDR Mailer Released In FY00
			41 = CDR Mailer Released In FY01
			42 = CDR Mailer Released In FY02
			43 = CDR Mailer Released In FY03
			44 = CDR Mailer Released In FY04
			99 = Unknown
BS-RCN	650-651	A2	Body System (Recon) Spaces = Unknown 01
RPDX-RCN	652-655	A4	Recoded Primary Diagnosis Code (Recon) (See DDB Reference Guide) Spaces = Unknown
RSDX-RCN (Recon)	656-659	A4	O011 -> 9998 = Valid Values Recoded Secondary Diagnosis Code (See DDB Reference Guide) Spaces = Unknown
CDT-RCN	660-661	A2	O011 -> 9998 = Valid Values CDR Type (Recon) Spaces = Unknown 01 = MIE-Medical Reexam

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			02 = MIE-Medical Reexam
			Diary 03 = MIE-Benefit Continued 10/84
			04 = MIP—Periodic Review Case 05 = MIP—Periodic Review
			Moratorium (04/84) 06 = MIP-Listed Mental
			Impairment (T6 Only) 07 = MIP-Decision Review Named Litigant
			08 = MIP-Decision Review Unnamed Litigant (T6 Only)
			09 = MIP-Decision Review Reopened Mental Impairment
			10 = MINE-Permanent DIB 11 = MINE-Periodic Review
			Diary 12 = Medical Other—Court Case
			13 = Medical Other-EPE 34 = CDR Mailer Released In
			FY 1995 (T2 Only) 35 = CDR Mailer Released In FY 1996
			36 = CDR Mailer Released In FY 1997 (T2 Only)
			37 = CDR Mailer Released In FY 1998
			38 = CDR Mailer Released In FY 1999
			39 = CDR Mailer Released In FY 2000
			40 = CDR Mailer Released In FY 2001
			41 = CDR Mailer Released In FY 2002
			42 = CDR Mailer Released In FY 2003 43 = CDR Mailer Released In
			FY 2004 44 = CDR Mailer Released In
			FY 2005 Etc.
EOR-RCN	662	A1	Evidence Of Record (Recon) Spaces = Unknown
			N = No, Evidence Of Record Not

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			Purchased Y = Yes, Evidence Of Record Purchased
CER-RCN (Recon)	663	A1	<pre>Consultative Examination Request Spaces = Unknown N = No, Consultative Exam Not</pre>
FS-RCN	664	A1	Federal Sample (Recon) Spaces = Unknown N = Not Selected P = Pre-Effectuation Review Q = Quality Review
RCPT-COURT	665-672	A8CYMD	Receipt Date (Court) (CCYYMMDD) Spaces = Unknown 00000000 = Unknown
(YEAR) (MONTH) (DAY)	(665-668) (669-670) (671-672)		2000 - Current 01 - 12 01 - 31
<<<<<<<<			
HGT-ALJ	673-674	A2	<pre>Hearing Type (ALJ) Title II Spaces = Unknown 10 = New Request For Hearing,</pre>

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			40, 42 = Court Remand, Regular 41, 43 = Court Remand, Termination 50 = Second Request For Hearing, Regular
			51 = Second Request For Hearing, Termination
			60 = Third Request For Hearing, Regular
			61 = Third Request For Hearing, Termination
			70 = Fourth Request For Hearing, Regular
			80 = Fifth Request For Hearing, Regular
			81 = Fifth Request For Hearing, Termination
			90, 95 = Sixth Request For Hearing, Regular
			91 = Sixth Request For Hearing, Termination
			Title XVI
			Spaces = Unknown 10 = New Request For Hearing, Regular
			11 = New Request For Hearing, Termination
			20, 22 = Reopened Case, Regular 21, 23 = Reopened Case, Termination 30, 32,
			35 = Appeals Council Remand, Regular
			31 - 33, 36 = Appeals Council Remand, Termination
			36 = 40 = Court Remand, Regular 41 = Court Remand, Termination
			50, 52 = Second Request For Hearing, Regular
			51, 53 = Second Request For Hearing, Termination
			60 = Third Request For Hearing, Regular
			61 = Third Request For Hearing, Termination
			70 = Fourth Request For Hearing, Regular
			71 = Fourth Request For Hearing,

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
PFI-ALJ	675	A1	Termination 90, 92, 95 = Sixth Request For Hearing, Regular 91, 96 = Sixth Request For Hearing, Termination Partially Favorable Ind. (ALJ) Spaces = Unknown C = Closed Period—Later Cessation
			F = Fully Favorable L = Later Onset O = Other
ORI-ALJ	676	A1	On the Record Ind.(ALJ) Spaces = Unknown N = No Y = Yes
DISP-ALJ	677	A1	Disposition (ALJ) Spaces = Unknown A
ACT-ALJ	678	A1	Action (ALJ) Spaces = Unknown ?

ACRONYM	POSITION NUMBER		DESCRIPTION
DODEC-ALJ	679-686	A8CYMD	<pre>Date Of Decision (ALJ) (CCYYMMDD) 00000000 = Unknown</pre>
	(679-682) (683-684) (685-686)		1997 - Current 01 - 12 01 - 31
AL-ALJ	687	A1	Adjudicative Level (ALJ) Spaces = Unknown D = ALJ H = Hearings
RDT-ALJ	688	A1	Result Of Determination (ALJ) Spaces = Unknown A = Allowance D = Denial S = Dismissal
RID-ALJ	689	A1	Record Identification (ALJ) Spaces = Unknown R = Title XVI 2 = Title II
ISSUE-ALJ	690	A1	Issue Of Claim (ALJ) Spaces = Unknown D = Disability Initial Case N = Non-Disability Initial Case O = Other Disability (SGA) CDR P = Periodic Review CDR R = Regular CDR X = Non-Disability CDR
FILLER-J	691	A1	Filler-J Spaces = Unknown
RPDX-ALJ	692-695	A4	Recoded Primary Diagnosis Code (ALJ) (See DDB Reference Guide) Spaces = Unknown 9999 = Unknown 0011 -> 9998 = Valid Values

	110	1112 114101	
ACRONYM	POSITION NUMBER		DESCRIPTION
OFC-ALJ	696-699	A4	<pre>Office Code (ALJ) Spaces = Unknown 5018 -> 5382 = (T2 Only) 5018 -> 5808 = (T6 Only)</pre>
CLT-ALJ	700-703	A4	<pre>Claim Type (ALJ) Title II Spaces = Unknown DIWC = Disabled Worker Or Child DIWW = Disabled Widow(er) RSI = Retirement And Survivors</pre>
STUDY-CA	704	A1	SSID = SSI Disabled California Study Indicator (FY18) N=California Study mailer case Y=California Study DR case Spaces= Not a California Study DR case
FILLER-15	705-710	A6	Filler-15 Spaces = Unknown
>>>>>>>>>>	·>>>>>>	->>>> APPEA	LS COUNCIL BLOCK>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
HGT-AC	711-712	A2	<pre>Hearing (AC) Title II Spaces = Unknown 10 = New Request For Hearing,</pre>

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			Termination
			50 = Second Request For Hearing,
			Regular 51 = Second Request For Hearing,
			Termination 60 = Third Request For Hearing,
			Regular 61 = Third Request For Hearing,
			Termination 70 = Fourth Request For Hearing,
			Regular 81 = Fifth Request For Hearing,
			Termination 90, 95 = Sixth Request For Hearing,
			Regular 91, 96 = Sixth Request For Hearing,
			Termination
			Title XVI
			Spaces = Unknown 10 = New Request For Hearing,
			Regular 11 = New Request For Hearing, Termination
			20, 25 = Reopened Case, Regular 21 = Reopened Case, Termination
			30 = Appeals Council Remand,
			Regular 31, 33 = Appeals Council Remand,
			Termination 40 = Court Remand, Regular
			50 = Second Request For Hearing, Regular
			51 = Second Request For Hearing, Termination
			60 = Third Request For Hearing, Regular
			61 = Third Request For Hearing, Termination
			90, 95 = Sixth Request For Hearing, Regular
			91, 96 = Sixth Request For Hearing, Termination
DISP-AC	713	A1	Disposition (AC) Spaces = Unknown A = Favorable Reversal
			B = Favorable Affirmation

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
			D = Unfavorable Affirmation E = Unfavorable Reversal F = (T6 Only) G = Request Not Timely Filed Dismissal H = Withdrawal Dismissal I = Other Dismissal J = Abandonment Dismissal(T6 Only) K = Administrative Dismissal L = (T6 Only) M = (T6 Only) O = Appeals Council Remand P = Appeals Council Denial
ACT-AC	714	A1	Action (AC) Spaces = Unknown ? = M = N = O =
DODEC-AC	715-722	A8CYMD	<pre>Date Of Decision (AC) (CCYYMMDD) 00000000 = Unknown</pre>
(YEAR) (MONTH) (DAY)	(715-718) (719-720) (721-722)		1998 - Current 01 - 12 01 - 31
AL-AC	723	A1	Adjudicative Level (AC) Spaces = Unknown A = E = Appeals Council
RDT-AC	724	A1	<pre>Result Of Determination (AC) Spaces = Unknown A</pre>
RID-AC	725	A1	Record Identification (AC) Spaces = Unknown R = Title XVI 2 = Title II (T2 Only)

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
ISSUE-AC	726	A1	<pre>Issue Of Claim (AC) Spaces = Unknown D</pre>
FILLER-AC	727	A1	Filler-AC Spaces = Unknown
RPDX-AC	728-731	A4	Recoded Primary Diagnosis Code (AC) Spaces = Unknown 9999 = Unknown 0011-9998 = Valid Values
OFC-AC	732-735	A4	<pre>Office Code (AC) Spaces = Unknown 5017 -> 5994 = (T2 Only) 5012 -> 5994 = (T6 Only)</pre>
CLT-AC	736-739	A4	<pre>Claim Type (AC) Title II Spaces = Unknown DIWC = Disabled Worker Or Child DIWW = Disabled Widow(er) RSI = Retirement And Survivors</pre>
ELECTRONIC-SW	740	A1	Electronic Folder Switch Spaces = No Certified Electronic Folder Y = Certified Electronic Folder
<<<<<<	<<<<<<	<<<< LA	ST ACTION SECTION>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>
FY-TAG-TYPE	741	A1	FY Tag Type Title II Spaces = Unknown C = Concurrent

ACRONYM	POSITION NUMBER		DESCRIPTION
			E = Excl auto From DUP Programs 2 = Title II Only Title XVI Spaces = Unknown E = Excl auto From DUP Program
FY-TAG-WRKAUX	742-744	A3	6 = Title XVI Only FY Tag Worker/Auxiliary
			Title II Spaces = Unknown AUX = Auxiliary CON = WRK = Worker XCL = Excl auto
			Title XVI Spaces = Unknown ADL = Adult A18 = Age 18 KID = Child LWB = Low Birth Weight XCL = Excl auto
FY-TAG-YEAR	745-746	A2	FY Tag Year Spaces = Unknown AU = Exclauto 00 = 01 = 02 = 03 = etc 97 = 98 = 99 =
FY-TAG-RESULT	747-750	A4	FY Tag Result Spaces = CESS = CONT = T000 = (T6 Only) T002 = (T6 Only)
LAST-UPDATE	751-756	A6	<pre>Last Update Spaces = Unknown ACDOCO = Decision by PSC (T2 Only)</pre>

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION		
			ACIDOD = DCDRS input ACRCT = AC Receipt ACUPD = AC Decision ACXMCH = Didn't Match DCF ALJRCT = ALJ Receipt ALJUPD = ALJ Decision CRTRCT = Court Receipt CRTUPD = Court Decision CTLUPD = DCF Update DUDEX = Old MBR Update MBRCES = Cessation from MBR MBRUPD = Other MBR update NDUPD = No Decision RCNRCT = RECON Receipt RCNUPD = RECON Decision SSRCES = SSR Cessation T2DEAD = MBR indicates Death 833RCT = DDS initial Receipt 833UPD = DDS Initial Decision	(T2 (T6 (Only) Only)
LAST-ACT	757	A1	<pre>Last Action These are either an IDR or an Spaces = Unknown \$ = Invalid @ = A = B = C = D = C = D = E = F = G = H = I = N = P =</pre>	(T6 (Only)
			P - Q = R = S = T = U = W = X = O = O	(T2 (Only) Only) Only)
DT-LAST-ACTION	758-765	A8CYMD	<pre>Date Last Action (CCYYMMDD) 00000000 = Unknown</pre>		

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION	
(YEAR) (MONTH) (DAY)	(758-761) (762-763) (764-765)		1993 - Current 01 - 12 01 - 31	
FY-COUNT	766-769	A4	FY Count Spaces = Unknown 000b = 0000 =	(T6 Only)
ACT-COUNT	770	A1	Action Count Spaces = Unknown	
DES-COUNT	771-775	A5	Description Count Spaces = Unknown	

 $^{^{\}rm 1}$ Uses the MED one for a cases that has no Reviews (CDRs). If there is a CDR The REVW value overlays it.

Printed: 5/3/24

OACT WATERFALL EXTRACT FILE DESCRIPTION

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
COHORT	01 - 04	A4	Cohort
			CAUC = Concurrent Auxiliary Child CAUW = Concurrent Auxiliary Widow CWRK = Concurrent Worker 2AUC = Title II Auxiliary Child 2AUW = Title II Auxiliary Widow 2WRK = Title II Worker 6ADL = Title XVI Adult 6A18 = Title XVI Age 18 6KID = Title XVI Child 6LBW = Title XVI Low Birth Weight
			On some Waterfall Files there are also: CAUX = Concurrent Auxiliary 2AUX = Title II Auxiliary If present, auxiliaries are double counted.
FYINIACT	05 - 08	A4	FY Of Initial Action (CCYY)
			1998 through current FY
FYACTION	09 - 12	A4	FY Of Last (Final) Action (CCYY)
			1994 through current FY Blank = initial continuance (FASUB=0)
ACTDTE	13 - 18	A6	Date Of Last (Final) Action (CCYYMM)
			199311 through current CCYYMM Blank = initial continuance (FASUB=0) 000000 = Unknown
FASUB	19	A1	Final Action (useable as subscript)
			<pre>0 = Initial Continuance 1 = Initial Cessation 2 = Recon Cessation 3 = ALJ Cessation 4 = AC Cessation 5 = Recon Continuance 6 = ALJ Continuance 7 = AC Continuance 8 = Pending Recon 9 = Pending OHA</pre>

Printed: 5/3/24

OACT WATERFALL EXTRACT FILE DESCRIPTION

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
CESS	20	A1	<pre>Cessation Flag N = Not an Initial Cessation Y = Initial Cessation</pre>
FLIP	21	A1	<pre>Flip Flag N = No (initial decision not changed) Y = Yes (initial decision changed)</pre>
PREVOACT	22	A1	Previous FASUB reported To OACT Blank = Unknown 0 - 9 = Final Action Subscript (FASUB) Reported to OACT last FY
PREVFLIP	23	A1	Previous FY this case was a Flip N = No, not previous Flip Y = Yes, previous Flip
EXFYTAG	24 - 33	A10	FY Tag- How case was reported to OACT (This field is a combination of 3 fields) Position 24 - 27 COHORT (see position 1 for description) Position 28 - 29 FY (YY format) case was reported to OACT Position 30 - 33 CESS = Initial Cessation CONT = Initial Continuance
EXSSN	34 - 42	A9	<u>SSN</u> 9-Digit SSN
EXBIC	43 - 44	A2	BIC (Beneficiary Identification Code Blank = Unknown A = Primary CA - CH, CJ, C1 - C9 = Child E = Widow/Widower E2, E4 = Widow/Widower W = Widow/Widower WR, W1 - W2, W4, W6 - W8 = Widow/Widower 2

Printed: 5/3/24

OACT WATERFALL EXTRACT FILE DESCRIPTION

ACRONYM	POSITION NUMBER	FOCUS FORMAT	DESCRIPTION
EXFILE	45 - 46	A2	File CDR Tracking File case was extracted from 2A = Title II Active Tracking File 2S = Title II Stale Tracking File 6A = Title XVI Active Tracking File 6S = Title XVI Stale Tracking File
EXDOM	47 - 54	A8	Date Of Mailer (CCYYMMDD) Date of CDR release 19930520 through current
EXTOC	55 - 56	A2	Type Of Claim Title XVI only Blank = Unknown BC = Blind Child BI = Blind Worker BS = Blind Spouse DC = Disabled Child DI = Disabled Worker DS = Disabled Spouse
FILLER	57 - 100	A44	Filler Not used
CDR Tracking File Record	101 - 875		CDR Tracking File Record see record layout for CDR Tracking File

APPENDIX M: FILE LAYOUT OF THE DISABILITY RESEARCH FILE, TITLE 2 AND TITLE 16

ACRONYM	POSITION OF CHARACT		DESCRIPTION	As of June 2022 MFD IS DRE2ABBL
SSN	1-9	(9)	SOCIAL SECURITY NUMBER	ER
SOURCE	10 (1)		SOURCE OF LATEST DATA C= From OACT Record 8= From 831 Record P= From NDDSS PENDING Q= From OQP Record F= From SDR OQP Record H= From 1531 Record 9=FEDRO Record M= Unidentifable SDR W= From SDR FIELD OFF E=Pressumed CE from S	G Record rd record FICE DECISIONS(2016)

DATA IN POSITIONS 11 - 42 ARE FROM THE LATEST SSA-831 RECORD OR FROM THE LATEST OACT AWARD, YH1531 DENIAL, OR PENDING RECORD IF THERE IS NO SSA-831 RECORD

DODEC	11-18	(8)	DATE OF DECISION (CCYYMMDD)
DDS	19-21	(3)	STATE AGENCY CODE
DAA	22	(1)	<pre>DRUG/ALCOHOL ADDICTION CODE A = Alcohol Does Contribute to Findings B = DA&A Both Contribute to Findings D = Drugs Do Contribute to Findings N = DA&A Does Not Contribute to Findings Z = Unknown/Invalid Code</pre>
AL	23	(1)	ADJUDICATIVE LEVEL A = Initial B, C = Reconsideration G = Reopening H, J = Hearing/Screening I = DDS Determination Following OHA Informal Remand

As of June 2022 POSITION & # ACRONYM OF CHARACTERS DESCRIPTION MFD IS DRE2ABBL

ACRONYM	OF CHARAC	TERS	DESCRIPTION	MFD IS DRE2ABBL
RDT	24	(1)	RESULT OF DETERMINATION A = Allowance C = Closed Period D = Denial G = OACT Award Transa T = Technical Denial Blank = No Decision/P	action
TOC	25	(1)	TYPE OF CLAIM 1 = Worker 2 = Blind Worker 3 = Disabled Widow/Wi 4 = Disabled Adult Ch 5 = Disabled Adult Ch D, Z = Unknown	nild (Retirement)
CCF	26	(1)	Title XVI Claim S = Special Concurre	Concurrently Filed with (Same SSN) ent (Different SSN) ncurrent (Combination of
RB	27-28	(2)	REGULATION BASIS CODE	
PD	29	(1)	PRESUMPTIVE DISABILIT 1 = DO Decision 2 = DDS Decision Blank = Not Available	
DO	30-32	(3)	DISTRICT OFFICE CODE	
DDPB	33-38	(6)	DATE DISABILITY BEGAN	(CCYYMM)
ED	39-40	(2)	EDUCATION YEARS	

As of June 2022 POSITION & # ACRONYM OF CHARACTERS DESCRIPTION MFD IS DRE2ABBL

OCC 41-42 (2) OCCUPATION CODE

DATA IN POSITIONS 43-66 ARE FROM THE EARLIEST SSA-831 RECORD

DODEC1	43-50	(8)	DATE OF DECISION (CCYYMMDD)
DDS1	51-53	(3)	STATE AGENCY CODE
DAA1	54	(1)	DRUG/ALCOHOL ADDICTION CODE
AL1 RDT1	55 56	(1) (1)	ADJUDICATIVE LEVEL RESULT OF DETERMINATION
TOC1	57	(1)	TYPE OF CLAIM
CCF1	58	(1)	CONCURRENT CLAIM FLAG
RB1	59-60	(2)	REGULATION BASIS CODE
DDPB1	61-66	(6)	DATE DISABILITY BEGAN (CCYYMM)

DATA IN POSITIONS 67 - 102 ARE DERIVED FROM OTHER FIELDS AND/OR OTHER RECORDS FOR THE INDIVIDUAL

CFLAG 67 CONSOLIDATION FLAG (DERIVED) (1)Y = Later 831 Decision on Earlier Claim (Another Record for This Person Has an Earlier Filing Date and a SSA-831 Decision Date Later Than the Latest Decision on This Claim. Therefore, It Appears This Claim Was Consolidated Into the Earlier Claim.) Blank = Not a Consolidated Claim. (Based on SSA-831 Records.) EFLD 68-73 (6) EARLIEST DERIVED FILING DATE (CCYYMM) (Earliest Filing Date for a Claim With Multiple Applications Within 3 Months. Considering Tolerance For Protective Filing, Etc.) 3

ACRONYM	POSITION & #	DESCRIPTION	As of June 2022 MFD IS DRE2ABBL
APPS80	74 (1)	APPLICATION COUNTER	FOR 1980
APPS81	75 (1)	APPLICATION COUNTER	FOR 1981
APPS82	76 (1)	APPLICATION COUNTER	FOR 1982
APPS83	77 (1)	APPLICATION COUNTER	FOR 1983
APPS84	78 (1)	APPLICATION COUNTER	FOR 1984
APPS85	79 (1)	APPLICATION COUNTER	FOR 1985
APPS86	80 (1)	APPLICATION COUNTER	FOR 1986
APPS87	81 (1)	APPLICATION COUNTER	FOR 1987
APPS88	82 (1)	APPLICATION COUNTER	FOR 1988
APPS89	83 (1)	APPLICATION COUNTER	FOR 1989
APPS90	84 (1)	APPLICATION COUNTER	FOR 1990
APPS91	85 (1)	APPLICATION COUNTER	FOR 1991
APPS92	86 (1)	APPLICATION COUNTER	FOR 1992
APPS93	87 (1)	APPLICATION COUNTER	FOR 1993
APPS94	88 (1)	APPLICATION COUNTER	FOR 1994
APPS95	89 (1)	APPLICATION COUNTER	FOR 1995
APPS96	90 (1)	APPLICATION COUNTER	FOR 1996
APPS97	91 (1)	APPLICATION COUNTER	FOR 1997
APPS98	92 (1)	APPLICATION COUNTER	FOR 1998
APPS99	93 (1)	APPLICATION COUNTER	FOR 1999

ACRONYM	POSITION 8		As of June 2022 DESCRIPTION MFD IS DRE2ABBL
APPS00	94	(1)	APPLICATION COUNTER FOR 2000
APPS01	95	(1)	APPLICATION COUNTER FOR 2001
APPS02	96	(1)	APPLICATION COUNTER FOR 2002
APPS03	97	(1)	APPLICATION COUNTER FOR 2003
APPS04	98	(1)	APPLICATION COUNTER FOR 2004
APPS05	99	(1)	APPLICATION COUNTER FOR 2005
REAPP	100	(1)	APPLICATION INDICATOR F = First-Time Applicant O = Applicant whose most recent prior application was filed more than 10 calendar years prior to the year of the current application - counted as first-time for purpose of reports on reapplication trends. R = Reapplicant - other than those described in "O".
EARNINDX	101	(1)	<pre>EARNINGS GROUPINGS (Comparison to National Averages) 1 = Marginal Earnings 2 = Low Earnings 3 = Average Earnings 4 = High Earnings 5 = Very High Earnings Blank = Not Categorized</pre>
SRDT	102	(1)	SUMMARY RESULT OF DETERMINATION (DERIVED) A = Allowance D = Denial N = New Claim/Multiple Record Blank = No Decisions

DATA IN POSITIONS 103 - 115 ARE FROM MATCH WITH NUMIDENT RECORD

As of June 2022 POSITION & # ACRONYM OF CHARACTERS DESCRIPTION MFD IS DRE2ABBL (1) NUMIDENT ENTRY CODE NENTRY 103 D = Death Claim G = Generated Record L = Life Claim 0 = Original SSN 2 = Duplicate SSN POBSTC 104-105 (2) STATE OR COUNTRY OF BIRTH (Abbreviation) NCSPC 106 (1) CITIZENSHIP CODE A = U.S. Citizen B = Alien Allowed to Work C = Alien Not Allowed to Work D, E, F = OtherPOBFOR 107 (1) FOREIGN BIRTH PLACE INDICATOR * = Foreign Country Blank = Not Foreign Country CYCDTE 108-115 CYCLE DATE (CCYYMMDD) (8) Date Record was Established/Corrected DATA IN POSITIONS 116 - 245 ARE FROM THE SUMMARY EARNINGS RECORD SER80 116-120 (5) 1980 EARNINGS (\$\$\$\$) SER81 121-125 (5) 1981 EARNINGS (\$\$\$\$) SER82 126-130 (5) 1982 EARNINGS (\$\$\$\$) SER83 131-135 (5) 1983 EARNINGS (\$\$\$\$) SER84 136-140 (5) 1984 EARNINGS (\$\$\$\$) SER85 141-145 (5) 1985 EARNINGS (\$\$\$\$) SER86 146-150 (5) 1986 EARNINGS (\$\$\$\$) 151-155 (5) 1987 EARNINGS (\$\$\$\$) SER87

AS Of June 2022
POSITION & #
ACRONYM OF CHARACTERS DESCRIPTION MFD IS DRE2ABBL

SER88	156-160	(5)	1988	EARNINGS	(\$\$\$\$)
SER89	161-165	(5)	1989	EARNINGS	(\$\$\$\$)
SER90	166-170	(5)	1990	EARNINGS	(\$\$\$\$)
SER91	171-175	(5)	1991	EARNINGS	(\$\$\$\$\$)
SER92	176-180	(5)	1992	EARNINGS	(\$\$\$\$\$)
SER93	181-185	(5)	1993	EARNINGS	(\$\$\$\$\$)
SER94	186-190	(5)	1994	EARNINGS	(\$\$\$\$\$)
SER95	191-195	(5)	1995	EARNINGS	(\$\$\$\$\$)
SER96	196-200	(5)	1996	EARNINGS	(\$\$\$\$\$)
SER97	201-205	(5)	1997	EARNINGS	(\$\$\$\$\$)
SER98	206-210	(5)	1998	EARNINGS	(\$\$\$\$\$)
SER99	211-215	(5)	1999	EARNINGS	(\$\$\$\$\$)
SER00	216-220	(5)	2000	EARNINGS	(\$\$\$\$\$)
SER01	221-225	(5)	2001	EARNINGS	(\$\$\$\$)
SER02	226-230	(5)	2002	EARNINGS	(\$\$\$\$)
SER03	231-235	(5)	2003	EARNINGS	(\$\$\$\$)
SER04	236-240	(5)	2004	EARNINGS	(\$\$\$\$)
SER05	241-245	(5)	2005	EARNINGS	(\$\$\$\$\$)

DATA IN POSITIONS 246 - 328 ARE FROM THE MBR (EXCLUDING BIC AND POSITIONS 301-304)

ACRONYM	POSITION & # OF CHARACTERS		As of June 2022 DESCRIPTION MFD IS DRE2ABBL
TAC	246	(1)	TYPE OF AWARD
SP	247	(1)	PRIMARY'S GENDER
RP	248	(1)	PRIMARY'S RACE
DODP	249-254	(6)	PRIMARY'S DATE OF DEATH (CCYYMM)
PIA	255-259	(5)	PRIMARY INSURANCE AMOUNT
FMA	260-264	(5)	MAXIMUM FAMILY AMOUNT
MPA	265-269	(5)	PRIMARY'S MONTHLY PAYMENT AMOUNT
STCODE	270-271	(2)	STATE CODE
CNTY	272-274	(3)	COUNTY CODE
BIC	275-276	(2)	BENEFICIARY IDENTIFICATION CODE (From the SSA-831 Record)
LAF	277-278	(2)	PAYMENT STATUS (Original)
DOEI	279-284	(6)	DATE OF INITIAL ENTITLEMENT (CCYYMM)
DOEC	285-290	(6)	DATE OF CURRENT ENTITLEMENT (CCYYMM)
DOF	291-296	(6)	DATE OF FILING (CCYYMM)
MTOC	297	(1)	MBR TYPE OF CLAIM
RDD	298-300	(3)	REASON FOR DISALLOWANCE/DENIAL

FOR 1995-2005 FILERS, POSITION 301-304 ARE FROM THE 'RESULTS' FIELDS FOR THIS CLAIM, FROM THE 2008 DISABILITY RESEARCH FILE

OLD_SRDT	301	(1)	OLD	SRDT R	ESULTS
OLD FINRD	Г 302	(1)	OLD	FINRDT	RESULTS

As of June 2022 POSITION & # ACRONYM OF CHARACTERS DESCRIPTION MFD IS DRE2ABBL OLD FINSTA 303 (1) OLD FINSTAT RESULTS OLD FINAL AL 304 (1) OLD FINAL-AL RESULTS ABSL 305-306 (2) LATEST BODY SYSTEM CODE ABS1 307-308 (2) EARLIEST BODY SYSTEM CODE LEV AL 309-309 (1) LEVEL OF ALLOWANCE - Adjudicative level of earliest allowance for this claim. See FINAL AL for definition of values. Blank Or zero for claims which were not allowed. FILLER 310-314 (5) FILLER SISC 315 (1) SECURITY INCOME STATUS CODE SIFT 316 (1) SECURITY INCOME FILE TYPE SIED 317-322 (6) SECURITY INCOME ENTITLEMENT/TERMINATION DATE (CCYYMM) 323-328 (6) BENEFICIARY'S DATE OF DEATH (CCYYMM) BDOD DATA IN POSITIONS 329 - 407 ARE THE FIRST 3 OCCURRENCES OF MBR DISABILITY FIELDS DDO1 329-334 (6) DATE OF DISABILITY ONSET (CCYYMM) DAC1 335 (1) DISABILITY AWARD CODE LOD1 336 (1) LEVEL OF DENIAL DOED1 337-342 (6) DATE OF ENTITLEMENT (CCYYMM) BDC1 343-344 (2) BASIS FOR DENIAL DSD1 345-350 (6) DISABILITY ADJUDICATION DATE (CCYYMM) MBRDAA1 351 (1) MBR DRUG/ALCOHOL CODE

As of June 2022 POSITION & # ACRONYM OF CHARACTERS DESCRIPTION MFD IS DRE2ABBL A = AlcoholB = Both (Alcoholism and Drug Addition) D = Drug Addiction N = Not MaterialP = PendingZ = BlanksDDO2 352-357 (6) DATE OF DISABILITY ONSET (CCYYMM) DAC2 358 (1) DISABILITY AWARD CODE LEVEL OF DENIAL LOD2 359 (1) DOED2 360-365 (6) DATE OF ENTITLEMENT (CCYYMM) BDC2 366-367 (2) BASIS FOR DENIAL DSD2 368-373 (6) DISABILITY ADJUDICATION DATE (CCYYMM) MBRDAA2 374 (1) MBR DRUG/ALCOHOL CODE A = AlcoholB = Both (Alcoholism and Drug Addition) D = Drug Addiction N = Not MaterialP = PendingZ = Blanks375-380 (6) DATE OF DISABILITY ONSET (CCYYMM) DDO3 DAC3 381 (1)DISABILITY AWARD CODE LOD3 382 (1)LEVEL OF DENIAL 383-388 (6) DATE OF ENTITLEMENT (CCYYMM) DOED3 BDC3 389-390 (2) BASIS FOR DENIAL DSD3 391-396 (6) DISABILITY ADJUDICATION DATE (CCYYMM)

As of June 2022 POSITION & # ACRONYM OF CHARACTERS DESCRIPTION MFD IS DRE2ABBL MBRDAA3 397 (1) MBR DRUG/ALCOHOL CODE A = AlcoholB = Both (Alcoholism and Drug Addition) D = Drug Addiction N = Not MaterialP = PendingZ = BlanksMDR 398 (1) MEDICAL DIARY REASON LSTEFD 399-404 (6) LAST EFF. HISTORY DATE (CCYYMM) RFD 405 (1) REASON FOR DEDUCTION WIC 406 (1) WORK ID CODE BPD 407 (1) BENEFIT PD DESIGNATION

DATA IN POSITIONS 408 - 451 ARE FROM (1) OHA CASE CONTROL RECORDS, (2) ODAR'S CASE PROCESSING MANAGEMENT SYSTEM, AND/OR (3) COURT DATA FROM THE OFFICE OF THE GENERAL COUNSEL

OHADEC	408-411	(4)	LATEST ODAR DECISION CODE
OHADISPO	412-419	(8)	ODAR DISPOSITION DATE (CCYYMMDD)
OHASTA	420	(1)	<pre>STATUS OF ODAR/COURT F = Final P = Pending</pre>
OHALEV	421	(1)	<pre>LEVEL OF REVIEW (Highest Level Reached in ODAR) D = Administrative Law Judge E = Appeals Council Remand/Dismissal/Denial of Review F = Court S = Appeals Council Substantive Decision</pre>

As of June 2022 POSITION & # ACRONYM OF CHARACTERS DESCRIPTION MFD IS DRE2ABBL AOI 422 (1) APPEALS OFFICER INDICATOR REVCODE 423-424 (2) REVERSAL REASON CODE HHD 425-432 (8) HEARINGS HELD DATE (CCYYMMDD) ADMINISTRATIVE LAW JUDGE CODE ALJCD 433-436 (4) OHARB1 437-438 (2) ODAR REGULATION BASIS CODE 1 OHARB2 439-440 (2) ODAR REGULATION BASIS CODE 2 IMP1 441-444 (4) IMPAIRMENT CODE 1 445-448 IMP2 (4) IMPAIRMENT CODE 2 FINRDT 449 (1)FINAL RESULT OF DETERMINATION (DERIVED) A = AllowanceC = Closed Period D = Medical Denial L = Presumed Collateral Estoppel N = New/Multiple Claim (Probable Duplicate Record) P = Allowance, Paid on Earlier Claim (See R) R = Denial, Subsequently Reopened and Paid Based on Allowance of Later Claim (See P) S = Fedro Dismissal T = Technical DenialW = Paid Claim with Missing Allowance Record (Allowed Under Wrong SSN, Incorrect Filing Date, Etc.) Presumed Allowed at Next Higher Adjudicative Level. FINSTA 450 (1) FINAL STATUS (DERIVED)

12

F = Final
P = Pending

As of June 2022

				~ -	0 0	
	POSITION & #					
ACRONYM	OF CHARACTERS	DESCRIPTION	N	/IFD	IS	DRE2ABBL

FINAL_AL 451 (1) FINAL ADJUDICATIVE LEVEL (DERIVED) (THIS FIELD REFLECTS THE HIGHEST ADJUDICATIVE LEVEL REACHED BY THIS CLAIM)

- A = Initial
- B = Reconsideration
- C = Reconsideration DHU
- D = ALJ
- E = Appeals Council Denial of Review/
 Dismissal/Remand
- F = Court
- G = Reopening
- H = Screening Before Hearing
- I = Informal Remand
- J = Screening Before Hearing (Attorney
 Advisor)
- S = Appeals Council Substantive Decision

DATA IN POSITIONS 452 - 482 ARE FROM OACT AWARDS FILE

OACDOEC	452-457	(6)	DATE OF CURRENT ENTITLEMENT (CCYYMM)
OACDOF	458-463	(6)	DATE OF FILING (CCYYMM)
OACDDPB OACWCC	464-469 470	(6) (1)	,
OACYOA	471-474	(4)	YEAR OF AWARD (CCYY)
OACMOA	475-476	(2)	MONTH OF AWARD
OACDOEI	477-482	(6)	DATE OF INITIAL ENTITLEMENT (CCYYMM)
DOB	483-488	(6)	DATE OF BIRTH (DERIVED) (CCYYMM)
FINSEX	489	(1)	<pre>GENDER (DERIVED) M = Male F = Female U = Unknown</pre>

As of June 2022

POSITION & :		. #	As of June 2022			
ACRONYM			DESCRIPTION	MFD IS DRE2ABBL		
FINRACE	490	(1)	<pre>RACE (DERIVED) Elements From SSA-831 A = Asian B = Black H = Hispanic I = North American Ind O = Other W = White</pre>			
			Elements From Numident 1 = White 2 = Black 3 = Other 4 = Asian 5 = Hispanic 6 = Native American o 0, 9, Blank = Unknown	r Alaskan		
FINRPDX	491-494	(4)	PRIMARY DIAGNOSIS COD	E (DERIVED)		
FINRSDX	495-498	(4)	SECONDARY DIAGNOSIS C	ODE (DERIVED)		
ENTRIES I	N THE FOLLO	OWING	TWO FIELDS BEGIN WITH	1997 FILERS		
PI	499	(1)	PROJECT INDICATOR (DET 3 = Full Process Mode 4 = Full Process Mode 6 = Prototype Record 7 = Prototype Grandfa 0 = Old Process Record N = No SSA-831 Record 9 = Disability Service	l Record I l Record II (Probe) thered Record d		
RECON_OK	500	(1)		A-831 Record for Claim Level SSA-831 Record		

ACRONYM	POSITION & OF CHARACT		As of June 2022 DESCRIPTION MFD IS DRE2ABBL
PAA	501-502	(2)	PRIOR APPLICATIONS ALLOWED (COUNTER)
PAD	503-504	(2)	PRIOR APPLICATIONS DENIED (COUNTER)
PAU	505-506	(2)	PRIOR APPLICATIONS OTHER/UNKNOWN RESULTS (COUNTER)
LAA	507-508	(2)	LATER APPLICATIONS ALLOWED (COUNTER)
LAD	509-510	(2)	LATER APPLICATIONS DENIED (COUNTER)
LAP	511	(1)	LATER APPLICATIONS PENDING (COUNTER)
LAO	512	(1)	LATER APPLICATIONS OTHER (COUNTER)
LAR	513-518	(6)	LATEST APPLICATION RESULTS POSITION 1 = SRDT POSITION 2 = FINRDT POSITION 3 = FINSTA POSITION 4 = FIN_AL POSITION 5 = L_AL POSITION 6= LEV_AL
APPS06	519	(1)	APPLICATION COUNTER FOR 2006
APPS07	520	(1)	APPLICATION COUNTER FOR 2007
APPS08	521	(1)	APPLICATION COUNTER FOR 2008
APPS09	522	(1)	APPLICATION COUNTER FOR 2009
APPS10	523	(1)	APPLICATION COUNTER FOR 2010
APPS11	524	(1)	APPLICATION COUNTER FOR 2011
APPS12	525	(1)	APPLICATION COUNTER FOR 2012
APPS13	526	(1)	APPLICATION COUNTER FOR 2013

ACRONYM	POSITION OF CHARAC	**	As of June 2022 DESCRIPTION MFD IS DRE2ABBL
APPS14	527	(1)	APPLICATION COUNTER FOR 2014
APPS15	528	(1)	APPLICATION COUNTER FOR 2015
SER06	529-533	(5)	2006 EARNINGS (\$\$\$\$)
SER07	534-538	(5)	2007 EARNINGS (\$\$\$\$\$)
SER08	539-548	(10)	2008 EARNINGS (\$\$\$\$\$\$\$\$)
SER09	549-558	(10)	2009 EARNINGS (\$\$\$\$\$\$\$\$)
SER10	559-568	(10)	2010 EARNINGS (\$\$\$\$\$\$\$\$)
SER11	569-578	(10)	2011 EARNINGS (\$\$\$\$\$\$\$\$)
DFDD	579-586	(8)	DATE OF FINAL DETERMINATION OR DECISION
LIRB	587-588	(2)	REG. BASIS OF LATEST INITIAL DETERMINATION
LRRB	589-590	(2)	REG.BASIS OF LATEST RECON/FEDRO DETERMINATION
DFID	591-598	(8)	DATE OF FIRST INITIAL DETERMINATION
DFRD	599-606	(8)	DATE OF FIRDT RECON/FEDRO DETERMINATION
DMFDOD	607-614	(8)	DATE OF DEATH, FROM MATCH TO DEATH MASTER FILE
CTRMDCT	615	(1)	COUNT OF COURT REMANDS FOR THIS CLAIM
ACRMDCT	616	(1)	COUNT OF APPEALS COUNCIL (AC) REMANDS FOR THIS CLAIM
IFRMDCT	617	(1)	COUNT OF DDS DETERMINATION ON ALJ INFORMAL REMANDS of THIS CLAIM

	D007F701		As of June 2022
ACRONYM	POSITION OF CHARA		DESCRIPTION MFD IS DRE2ABBL
LST_LEVEL	618	(1)	LATEST ADJUDICATIVE LEVEL, FROM ODAR/COURT DATA
L_AL	619	(1)	ADJUDICATIVE LEVEL OF LATEST DETERMINATION OR DECISION ON THIS CLAIM (OR, THE LEVEL AT WHICH THE CLAIM IS CURRENTLY PENDING)
BOAN	620-628	(9)	BENEFICIARIES OWN SOCIAL SECURITY NUMBER
DEADD	629-636	(8)	DATE OF EARLIEST ALLOWANCE DETERMINATION OR DECISION. AVAILABLE FOR ALLOWED APPLICATIONS FILED 2008 OR LATER
SER12	637-646	(10)	2012 EARNINGS
SER13	647-656	(10)	2013 EARNINGS (for future use)
SER14	657-666	(10)	2014 EARNINGS (for future use)
SER15	667-676	(10)	2015 EARNINGS (for future use)
SER16	677-686	(10)	2016 EARNINGS (for future use)
SER17	687-696	(10)	2017 EARNINGS (for future use)
SER18	697-706	(10)	2018 EARNINGS (for future use)
SER19	707-716	(10)	2019 EARNINGS (for future use)
SER20	717-726	(10)	2020 EARNINGS (for future use)
OLD_PI	727	(1)	PI PRIOR TO ADJUSTMENTS MADE FOR 2011 FILES. MAY BE INCORRECT DUE TO CODING PROBLEMS.
EDIBFLDR	728-736	(9)	Folder Number

As of June 2022

POSITION & #

ACRONYM OF CHARACTERS DESCRIPTION MFD IS DRE2ABBL

POSITIONS 737-775 CONTAIN DATA FROM AN EARLIER FAVORABLE DISABILITY DETERMINATION FOR THIS INDIVIDUAL ON A DIFFERENT CLAIM, WHICH WAS APPARENTLY USED AS THE BASIS FOR A COLLATERAL ESTOPPEL ALLOWANCE OF THE CURRENT CLAIM. THESE PRIOR FAVORABLE DECISIONS SOMETIMES OCCURRED UNDER A DIFFERENT SSN, BIC, AND/OR TITLE (RID).

SSN0	737-745	(9)	Social Security Number			
BIC0	746-747	(2)	Beneficiary Identification Number			
RIDO	748-748	(1)	Record Identification Number '2' OR '4' = TITLE 2 'R' OR 'S' = TITLE 16			
DODEC0	749-756	(8)	Date of DDS or SSA Decision			
RBO	757-758	(2)	Regulation Basis Code (See POMS reference if Source0 = 3 DI 28086.013 for Title 2 Continuance DI 28085.013 for Title 16 Continuance)			
PDX0	759-762	(4)	Primary Impairment Code			
RPDX0	763-766	(3)	Recoded Primary Impairment Code			
SOURCE0	767-767	(1)	File where prior favorable decision was located. 8 = From 831 Record 3 = 833 File D = Old SSI* G = OGC Data O = ODAR data 9 = FEDRO Decision Record			

^{*}On SSI Rolls, before beginning of SSA-831 file for T16. Allowance assumed.

As of June 2022
POSITION & #
ACRONYM OF CHARACTERS DESCRIPTION MFD IS DRE2ABBL

FLD0 768-775 (8) Filing date of earlier claim which included The favorable decision. Not populated for favorable decisions from CDRs.

POSITIONS 776-777 CONTAIN FLAGS RELATED TO FILE ADJUSTMENTS TO ADD PREVIOUSLY-MISSING AWARD DATA.

AWARDFLG 776-776 (1) (A= Award
D= Denial
R= Reopening Pair
L= Second Half of a Reopening Pair
S= Probable Special Disability Work load
claim

SRDT_FLIP_FLAG 777-777 (1) Y= whenever the SRDT is flipped from D to A or A to D

POSITIONS 778-785 CONTAIN the Protective Filing Date

APPS21

793

PROTECT FDTE 778-785 (8) (OACT MODFLD, for second half of Reopening pairs and special disability workload claims.) FINBS 786-787 (2) (This is the Final Body system code from Latest 831, or the earliest 831, or the Collateral Estoppel body system code) APPS16 788 (1) APPLICATION COUNTER FOR 2016 APPS17 789 (1) APPLICATION COUNTER FOR 2017 (1) APPLICATION COUNTER FOR 2018 APPS18 790 APPS19 791 (1) APPLICATION COUNTER FOR 2019 APPS20 792 (1) APPLICATION COUNTER FOR 2020

(1) APPLICATION COUNTER FOR 2021

As of June 2022 POSITION & # ACRONYM OF CHARACTERS DESCRIPTION MFD IS DRE2ABBL APPS22 794 (1) APPLICATION COUNTER FOR 2022 APPS23 795 (1) APPLICATION COUNTER FOR 2023 APPS24 796 (1) APPLICATION COUNTER FOR 2024 (1) APPLICATION COUNTER FOR 2025 APPS25 797 APPS26 798 APPLICATION COUNTER FOR 2026 (1)APPS27 799 (1) APPLICATION COUNTER FOR 2027 APPS28 800 (1)APPLICATION COUNTER FOR 2028 APPS29 801 (1)APPLICATION COUNTER FOR 2029 APPLICATION COUNTER FOR 2030 APPS30 802 (1)(1) APPLICATION COUNTER FOR 2031 APPS31 803 APPS32 804 (1) APPLICATION COUNTER FOR 2032 APPS33 805 (1) APPLICATION COUNTER FOR 2033 APPS34 806 (1) APPLICATION COUNTER FOR 2034 APPS35 807 (1) APPLICATION COUNTER FOR 2035 SER21-30 808 (100)2021-2130 EARNINGS (for future use)

POSITIONS 908-927 CONTAIN FLAGS SUCH AS '48' INDICATING COVID. EACH FLAG IS TWO POSITIONS

FFLAG1-10 908-927 (20) FOLDER FLAG 1-10

As of June 2022

DOCTUTON (

POSITION & ACRONYM (# OF CHARACTERS) DESCRIPTION MFD IS DRE6ABBL

DATA IN POSITIONS 1 - 124 ARE FROM THE SUPPLEMENTAL SECURITY RECORD SSN 1-9 (9) SOCIAL SECURITY NUMBER 10-11 (2) MASTER FILE TYPE MFTSTCODE 12-13 (2) STATE CODE CNTY 14 - 17(4) COUNTY CODE DOD 18-23 (6) DATE OF DEATH (CCYYMM) APLDTE 24-29 (6) DATE OF APPLICATION (CCYYMM) ELGDTE 30-35 (6) CURRENT ELIGIBILITY DATE (CCYYMM) DISDTEON 36-41 (6) DISABILITY ONSET DATE (CCYYMM) DIBPAY 42 (1)DISABILITY PAYMENT CODE FIRST PRIOR DIB PAY CODE FOR APPLICATION DIBPAY1 43 (1)(When Present) DIBPAY2 SECOND PRIOR DIB PAY CODE FOR 44 (1)APPLICATION (When Present) DIBPAY3 45 (1)THIRD PRIOR DIB PAY CODE FOR APPLICATION (When Present) EARLIEST DIB PAY CODE FOR APPLICATION DIBPAY4 46 (1)(When Present) 47-49 (3) DENIAL CODE DENCDE DENCDE1 50-52 (3) FIRST PRIOR DENIAL CODE FOR APPLICATION (When Present) DENCDE2 53-55 SECOND PRIOR DENIAL CODE FOR APPLICATION (3) (When Present)

	POSITIO	NT C	
ACRONYM			RS) DESCRIPTION MFD IS DRE6ABBL
DENCDE3	56-58	(3)	THIRD PRIOR DENIAL CODE FOR APPLICATION
DENCDES	30 30	(5)	(When Present)
DENCDE4	59-61	(3)	EARLIEST DENIAL CODE FOR APPLICATION
			(When Present)
DRUGM	62	(1)	DRUG ADDICTION/ALCOHOL IDENTIFICATION
ALIEN	63	(1)	ALIEN REFUGEE INDICATOR
FEDAMT	64-66	(3)	FEDERAL ASSISTANCE AMOUNT (\$\$\$)
SUPAMT	67-69	(3)	CURRENT AMOUNT OF STATE SUPPLEMENT (\$\$\$)
PSTAT	70-72	(3)	PAYMENT STATUS
NOP9	73-75	(3)	NUMBER OF PAYMENTS
APTYPE	76	(1)	APPLICATION TYPE
CEITOT	77-80		CURRENT EARNED INCOME, TOTAL OF MONTHLY
			S AND SELF-EMPLOYMENT AT TIME OF DECISION, ALS ONLY (DERIVED)
IUETYPE1	81	(1)	FIRST TYPE OF UNEARNED INCOME
10511751	-	(\(\(\)	
IUETYPE2	82	(1)	SECOND TYPE OF UNEARNED INCOME
IUETYPE3	83	(1)	THIRD TYPE OF UNEARNED INCOME
IUETYPE4	84	(1)	FOURTH TYPE OF UNEARNED INCOME
IUEAMT1	85-88	(4)	CURRENT UNEARNED INCOME
PLTYP1	89	(1)	APPEAL TYPE (1)
PLRSN1	90-91	(2)	APPEAL REASON (1)
PLFILEJD1	92-97	(6)	APPEAL FILING DATE (1)

As of June 2022

	POSITION	- J &					
ACRONYM			RS) DES	SCRIPTION	MFD	IS	DRE6ABBI
PLDCSNCD1	98-99	(2)	APPEAL D	DECISION CODE (1)			
PLDCSNJD1	100-105	(6)	APPEAL F	FINAL DECISION DATE	(1)		
PLDCSNTY1	106	(1)	APPEAL D	DECISION TYPE (1)			
PLTYP2	107	(1)	APPEAL T	TYPE (2)			
PLRSN2	108-109	(2)	APPEAL R	REASON (2)			
PLFILEJD2	110-115	(6)	APPEAL F	FILING DATE (2)			
PLDCSNCD2	116-117	(2)	APPEAL D	DECISION CODE (2)			
PLDCSNJD2	118-123	(6)	APPEAL F	FINAL DECISION DATE	(2)		
PLDCSNTY2	124	(1)	APPEAL D	DECISION TYPE (2)			

DATA IN POSITIONS 125 - 151 ARE DERIVED FROM OTHER FIELDS AND/OR OTHER RECORDS FOR THE INDIVIDUAL

APPS80	125	(1)	APPLICATION	COUNTER	FOR	1980
APPS81	126	(1)	APPLICATION	COUNTER	FOR	1981
APPS82	127	(1)	APPLICATION	COUNTER	FOR	1982
APPS83	128	(1)	APPLICATION	COUNTER	FOR	1983
APPS84	129	(1)	APPLICATION	COUNTER	FOR	1984
APPS85	130	(1)	APPLICATION	COUNTER	FOR	1985
APPS86	131	(1)	APPLICATION	COUNTER	FOR	1986
APPS87	132	(1)	APPLICATION	COUNTER	FOR	1987

ACRONYM	POSITIO		RS) DESCRI	ртт∩м		MED	ΤÇ	DRE6ABBL
ACRONIM	(# OF CHA	IVACIE	No, DESCRI	LIION		Mr D	10	DIEOMDE
APPS88	133	(1)	APPLICATION	COUNTER	FOR	1988		
APPS89	134	(1)	APPLICATION	COUNTER	FOR	1989		
APPS90	135	(1)	APPLICATION	COUNTER	FOR	1990		
APPS91	136	(1)	APPLICATION	COUNTER	FOR	1991		
APPS92	137	(1)	APPLICATION	COUNTER	FOR	1992		
APPS93	138	(1)	APPLICATION	COUNTER	FOR	1993		
APPS94	139	(1)	APPLICATION	COUNTER	FOR	1994		
APPS95	140	(1)	APPLICATION	COUNTER	FOR	1995		
APPS96	141	(1)	APPLICATION	COUNTER	FOR	1996		
APPS97	142	(1)	APPLICATION	COUNTER	FOR	1997		
APPS98	143	(1)	APPLICATION	COUNTER	FOR	1998		
APPS99	144	(1)	APPLICATION	COUNTER	FOR	1999		
APPS00	145	(1)	APPLICATION	COUNTER	FOR	2000		
APPS01	146	(1)	APPLICATION	COUNTER	FOR	2001		
APPS02	147	(1)	APPLICATION	COUNTER	FOR	2002		
APPS03	148	(1)	APPLICATION	COUNTER	FOR	2003		
APPS04	149	(1)	APPLICATION	COUNTER	FOR	2004		
APPS05	150	(1)	APPLICATION	COUNTER	FOR	2005		

As of June 2022

	POSIT	ION &					
ACRONYM	(# OF C	HARACTERS)	DESCRIPTION	MFD	IS	DRE6ABBL
APPIND	151	E	' =	LICATION INDICATO First-Time Appli Applicant whose application was calendar years p current applicat first-time for p reapplication tr	cant most recen filed more rior to th ion - coun urpose of	tha e ye ted	an 10 ear of the as
		F	. =	Reapplicant - ot in "O".	her than t	hose	e described

DATA IN POSITIONS 152 - 164 ARE FROM MATCH WITH NUMIDENT RECORD

NENTRY	152	(1)	<pre>NUMIDENT ENTRY CODE D = Death Claim G = Generated Record L = Life Claim 0 = Original SSN 2 = Duplicate SSN</pre>
POBSTC	153-154	(2)	STATE OR COUNTRY OF BIRTH (Abbreviation)
NCSPC	155	(1)	CITIZENSHIP CODE A = U.S. Citizen B = Alien Allowed to Work C = Alien Not Allowed to Work D,E,F = Other
POBFOR	156	(1)	FOREIGN BIRTH PLACE INDICATOR * = Foreign Country Blank = Not Foreign Country
CYCDTE	157-164	(8)	CYCLE DATE (CCYYMMDD) Date record was established/corrected

	POSITION &		
ACRONYM	(# OF CHARACTERS)	DESCRIPTION	MFD IS DRE6ABBL

DATA IN	POSITIONS	165 -	294 ARE	FROM TH	E SUMMARY	EARNINGS	RECORD
SER80	165-169	(5)	1980 EA	RNINGS	(\$\$\$\$)		
SER81	170-174	(5)	1981 EA	RNINGS	(\$\$\$\$)		
SER82	175-179	(5)	1982 EA	RNINGS	(\$\$\$\$)		
SER83	180-184	(5)	1983 EA	RNINGS	(\$\$\$\$)		
SER84	185-189	(5)	1984 EA	RNINGS	(\$\$\$\$)		
SER85	190-194	(5)	1985 EA	RNINGS	(\$\$\$\$)		
SER86	195-199	(5)	1986 EA	RNINGS	(\$\$\$\$\$)		
SER87	200-204	(5)	1987 EA	RNINGS	(\$\$\$\$)		
SER88	205-209	(5)	1988 EA	RNINGS	(\$\$\$\$\$)		
SER89	210-214	(5)	1989 EA	RNINGS	(\$\$\$\$\$)		
SER90	215-219	(5)	1990 EA	RNINGS	(\$\$\$\$\$)		
SER91	220-224	(5)	1991 EA	RNINGS	(\$\$\$\$)		
SER92	225-229	(5)	1992 EA	RNINGS	(\$\$\$\$)		
SER93	230-234	(5)	1993 EA	RNINGS	(\$\$\$\$\$)		
SER94	235-239	(5)	1994 EA	RNINGS	(\$\$\$\$)		
SER95	240-244	(5)	1995 EA	RNINGS	(\$\$\$\$)		
SER96	245-249	(5)	1996 EA	RNINGS	(\$\$\$\$\$)		
SER97	250-254	(5)	1997 EA	RNINGS	(\$\$\$\$\$)		
SER98	255-259	(5)	1998 EA	RNINGS	(\$\$\$\$\$)		

As of June 2022

ACRONYM	POSITION (# OF CHA		RS)	DESCRIPTI	ION	MFD	IS	DRE6ABBL
SER99	260-264	(5)	1999	EARNINGS	(\$\$\$\$\$)			
SER00	265-269	(5)	2000	EARNINGS	(\$\$\$\$)			
SER01	270-274	(5)	2001	EARNINGS	(\$\$\$\$)			
SER02	275-279	(5)	2002	EARNINGS	(\$\$\$\$)			
SER03	280-284	(5)	2003	EARNINGS	(\$\$\$\$)			
SER04	285-289	(5)	2004	EARNINGS	(\$\$\$\$)			
SER05	290-294	(5)	2005	EARNINGS	(\$\$\$\$)			
EARNINDX	295	(1)	(Com) 1 = 1 2 = 3 3 = 2 4 = 1 5 = 3	parison to Marginal E Low Earnin Average Ea High Earni Very High	ngs Arnings .ngs		es)	
SRDT	296	(1)	$ \begin{array}{ccc} A & = & 1 \\ D & = & 1 \\ M & = & 1 \end{array} $	Allowance Denial (Me	OF DETERMING OF Technology (Duplicate) Ing	chnica	al)	DERIVED)

DATA IN POSITIONS 297 - 329 ARE FROM THE LATEST SSA-831 RECORD OR THE LATEST PENDING/RECEIPT RECORD IF THERE IS NO SSA-831 RECORD

SOURCE	297	(1)	SOURCE OF LATEST DATA (DERIVED)
			(Beginning with 1991 Filers)
			8= From 831 Record
			P= From NDDSS PENDING Record
			Q= From OQP Record
			F= From SDR OQP Record
			7

	POSITIO	& NC	
ACRONYM	(# OF CHA	ARACTEF	RS) DESCRIPTION MFD IS DRE6ABBL
			T= From 1531 Record 9= FEDRO Record M= Unidentifable SDR record W= From SDR FIELD OFFICE DECISIONS E=Pressumed CE from SDR(only for DRX run)
DODEC	298-305	(8)	DATE OF DECISION (CCYYMMDD) Receipt Date for Pendings
DDS	306-308	(3)	STATE AGENCY CODE
DAA	309	(1)	DRUG/ALCOHOL ADDICTION CODE A = Alcohol Does Contribute to Findings B = DA&A Both Contribute to Findings D = Drugs Do Contribute to Findings N = DA&A Does Not Contribute to Findings Z = Unknown/Invalid Code
AL	310	(1)	ADJUDICATIVE LEVEL A = Initial B, C = Reconsideration G = Reopening H, J = Hearing/Screening I = DDS Determination on OHA Informal Rema
RDT	311	(1)	RESULT OF DETERMINATION A = Allowance C = Closed Period D = Denial
TOC	312	(1)	<pre>TYPE OF CLAIM A = Disabled Individual B = Disabled Spouse C = Disabled Child D = Blind Individual E = Blind Spouse F = Blind Child Z or Blank = Not Available</pre>

ACRONYM	POSITI		RS) DESCRI	- DUIT ON	MED T	S DRE6ABBL		
ACRONIM	(# Or Cr	IANACIE	KO) DESCKI	FIION	MFD I	S DECOMBE		
CCF	313	(1)	Not Concurr Concurrent: Y = T V S = S V = V X = C	rent = N	Claim (rent (Di concurrent of 'Y' and con DC	Same SSN) fferent SSN) t d 'S' above)		
RB	314-315	(2)	REGULATION BASIS CODE					
PD	316	(1)	PRESUMPTIVE DISABILITY DECISION 1 = DO Decision 2 = DDS Decision Blank = Not Available/Applicable					
DO	317-319	(3)	DISTRICT OF	FFICE CODE				
DDPB	320-325	(6)	DATE DISABI	LITY BEGAN (C	CYYMM)			
ED	326-327	(2)	EDUCATION Y	'EARS				
occ	328-329	(2)	OCCUPATION	CODE				
DATA IN P	COSITIONS	330 -	353 ARE FROM	1 THE EARLIEST	SSA-831	RECORD		
DODEC1	330-337	(8)	DATE OF DEC	CISION (CCYYMM	IDD)			
DDS1	338-340	(3)	STATE AGENO	CY CODE				
DAA1	341	(1)	DRUG/ALCOHO	OL ADDICTION C	CODE			
AL1	342	(1)	ADJUDICATIV	E LEVEL				
RDT1	343	(1)	RESULT OF I	DETERMINATION				

As of June 2022

ACRONYM	POSITION & (# OF CHARACTERS)		RS) DESCRIPTION MFD IS DRE6ABBL
TOC1	344	(1)	TYPE OF CLAIM
CCF1	345	(1)	CONCURRENT CLAIM FLAG
RB1	346-347	(2)	REGULATION BASIS CODE
DDPB1	348-353	(6)	DATE DISABILITY BEGAN (CCYYMM)
CFLAG	354	(1)	CONSOLIDATION FLAG (DERIVED) Y = Later 831 Decision on Earlier Claim (Another Record for This Person Has an Earlier Filing Date and a SSA-831 Decision Date Later Than the Latest Decision on This Claim. Therefore, It Appears This Claim Was Consolidated Into the Earlier Claim.) Blank = Not a Consolidated Claim, Based on SSA-831 Records.
EFLD	355-360	(6)	EARLIEST FILING DATE (CCYYMM) (This is the Earliest Filing Date on Any of the SSA-831 records Associated with This Claim. (Linking of SSA-831 Records Included a Tolerance to Allow for Protective Filing, Etc.) 401 ARE FROM (1) OHA CASE CONTROL RECORDS,

DATA IN POSITIONS 361 - 401 ARE FROM (1) OHA CASE CONTROL RECORDS, (2) ODAR'S CASE PROCESSING MANAGEMENT SYSTEM AND/OR (3) COURT DATA FROM THE OFFICE OF THE GENERAL COUNSEL

OHADEC	361-364	(4)	LATEST ODAR DECISION CODE
OHADISPO	365-372	(8)	LATEST ODAR DISPOSITION DATE (CCYYMMDD)
OHASTA	373	(1)	STATUS OF ODAR CASE (DERIVED) F = Final P = Pending

	POSITIO	N &	
ACRONYM	(# OF CHA	ARACTE	RS) DESCRIPTION MFD IS DRE6ABBL
OHALEV	374	(1)	LEVEL OF REVIEW (Highest Level Reached in ODAR) D = Administrative Law Judge E = Appeals Council Remand/Dismissal/Denial of Review F = Court S = Appeals Council Substantive Decision
AOI	375	(1)	APPEALS OFFICER INDICATOR
REVCODE	376-377	(2)	REVERSAL REASON CODE
HHD	378-385	(8)	HEARING HELD DATE (CCYYMMDD)
ALJCD	386-389	(4)	ADMINISTRATIVE LAW JUDGE CODE
OHARB1	390-391	(2)	OHA REGULATION BASIS CODE 1
OHARB2	392-393	(2)	OHA REGULATION BASIS CODE 2
IMP1	394-397	(4)	IMPAIRMENT CODE 1
IMP2	398-401	(4)	IMPAIRMENT CODE 2
FINRDT	402	(1)	FINAL RESULT OF DETERMINATION A = Allowance B = Technical Denial (With Allowance/Close Period Medical Decision) C = Closed Period D = Medical Denial E = Technical Denial and Medical Denial F = Allowance, Adopted Favorable Medical Decision from Prior Claim (Usually Technical Denial of Prior Claim) J = Allowance, Paid on Record for Other Member of Couple L = Presumed Collateral EstoppelPaid Case, Receives Title II M = Terminated Record, Presumably

	POSITI			
ACRONYM	(# OF CH	ARACTERS)	DESCRIPTION	MFD IS DRE6ABBL
		T = W =	Decision or (2) Payment (See W) Allowance, Paid (See R) Denial, Subseque Based on Allowan (See P) Fedro Dismissal Technical Denial Paid Claim with Record (Allowed Incorrect Filing	lone Record and (1) No Allowance and No on Earlier Claim ntly Reopened and Paic ce of Later Claim
FINSTA	403	F =	AL STATUS (DERIVED Final Pending)
FINAL_AL	404	(THI ADJU A = B = C = D = E = F = G = H = I = J =	Initial Reconsideration Reconsideration ALJ Appeals Council Remand/Dismissal Court Reopening Screening Before Informal Remand Screening Before Advisor)	THE HIGHEST ACHED BY THIS CLAIM) DHU /Denial of Review

	POSITIO	3 V	
ACRONYM			RS) DESCRIPTION MFD IS DRE6ABBL
DOB	405-410	(6)	SSR DATE OF BIRTH (CCYYMM)
FINSEX	411	(1)	<pre>GENDER (DERIVED) M = Male F = Female</pre>
FINRACE	412	(1)	Elements From 831 and SSR Record A = Asian B = Black H = Hispanic I = North American Indian or Eskimo O = Other W = White U, Blank = Unknown Z = Not Available After Numident Match Elements From Numident Record 1 = White 2 = Black 3 = Other 4 = Asian 5 = Hispanic 6 = Native American or Alaskan
FINRPDX	413-416	(4)	0, 9, Blank = Unknown RECODED PRIMARY DIAGNOSIS CODE (DERIVED)
FINRSDX	417-420	(4)	RECODED SECONDARY DIAGNOSIS CODE (DERIVED)
PI	421	(1)	PROJECT INDICATOR (DERIVED) 3 = Full Process Model Record I 4 = Full Process Model Record II (Probe) 6 = Prototype Record 7 = Prototype Grandfathered Record 0 = Old Process Record N = No SSA-831 Record 9 = Disability Service Improvement (DSI)
RECON_OK	422	(1)	

	POSITION		
ACRONYM	(# OF CHAI	RACTE:	RS) DESCRIPTION MFD IS DRE6ABBL
PAA	423-424	(2)	PRIOR APPLICATIONS ALLOWED (COUNTER)
PAD	425-426	(2)	PRIOR APPLICATIONS DENIED (COUNTER)
PAU	427-428	(2)	PRIOR APPLICATIONS OTHER/UNKNOWN RESULTS (COUNTER)
LAA	429-430	(2)	LATER APPLICATIONS ALLOWED (COUNTER)
LAD	431-432	(2)	LATER APPLICATIONS DENIED (COUNTER)
LAP	433	(1)	LATER APPLICATIONS PENDING (COUNTER)
LAO	434	(1)	LATER APPLICATIONS OTHER (COUNTER)
LAR	435-440	(6)	LATEST APPLICATION RESULTS POSITION 1 = SRDT POSITION 2 = FINRDT POSITION 3 = FINSTA POSITION 4 = FIN_AL POSITION 5 = L_AL POSITION 6 = LEV_AL
APPS06	441	(1)	APPLICATION COUNTER FOR 2006
APPS07	442	(1)	APPLICATION COUNTER FOR 2007
APPS08	443	(1)	APPLICATION COUNTER FOR 2008
APPS09	444	(1)	APPLICATION COUNTER FOR 2009
APPS10	445	(1)	APPLICATION COUNTER FOR 2010
APPS11	446	(1)	APPLICATION COUNTER FOR 2011
ABSL	448	(2)	LATEST BODY SYSTEM
ABS1	450	(2)	EARLIEST BODY SYSTEM

	POSITIO		
ACRONYM	(# OF CHAI	RACTE	RS) DESCRIPTION MFD IS DRE6ABBL
SER06	451-455	(5)	2006 EARNINGS (\$\$\$\$\$)
SER07	456-460	(5)	2007 EARNINGS (\$\$\$\$\$)
SER08	461-470	(10)	2008 EARNINGS (\$\$\$\$\$\$\$\$)
SER09	471-480	(10)	2009 EARNINGS (\$\$\$\$\$\$\$\$)
SER10	481-490	(10)	2010 EARNINGS (\$\$\$\$\$\$\$\$)
SER11	491-500	(10)	2011 EARNINGS (\$\$\$\$\$\$\$\$)
DFDD	501-508	(8)	DATE OF FINAL DETERMINATION OR DECISION
LIRB	509-510	(2)	REG. BASIS OF LATEST INITIAL DETERMINATION
LRRB	511-512	(2)	REG. BASIS OF LATEST RECON/FEDRO DETERMINATION
DFID	513-520	(8)	DATE OF FIRST INITIAL DETERMINATION
DFRD	521-528	(8)	DATE OF FIRST RECON/FEDRO DETERMINATION
DMFDOD	529-536	(8)	DATE OF DEATH, FROM MATCH TO DEATH MASTER FILE
CTRMDCT	537	(1)	COUNT OF COURT REMANDS FOR THIS CLAIM
ACRMDCT	538	(1)	COUNT OF APPEALS COUNCIL (AC) REMANDS OF THIS CLAIM
IFRMDCT	539	(1)	COUNT OF DDS DETERMINATION ON ALJ INFORMAL REMANDS FOR THIS CLAIM
LST_LEVEL	540	(1)	LATEST ADJUDICATIVE LEVEL, FROM ODAR/COURT DATA

	POSITI	ON &	
ACRONYM	(# OF CH.	ARACTE	RS) DESCRIPTION MFD IS DRE6ABBL
L_AL	541	(1)	ADJUDICATIVE LEVEL OF LATEST DETERMINATION OR DECISION ON THIS CLAIM (OR, THE LEVEL AT WHICH THE CLAIM IS CURRENTLY PENDING)
			ITIONS 542-545 ARE FOM THE 'RESULTS FIELDS' 2008 DISABILITY RESEARCH FILE
OLD_SRDT	542	(1)	OLD SRDT RESULTS
OLD_FINRD	Т 543	(1)	OLD FINRDT RESULTS
OLD_FINST	A 544	(1)	OLD FINSTAT RESULTS
OLD_FINAL	_AL 545	(1)	OLD FINAL AL RESULTS
LEV_AL	546	(1)	LEVEL OF ALLOWANCE - Adjudicative level of Earliest allowance for this claim. See FINAL_AL for definition of values. Blank Or zero for claims which were not allowed.
DEADD	547-554	(8)	DATE OF EARLIEST ALLOWANCE DETERMINATION OR DECISION. AVAILABLE FOR ALLOWED APPLICATIONS FILED 2008 OR LATER
			2012 EARNINGS 2013 EARNINGS (for future use)
SER14	575-584	(10)	2014 EARNINGS (for future use)
SER15	585-594	(10)	2015 EARNINGS (for future use)
SER16	595-604	(10)	2016 EARNINGS (for future use)
SER17	605-614	(10)	2017 EARNINGS (for future use)
SER18	615-624	(10)	2018 EARNINGS (for future use)
SER19	625-634	(10)	2019 EARNINGS (for future use)

As of June 2022

ACRONYM	POSITION (# OF CHA		RS)	DESCR	IPTI(ON			MFD	IS	DRE6ABBL
SER20	635-644	(10)	2020	EARNII	NGS	(for	futur	re u	se)		
OLD_PI	645	(1)	PI F 2011 PROB	FILE.	_	_	DJUST INCOF		_		E FOR TO CODING
EDIBFLDR	646-654	(9)	FOLD:	ER NUMI	BER						

POSITIONS 655-693 CONTAIN DATA FROM AN EARLIER FAVORABLE DISABILITY DETERMINATION FOR THIS INDIVIDUAL ON A DIFFERENT CLAIM, WHICH WAS APPARENTLY USED AS THE BASIS FOR A COLLATERAL ESTOPPEL ALLOWANCE OF THE CURRENT CLAIM. THESE PRIOR FAVORABLE DECISIONS SOMETIMES OCCURRED UNDER A DIFFERENT SSN, BIC, AND/OR TITLE (RID).

SSN0	655-663	(9)	SOCIAL SECURITY NUMBER				
BIC0	664-665	(2)	BENEFICIARY IDENTIFICATION CODE				
RIDO	666-666	(1)	RECORD IDENTIFICATION CODE '2' OR '4' = TITLE 2 'R' OR 'S' = TITLE				
DODEC0	667-674	(8)	DATE OF DDS OR SSA DECISION				
RB0	675-676	(1)	REG BASIS (See POMS reference when SOURCE0 = 3 DI 28085.013 for TITLE 16 Continuance DI 28086.013 FOR TITLE 2 Continuance)				
PDX0	677-680	(4)	PRIMARY IMPAIRMENT CODE				
RPDX0	681-684	(4)	RECODED PRIMARY IMPAIREMENT CODE				
SOURCE0	685-685	(1)	FILE WHERE PRIOR FAVORABLE DECISION WAS LOCATED. 8= From 831 Record 3= 833 File D= Old SSI* G= OGC Data O= ODAR data				

ACRONYM	POSITIO (# OF CHA		RS) DESCRIPTION MFD IS DRE6ABBL
			9= FEDRO Decision Record T= Either from YH1531 or SDR *On SSI Rolls, before beginning of SSA- 831 files for T16. Allowance assumed.
FLD0	686-693	(8)	FILING DATE OF EARLIER CLAIM WHICH INCLUDED THE FAVORABLE DECISION.NOT POPULATED FOR CDR
APPS12	694	(1)	APPLICATION COUNTER FOR 2012
APPS13	695	(1)	APPLICATION COUNTER FOR 2013
APPS14	696	(1)	APPLICATION COUNTER FOR 2014
APPS15	697	(1)	APPLICATION COUNTER FOR 2015
FINBS	698-699	(2)	FINAL BODY SYSTEM CODE
APPS16	700	(1)	APPLICATION COUNTER FOR 2016
APPS17	701	(1)	APPLICATION COUNTER FOR 2017
APPS18	702	(1)	APPLICATION COUNTER FOR 2018
APPS19	703	(1)	APPLICATION COUNTER FOR 2019
APPS20	704	(1)	APPLICATION COUNTER FOR 2020
APPS21	705	(1)	APPLICATION COUNTER FOR 2021
APPS22	706	(1)	APPLICATION COUNTER FOR 2022
APPS23	707	(1)	APPLICATION COUNTER FOR 2023
APPS24	708	(1)	APPLICATION COUNTER FOR 2024
APPS25	709	(1)	APPLICATION COUNTER FOR 2025
APPS26	710	(1)	APPLICATION COUNTER FOR 2026

As of June 2022

ACRONYM	POSITION (# OF CHAI		RS) DESCRIPTION MFD IS DRE6ABBL
APPS27	711	(1)	APPLICATION COUNTER FOR 2027
APPS28	712	(1)	APPLICATION COUNTER FOR 2028
APPS29	713	(1)	APPLICATION COUNTER FOR 2029
APPS30	714	(1)	APPLICATION COUNTER FOR 2030
APPS31	715	(1)	APPLICATION COUNTER FOR 2031
APPS32	716	(1)	APPLICATION COUNTER FOR 2032
APPS33	717	(1)	APPLICATION COUNTER FOR 2033
APPS34	718	(1)	APPLICATION COUNTER FOR 2034
APPS35	719	(1)	APPLICATION COUNTER FOR 2035
SER21-30	720	(100) 2021-2130 EARNINGS (for future use)

POSITIONS 820-839 CONTAIN FLAGS SUCH AS `48' INDICATING COVID. EACH FLAG IS TWO POSITIONS

FFLAG1-10 820-839 (20) FOLDER FLAG 1-10

APPENDIX N: FILE LAYOUT OF THE RACE AND ETHNICITY CLASSIFICATION SYSTEM

Column Name	Business Name	Server Name	Database Name	Schema Name	Table Name
AFAMBLK_IND	African American Black Indicator	PPF.GAP1	MRECS	MRECS	RACEETHN
AKNTV_IND	Alaskan Native Indicator	PPF.GAP1	MRECS	MRECS	RACEETHN
AMERIND_IND	American Indian Indicator	PPF.GAP1	MRECS	MRECS	RACEETHN
ASIAN_IND	Asian Indicator	PPF.GAP1	MRECS	MRECS	RACEETHN
CID	Client Identification	PPF.GAP1	MRECS	MRECS	RACEETHN
COSSN	Client's Own Social Security Number	PPF.GAP1	MRECS	MRECS	RACEETHN
DATASRC_CD	Data Source Code	PPF.GAP1	MRECS	MRECS	RACEETHN
ETHNICT_CD	Ethnicity Code	PPF.GAP1	MRECS	MRECS	RACEETHN
HINTV_IND	Native Hawaiian Indicator	PPF.GAP1	MRECS	MRECS	RACEETHN
INSRT_TS	Insert Timestamp	PPF.GAP1	MRECS	MRECS	RACEETHN
LU_PIN	Last Update Personal Identification Number	e PPF.GAP1	MRECS	MRECS	RACEETHN
LU_TS	Last Update Timestamp	PPF.GAP1	MRECS	MRECS	RACEETHN
OPACISL_IND	Other Pacific Island Indicator	PPF.GAP1	MRECS	MRECS	RACEETHN
RACE_NO_RESP_IND	Race No Response Indicator	PPF.GAP1	MRECS	MRECS	RACEETHN
SNUM	Sequential Number	PPF.GAP1	MRECS	MRECS	RACEETHN
SYS_SRC_CD	System Source Code	PPF.GAP1	MRECS	MRECS	RACEETHN
TXN_DT	Transaction Date	PPF.GAP1	MRECS	MRECS	RACEETHN
UPD_PGM_NM	Update Program Name	PPF.GAP1	MRECS	MRECS	RACEETHN
WHITE_IND	White Indicator	PPF.GAP1	MRECS	MRECS	RACEETHN

Column Name	Sequence	Primary Key	Data Type	Length(Scale)	DB Type	Lifecycle
AFAMBLK_IND		12 No	CHAR	1(0)	DB2	Production
AKNTV_IND		9 No	CHAR	1(0)	DB2	Production
AMERIND_IND		10 No	CHAR	1(0)	DB2	Production
ASIAN_IND		11 No	CHAR	1(0)	DB2	Production
CID		2 Yes	CHAR	2(0)	DB2	Production
COSSN		1 Yes	CHAR	9(0)	DB2	Production
DATASRC_CD		8 No	CHAR	1(0)	DB2	Production
ETHNICT_CD		4 No	CHAR	2(0)	DB2	Production
HINTV_IND		13 No	CHAR	1(0)	DB2	Production
INSRT_TS		17 No	TIMESTAMP	26(6)	DB2	Production
LU_PIN		5 No	CHAR	6(0)	DB2	Production
LU_TS		18 No	TIMESTAMP	26(6)	DB2	Production
OPACISL_IND		14 No	CHAR	1(0)	DB2	Production
RACE_NO_RESP_IND)	16 No	CHAR	1(0)	DB2	Production
SNUM		19 Yes	INTEGER	10(0)	DB2	Production
SYS_SRC_CD		6 No	CHAR	8(0)	DB2	Production
TXN_DT		3 Yes	DATE	10(0)	DB2	Production
UPD_PGM_NM		7 No	CHAR	8(0)	DB2	Production
WHITE_IND		15 No	CHAR	1(0)	DB2	Production

Column Name Description

AFAMBLK_IND A positive, negative, or unknown value that represents if a person is of African American race/ethnicity. Allowable values are Y, N and blank.

AKNTV_IND A positive, negative, or unknown value that represents if a person is of Alaskan Native race/ethnicity. Allowable values are Y, N and blank.

AMERIND_IND A positive, negative, or unknown value that represents if a person is of American Indian race/ethnicity. Allowable values are Y, N and blank.

ASIAN IND A positive, negative, or unknown value that represents if a person is of Asian race/ethnicity. Allowable values are Y, N and blank.

CID Client Identification. The CID will always be a '00'.

COSSN Social Security number.

DATASRC CD Identifies Data Source Code.

ETHNICT CD Identifies Ethnicity code. Values of '01', '02' or '03'.

HINTV_IND A positive, negative, or unknown value that represents if a person is of Native Hawaiian race/ethnicity. Allowable values are Y, N and blank.

INSRT TS The date and time the row was inserted.

LU_PIN Pin that last updated record.

LU TS The date and time the row was last updated.

OPACISL IND A positive, negative, or unknown value that represents if a person is of Other Pacific Island race/ethnicity. Allowable values are Y, N and blank.

RACE NO RESP IND Switch indicating whether there was a response to the race entry or not.

SNUM The value assigned to the occurrence added to the natural key used to identify the row.

SYS SRC CD Identifies System source code.

TXN DT The month, day and year when a transaction was created.

UPD PGM NM Updated program name.

WHITE_IND A positive, negative, or unknown value that represents if a person is of Caucasian race/ethnicity. Allowable values are Y, N and blank.

Mathematica Inc. Our employee-owners work nationwide and around the world. Find us at mathematica.org and edi-global.com. Mathematica, Progress Together, and the "spotlight M" logo are registered trademarks of Mathematica Inc.